

# ABM Marking Services LTD

2799 South Belt West Belleville, IL 62226

Voice: 618-277-3773

Fax: 618-277-3782

Email: [abm@abmmarking.com](mailto:abm@abmmarking.com)

Website: <http://www.abmmarking.com/>

## Stencil Products

### Marsh Hand Operated Stencil Machines

The Marsh Stencil Machine makes the cleanest cuts with no tearing or pulling. Always providing sharp clear marks. And, it's made in the USA.

- Easy to read characters on the large, bold-character dial for error free operation.
- Built to be solid; so stable it doesn't need to be bolted to the work surface.
- Case-hardened dies have wear-resistant cutting edges.
- Zinc alloy punch is stronger, lasts longer than steel, fits closer, cuts cleaner and is more corrosion-resistant.
- **R and R-5 Model - 1"** R: 4 lines, any length; 14 characters/foot  
R-5: 5 lines, any length; 14 characters/foot



- **M model – 3/4"**: 4 lines, any length; 16 characters/foot
- **H model – 1/2"**: 6 lines, any length; 23 characters/foot
- **Q model – 1/4"**: 10 lines, any length; 43 characters/foot

Part Number	Description	Unit Price
H	STENCIL CUTTING MACHINE 1/2"	<p style="text-align: center;"><b>Please send email to <a href="mailto:abm@abmmarking.com">abm@abmmarking.com</a> for price.</b></p>
Q	STENCIL CUTTING MACHINE 1/4"	
R	STENCIL CUTTING MACHINE 1" 4 LINE	
R-5	STENCIL CUTTING MACHINE 1" 5 LINE	
S	STENCIL CUTTING MACHINE 3/4"	
RP01A-R	SCR, CAP HEX 3/8-16X1 1/4 (5)	
RP01A-SHQ	SCR, CAP HEX 5/16-18X1 (5)	
RP01D-SHQ	NUT, HEX JAM 6-32 (5)	
RP01PL-H	PLATE, TABLE	
RP01PL-Q	PLATE, TABLE	
RP01PL-S	PLATE, TABLE	
RP01X-H	BASE W/ SHAFT AND TABLE PLATE 1/2"	
RP01X-Q	BASE, W/ SHAFT AND TABLE PLATE, 1/4"	
RP01X-R	BASE, W/CENTER SHAFT-R 1"	
RP01X-R5	BASE, W/CENTER SHAFT-R-5 1"	
RP01X-S	BASE, W/ SHAFT AND TABLE PLATE 3/4"	
RP02-R	HOOD, MODEL R	
RP02-SHQ	HOOD, MODELS S,H,Q	
RP03-R	CARRIER, DIE 1"	
RP03-SHQ	CARRIER, DIE SHQ MACHINE	
RP04A	SCR, CAP HEX 5/16-18X5/8 (5)	
RP04B	DOWEL, HANDLE (2)	

RP04-R	CARRIER,PUNCH (1")
RP04-SHQ	CARRIER, PUNCH-SHQ MACHINE
RP05X-R	HOLDER, PUNCH & SHANK ASSY
RP05X-SHQ	HOLDER, PUNCH & SHANK ASSY
RP06B-R	SCR, PUNCH 12-32X7/32 (5)
RP06B-SHQ	SCR, PUNCH 10-32X3/16 (5)
RP06C-R	SCR, PAN PHIL 1/4-28X5/8 (5)
RP06C-SHQ	SCR, PAN PHIL 10-32X1/2 (5)
RP07X	WHEEL ASSY, HAND
RP08	HOLDER, DIAL
RP08B	SCR, SQ SET 5/16-18X5/8
RP09	BUSHING, ROCKER (2)
RP09A	SCR, CAP HEX 3/8-16X1 (5)
RP10	CAM ASSY, CENTERING
RP12-R	LINK
RP12-SHQ	LINK
RP13A	WSHR, .440X.619X.090 (5)
RP14	ROCKER ASSY
RP15	ROLL ASSY, LOWER FEED
RP15C	BAR, ADJUSTMENT
RP15D	SPACER, (5)
RP15G	SCR, RD SLOT SEM 10-32X3/4 (5)
RP15GH	SCR, SHCS, 10-32X3/4, GRADE 5,(5)
RP15N	NUT, HEX JAM 10-32 (5)
RP16A	PIN, SFT STOP (5)
RP16D	STUD, SPRING (2)
RP16E	COLLAR, SPRING STUD

RP16G	CAP, ELCTLT SFT HANDLE (5)
RP16-R	SFT ASSY, ECC
RP16S	SPRING, FEED ROLL (5)
RP16-SHQ	SFT ASSY, ECC
RP16W	WSHR, .509X7/8X1/32 (5)
RP17	BUTTON, RELEASE & SHAFT
RP17S	SPRING, RELEASE BUT (5)
RP18	PAWL, STOP
RP18A	SCR, STOP PAWL
RP18B	PIN, RELEASE BUT(2)
RP19A	WICK, CENTER SFT OIL (5)
RP19W1	WSHR, .005 (5)
RP19W2	WSHR, .014 (5)
RP20X	HANDLE ASSY, OPERATING. R,S,H,Q.
RP21	WSHR, 9/32X15/16X3/32 (5)
RP22	SFT, HANDLE
RP22A	NUT, HEX 1/2-20X5/16 (5)
RP22B	WSHR, LK INT TOOTH 1/2 (5)
RP23A	BUSHING, FEED WHEEL (4)
RP23C	WSHR, SHIM (5)
RP23LB-H	WHEEL ASSY, FEED LEFT-MODEL H 1/2"
RP23LB-Q	WHEEL ASSY, FEED LEFT-MODEL Q 1/4"
RP23LB-R	WHEEL ASSY, FEED LEFT-MODEL R 1"
RP23LB-S	WHEEL ASSY, FEED LEFT-MODEL S 3/4"
RP23LX-H	WHEEL ASSY, FEED LEFT W/BSHG
RP23LX-Q	WHEEL ASSY, FEED LEFT W/BSHG
RP23LX-R	WHEEL ASSY, FEED LEFT W/BSHG

RP23LX-S	WHEEL ASSY, FEED LEFT W/BSHG
RP23R	WHEEL, FEED RIGHT
RP23RX	WHEEL ASSY, FEED RIGHT W/BSHG
RP23W	WSHR, FEED WHEEL (5)
RP24	FOLLOWER, SPACING CAM (2)
RP25E	STUD, SPACING STUD (5)
RP25-H	CAM ASSY, SPACING
RP25-Q	CAM ASSY, SPACING
RP25-R	CAM ASSY, SPACING
RP25S	SPRING, SPACING FINGER (3)
RP25-S	CAM ASSY, SPACING
RP26S-R	SPRING, PUNCH (5)
RP26S-SHQ	SPRING, PUNCH (5)
RP26W-R	WSHR, 1/2X7/8X.055 (5)
RP26W-SHQ	WSHR, 7/16X3/4X.055 (5)
RP27	RETR, SPRING (5)
RP27944	GRIP, HANDLE 7/8" FLANGELESS
RP28	ROCKER ASSY, CENTERING
RP29	STUD, CENTERING ROCKER (3)
RP30S	SPRING, CENTERING ARM (2)
RP30X-R	ARM ASSY, CENTERING
RP30X-SHQ	ARM ASSY, CENTERING
RP31	PLUNGER ASSY
RP32	DIAL BLANK, MANUAL
RP32A	SCR, TRUSS PHIL 6-32X3/16 (5)
RP33	STRIPPER ASSEMBLY
RP33101	THREADED CENTER SHAFT, LOCKWASHER,NUT

RP35	ARM LINER ASSY, CENTERING
RP35A	ARM LINER, CENTERING
RP35B	O-RING, 9/16X3/4 (5)
RP35SW	WSHR, 3/8X1X010 (5)
RP35W	WSHR, 3/8X7/8X5/64 (5)
RP36	BUSHING, SPACING CAM (2)
RP36B	SCR, CAP HEX 1/4-20X1 1/4 (5)
RP37	STUD, SPRING
RP37S	SPRING, HANDLE (3)
RP38	SCR, FIL SLOT 1/4-20X3/4 (5)
RP38A	NUT, HEX 1/4-20 (5)
RP38B	WSHR, LK EXT TOOTH 1/5 (5)
RP42	SCR, SET SOCK 3/8-24X7/8
RP43	PLATE, FRONT COVER
RP43A	SCR, PAN PHIL 8-32X3/8 (5)
RP44	STOP, SPACING
RP45	BUTTON, SPACING (3)
RP46	SFT, SPACING STOP (2)
RP46S	SPRING, SPACING BUT (5)
RP47	SCR, SQ SET 5/16-18X3/4 (5)
RP47A	NUT, HEX JAM 5/16-18 (5)
RP47B	WSHR, LK INT TOOTH 5/16 (5)
RP48-R	SCREW, SET (1")
RP48-SHQ	SCREW, SET (1/4,1/2,3/4")
RP49C-R	CARTON, STEN MACH 4 MANUAL
RP49C-SHQ	CARTON, STEN MACH QSH MANUAL
RP51N	NUT, HEX 5/16-24 (5)

RP77	FOOT, RUBBER
RP78-R	WSHR, 1/2X3/4 FELT (5)
RP78-SHQ	WSHR, 7/16X5/8 FELT (5)
RP79	WSHR, 3/16X7/16 FELT (5)
RPCHOOK	HOOK, CLEANING
RPH5DP	PUNCH & DIE, 1/2" (40)
RPH5DP--	PUNCH & DIE, 1/2" DASH
RPH5DP-/	PUNCH & DIE, 1/2" SLASH
RPH5DP-2	PUNCH & DIE, 1/2" FIGURE 2
RPH5DP-3	PUNCH & DIE, 1/2" FIGURE 3
RPH5DP-4	PUNCH & DIE, 1/2" FIGURE 4
RPH5DP-5	PUNCH & DIE, 1/2" FIGURE 5
RPH5DP-6	PUNCH & DIE, 1/2" FIGURE 6
RPH5DP-7	PUNCH & DIE, 1/2" FIGURE 7
RPH5DP-8	PUNCH & DIE, 1/2" FIGURE 8
RPH5DP-9	PUNCH & DIE, 1/2" FIGURE 9
RPH5DP-A	PUNCH & DIE, 1/2" LETTER A
RPH5DP-AMP	PUNCH & DIE, 1/2" AMPERSAND
RPH5DP-APO	PUNCH & DIE, 1/2" APOSTROPHE
RPH5DP-B	PUNCH & DIE, 1/2" LETTER B
RPH5DP-C	PUNCH & DIE, 1/2" LETTER C
RPH5DP-COMMA	PUNCH & DIE, 1/2" COMMA
RPH5DP-D	PUNCH & DIE, 1/2" LETTER D
RPH5DP-E	PUNCH & DIE, 1/2" LETTER E
RPH5DP-F	PUNCH & DIE, 1/2" LETTER F
RPH5DP-G	PUNCH & DIE, 1/2" LETTER G
RPH5DP-H	PUNCH & DIE, 1/2" LETTER H

RPH5DP-I	PUNCH & DIE, 1/2" LETTER I
RPH5DP-J	PUNCH & DIE, 1/2" LETTER J
RPH5DP-K	PUNCH & DIE, 1/2" LETTER K
RPH5DP-L	PUNCH & DIE, 1/2" LETTER L
RPH5DP-M	PUNCH & DIE, 1/2" LETTER M
RPH5DP-N	PUNCH & DIE, 1/2" LETTER N
RPH5DP-O	PUNCH & DIE, 1/2" LETTER O
RPH5DP-P	PUNCH & DIE, 1/2" LETTER P
RPH5DP-PER	PUNCH & DIE, 1/2" FIG PERIOD
RPH5DP-Q	PUNCH & DIE, 1/2" LETTER Q
RPH5DP-R	PUNCH & DIE, 1/2" LETTER R
RPH5DP-S	PUNCH & DIE, 1/2" LETTER S
RPH5DP-SPN	PUNCH & DIE, 1/2" SPANISH N
RPH5DP-T	PUNCH & DIE, 1/2" LETTER T
RPH5DP-U	PUNCH & DIE, 1/2" LETTER U
RPH5DP-V	PUNCH & DIE, 1/2" LETTER V
RPH5DP-W	PUNCH & DIE, 1/2" LETTER W
RPH5DP-X	PUNCH & DIE, 1/2" LETTER X
RPH5DP-Y	PUNCH & DIE, 1/2" LETTER Y
RPH5DP-Z	PUNCH & DIE, 1/2" LETTER Z
RPQ5DP	PUNCH & DIE, 1/4" (40)
RPQ5DP--	PUNCH & DIE, 1/4" DASH
RPQ5DP-/	PUNCH & DIE, 1/4" SLASH
RPQ5DP-2	PUNCH & DIE, 1/4" FIGURE 2
RPQ5DP-3	PUNCH & DIE, 1/4" FIGURE 3
RPQ5DP-4	PUNCH & DIE, 1/4" FIGURE 4
RPQ5DP-5	PUNCH & DIE, 1/4" FIGURE 5



RPQ5DP-6	PUNCH & DIE, 1/4" FIGURE 6	
RPQ5DP-7	PUNCH & DIE, 1/4" FIGURE 7	
RPQ5DP-8	PUNCH & DIE, 1/4" FIGURE 8	
RPQ5DP-9	PUNCH & DIE, 1/4" FIGURE 9	
RPQ5DP-A	PUNCH & DIE, 1/4" LETTER A	
RPQ5DP-AMP	PUNCH & DIE, 1/4" AMPERSAND	
RPQ5DP-APO	PUNCH & DIE, 1/4" APOSTROPHE	
RPQ5DP-B	PUNCH & DIE, 1/4" LETTER B	
RPQ5DP-C	PUNCH & DIE, 1/4" LETTER C	
RPQ5DP-COMMA	PUNCH & DIE, 1/4" COMMA	
RPQ5DP-D	PUNCH & DIE, 1/4" LETTER D	
RPQ5DP-E	PUNCH & DIE, 1/4" LETTER E	
RPQ5DP-F	PUNCH & DIE, 1/4" LETTER F	
RPQ5DP-G	PUNCH & DIE, 1/4" LETTER G	
RPQ5DP-H	PUNCH & DIE, 1/4" LETTER H	
RPQ5DP-I	PUNCH & DIE, 1/4" LETTER I	
RPQ5DP-J	PUNCH & DIE, 1/4" LETTER J	
RPQ5DP-K	PUNCH & DIE, 1/4" LETTER K	
RPQ5DP-L	PUNCH & DIE, 1/4" LETTER L	
RPQ5DP-M	PUNCH & DIE, 1/4" LETTER M	
RPQ5DP-N	PUNCH & DIE, 1/4" LETTER N	
RPQ5DP-O	PUNCH & DIE, 1/4" LETTER O	
RPQ5DP-P	PUNCH & DIE, 1/4" LETTER P	
RPQ5DP-PER	PUNCH & DIE, 1/4" FIG PERIOD	
RPQ5DP-Q	PUNCH & DIE, 1/4" LETTER Q	
RPQ5DP-R	PUNCH & DIE, 1/4" LETTER R	
RPQ5DP-S	PUNCH & DIE, 1/4" LETTER S	

RPQ5DP-T	PUNCH & DIE, 1/4" LETTER T	
RPQ5DP-U	PUNCH & DIE, 1/4" LETTER U	
RPQ5DP-V	PUNCH & DIE, 1/4" LETTER V	
RPQ5DP-W	PUNCH & DIE, 1/4" LETTER W	
RPQ5DP-X	PUNCH & DIE, 1/4" LETTER X	
RPQ5DP-Y	PUNCH & DIE, 1/4" LETTER Y	
RPQ5DP-Z	PUNCH & DIE, 1/4" LETTER Z	
RPR5DP	PUNCH & DIE, 1" (40)	
RPR5DP--	PUNCH & DIE, 1" DASH	
RPR5DP-/	PUNCH & DIE, 1" SLASH	
RPR5DP-2	PUNCH & DIE, 1" FIGURE 2	
RPR5DP-3	PUNCH & DIE, 1" FIGURE 3	
RPR5DP-4	PUNCH & DIE, 1" FIGURE 4	
RPR5DP-5	PUNCH & DIE, 1" FIGURE 5	
RPR5DP-6	PUNCH & DIE, 1" FIGURE 6	
RPR5DP-7	PUNCH & DIE, 1" FIGURE 7	
RPR5DP-8	PUNCH & DIE, 1" FIGURE 8	
RPR5DP-9	PUNCH & DIE, 1" FIGURE 9	
RPR5DP-A	PUNCH & DIE, 1" LETTER A	
RPR5DP-AMP	PUNCH & DIE, 1" AMPERSAND	
RPR5DP-APO	PUNCH & DIE, 1" APOSTROPHE	
RPR5DP-B	PUNCH & DIE, 1" LETTER B	
RPR5DP-C	PUNCH & DIE, 1" LETTER C	
RPR5DP-COMMA	PUNCH & DIE, 1" COMMA	
RPR5DP-D	PUNCH & DIE, 1" LETTER D	
RPR5DP-E	PUNCH & DIE, 1" LETTER E	
RPR5DP-F	PUNCH & DIE, 1" LETTER F	

RPR5DP-G	PUNCH & DIE, 1" LETTER G
RPR5DP-H	PUNCH & DIE, 1" LETTER H
RPR5DP-I	PUNCH & DIE, 1" LETTER I
RPR5DP-J	PUNCH & DIE, 1" LETTER J
RPR5DP-K	PUNCH & DIE, 1" LETTER K
RPR5DP-L	PUNCH & DIE, 1" LETTER L
RPR5DP-M	PUNCH & DIE, 1" LETTER M
RPR5DP-N	PUNCH & DIE, 1" LETTER N
RPR5DP-O	PUNCH & DIE, 1" LETTER O
RPR5DP-P	PUNCH & DIE, 1" LETTER P
RPR5DP-PER	PUNCH & DIE, 1" FIGURE PERIOD
RPR5DP-Q	PUNCH & DIE, 1" LETTER Q
RPR5DP-R	PUNCH & DIE, 1" LETTER R
RPR5DP-S	PUNCH & DIE, 1" LETTER S
RPR5DP-SPN	PUNCH & DIE, 1" SPANISH N
RPR5DP-T	PUNCH & DIE, 1" LETTER T
RPR5DP-U	PUNCH & DIE, 1" LETTER U
RPR5DP-V	PUNCH & DIE, 1" LETTER V
RPR5DP-W	PUNCH & DIE, 1" LETTER W
RPR5DP-X	PUNCH & DIE, 1" LETTER X
RPR5DPX-70	PUNCH & DIE SET, 1" LETTER API LOGO
RPR5DP-Y	PUNCH & DIE, 1" LETTER Y
RPR5DP-Z	PUNCH & DIE, 1" LETTER Z
RPS5DP	PUNCH & DIE, 3/4" (40)
RPS5DP--	PUNCH & DIE, 3/4" DASH
RPS5DP-/	PUNCH & DIE, 3/4" SLASH
RPS5DP-2	PUNCH & DIE, 3/4" FIGURE 2

RPS5DP-3	PUNCH & DIE, 3/4" FIGURE 3	
RPS5DP-4	PUNCH & DIE, 3/4" FIGURE 4	
RPS5DP-5	PUNCH & DIE, 3/4" FIGURE 5	
RPS5DP-6	PUNCH & DIE, 3/4" FIGURE 6	
RPS5DP-7	PUNCH & DIE, 3/4" FIGURE 7	
RPS5DP-8	PUNCH & DIE, 3/4" FIGURE 8	
RPS5DP-9	PUNCH & DIE, 3/4" FIGURE 9	
RPS5DP-A	PUNCH & DIE, 3/4" LETTER A	
RPS5DP-AMP	PUNCH & DIE, 3/4" AMPERSAND	
RPS5DP-API	PUNCH & DIE, 3/4" API LOGO	
RPS5DP-APO	PUNCH & DIE, 3/4" APOSTROPHE	
RPS5DP-B	PUNCH & DIE, 3/4" LETTER B	
RPS5DP-C	PUNCH & DIE, 3/4" LETTER C	
RPS5DP-COMMA	PUNCH & DIE, 3/4" COMMA	
RPS5DP-D	PUNCH & DIE, 3/4" LETTER D	
RPS5DP-E	PUNCH & DIE, 3/4" LETTER E	
RPS5DP-F	PUNCH & DIE, 3/4" LETTER F	
RPS5DP-G	PUNCH & DIE, 3/4" LETTER G	
RPS5DP-H	PUNCH & DIE, 3/4" LETTER H	
RPS5DP-I	PUNCH & DIE, 3/4" LETTER I	
RPS5DP-J	PUNCH & DIE, 3/4" LETTER J	
RPS5DP-K	PUNCH & DIE, 3/4" LETTER K	
RPS5DP-L	PUNCH & DIE, 3/4" LETTER L	
RPS5DP-M	PUNCH & DIE, 3/4" LETTER M	
RPS5DP-N	PUNCH & DIE, 3/4" LETTER N	
RPS5DP-O	PUNCH & DIE, 3/4" LETTER O	
RPS5DP-P	PUNCH & DIE, 3/4" LETTER P	

RPS5DP-PER	PUNCH & DIE, 3/4" FIG PERIOD
RPS5DP-Q	PUNCH & DIE, 3/4" LETTER Q
RPS5DP-R	PUNCH & DIE, 3/4" LETTER R
RPS5DP-S	PUNCH & DIE, 3/4" LETTER S
RPS5DP-SPN	PUNCH & DIE, 3/4" SPANISH N
RPS5DP-T	PUNCH & DIE, 3/4" LETTER T
RPS5DP-U	PUNCH & DIE, 3/4" LETTER U
RPS5DP-V	PUNCH & DIE, 3/4" LETTER V
RPS5DP-W	PUNCH & DIE, 3/4" LETTER W
RPS5DP-X	PUNCH & DIE, 3/4" LETTER X
RPS5DPX-06	PUNCH & DIE, SPECIAL 3/4" PLUS SIGN
RPS5DPX-75	PUNCH & DIE SET, SPECIAL 3/4" CIRCLE N
RPS5DP-Y	PUNCH & DIE, 3/4" LETTER Y
RPS5DP-Z	PUNCH & DIE, 3/4" LETTER Z

## Marsh Electronic Stencil Cutter and accessories

- **The Marsh Stencil Express** is an electronic stencil cutting system that is computer driven with state of the art software designed specifically to meet your customers varied stenciling requirements. With over 35 fonts available on your PC and compatible with almost any material, any need is now a stencil option.
- With the Marsh Stencil Express system you can cut .011 oilboard, polyethylene, sandblast, stencil mask, vinyl, magnetic and others.



Part Number	Description	Unit Price
SE100	STENCIL EXPRESS ELECTRONIC STENCIL CUTTER	<p style="text-align: center;"><b>Please send email to</b>  <a href="mailto:abm@abmmarking.com">abm@abmmarking.com</a> <b>for price.</b></p>
SE102	BLADE, 45 DEG.(USE W/EXPRESS CUT)	
SE103	BLADE, 60 DEG. (USE W/OILBOARD)	
SE104	CUTTER STAND	
SE105	STENCIL EXPRESS SOFTWARE	
SE105M	SE100 S/WARE MASTER	
SE105-UPG	SE100 S/WARE UPGRADE TO MASTER VERSION	
SE106	MAGNETIC STENCIL MATERIAL 24" X 50' - .020" THICK	
SE100-NS	STEN.EXP. ELECTR.STEN.CUTTER-NO SOFTWARE	
SERP105200	BLADE HOLDER	
SERP105722	CABLE, WHITE RIBBON	
SERP105953	BELT, TIMING	
SERP106254	CARRIAGE FLEXURE	
SERP106381	BELT, DRIVE	
SERP106457	FLEXURE PLATE	
SERP107137	3RD CHART WHEEL	
SERP107280	GRIT SHAFT	
SERP107307	CUTTER STRIP, STENCIL EXPRESS	
SERP108901	TENSIONER	
SERP109059	PC BOARD W/ COIL FOR SE100 STENCIL EXPRESS	
SERP109068-90	CARRIAGE, SE100 STENCIL EXPRESS	
SERP111197-80	FLEXURES FOR SE100 (PKG OF 2)	

SE101	EXPRESS-CUT POLY STENCIL MATERIAL 24" WIDE	
OB11-44-RL-12-2	OILBOARD, NAT11PT, 12" X 100' - ROLL QTY OF 2 PER BOX	
OB11-44-RL-12-2	OILBOARD, NAT11PT, 12" X 100' - ROLL QTY OF 2 PER BOX	
OB11-44-RL-12-2	OILBOARD, NAT11PT, 12" X 100' - ROLL QTY OF 2 PER BOX	
OB11-44-RL-24	OILBOARD, NAT11PT, 24" X 100' - ROLL	
OB11-44-RL-24	OILBOARD, NAT11PT, 24" X 100' - ROLL	
OB11-44-RL-24	OILBOARD, NAT11PT, 24" X 100' - ROLL	
OBC11-44-RL-24	OILBOARD, CANARY 11PT, 24" X 100' - ROLL	
OBC11-44-RL-24	OILBOARD, CANARY 11PT, 24" X 100' - ROLL	
OBC11-44-RL-24	OILBOARD, CANARY 11PT, 24" X 100' - ROLL	

## Super Size Stencil Machine and accessories

- Sharp, clean stencil cuts.
- Cuts a complete stencil in a turn of the handle. Duplicates Stencils even faster.
- Comes complete with stencil machine, stand, and cylinder.
- Over 20 character sizes available; character sets sold separately.
- 79 piece font set for 3" to 10" characters available (70 and 100 mm for metric).
- 111 piece font set for 1/4" to 2" available (20, 30, 40 and 50 mm for metric).



Part Number	Description	Unit Price
SS	SUPER SIZE, TABLE AND CYLINDER	<p style="text-align: center;"><b>Please send email to</b>  <a href="mailto:abm@abmmarking.com">abm@abmmarking.com</a> <b>for price.</b></p>
RPSS-02	SET SCREW, 10MM X 30MM	
RPSS-04	SCREWS, TF4 X 10	
RPSS-06	BRACE, CENTER SUPERSIZE	
RPSS-09	SCREWS, TC 10 X 30	
RPSS-11	STEEL WASHERS 2 X 8	
RPSS-13	SCREWS, TC 8 X 20	
RPSS-16	BOLT, HEX SUPERSIZE	
RPSS-17	FOOT, RUBBER	
RPSS-20	ROLLER, 0144	
RPSS-22	BRG, 6005 (ID.Nr.28)	
RPSS-24	PINION, SPUR D12-2	
RPSS-25	AXLE, STUBB'S STEEL	
RPSS-26	PIN, SPLIT 4X20	
RPSS-28	BRG, 6005 (ID.Nr. 22)	
RPSS-29	PIN, SPLIT 5X50 (5)	
RPSS-31	HANDLE, WHEEL	
RPSS-32	WHEEL	
RPSS-33	BRG, JAW	
RPSS-36	BRG, 6001 ID 10	
RPSS-40	BAR, SLIDE (UNIT)	
RPSS-41	FOOT, SLIDE BAR	
RPSS-STTY	TRAY, SUPERSIZE SETTING	



SS1/2IN	CHAR SET, SS 1/2IN, 111 PC
SS1/2IN-4	CHAR, SS 1/2IN, FIG 4
SS1/2IN-E	CHAR, SS 1/2IN, LET E
SS1/2IN-O	CHAR, SS 1/2IN, LET O
SS1/4IN	CHAR SET, SS 1/4IN, 111 PC
SS1/4IN-U	CHAR, SS 1/4IN, LET U
SS1-1/2IN	CHAR SET, SS 1 1/2IN, 111 PC
SS1-1/2IN-%	CHAR, SS1-1/2IN, FIG "%"
SS1-1/2IN-/	CHAR, SS1-1/2IN, FIG /
SS1-1/2IN-0	CHAR, SS1-1/2IN,FIG 0
SS1-1/2IN-1	CHAR, SS1-1/2IN,FIG 1
SS1-1/2IN-2	CHAR, SS1-1/2IN,FIG 2
SS1-1/2IN-3	CHAR, SS1-1/2IN,FIG 3
SS1-1/2IN-4	CHAR, SS1-1/2IN, FIG 4
SS1-1/2IN-5	CHAR,SS 1-1/2IN FIG "5"
SS1-1/2IN-6	CHAR, SS 1 1/2IN, FIG 6
SS1-1/2IN-7	CHAR, SS 1-1/2IN FIG "7"
SS1-1/2IN-8	CHAR, SS1-1/2IN,FIG 8
SS1-1/2IN-9	CHAR, SS1-1/2IN, FIG 9
SS1-1/2IN-A	CHAR, SS1-1/2IN, FIG " A"
SS1-1/2IN-AMP	CHAR, SS1-1/2IN,FIG"AMP"
SS1-1/2IN-B	SS1-1/2IN-B
SS1-1/2IN-D	CHAR,SS1-1/2IN, FIG "D"
SS1-1/2IN-DEG	CHAR, SS1-1/2IN, FIG "DEG"
SS1-1/2IN-E	CHAR, SS 1 1/2IN, LET E
SS1-1/2IN-F	CHAR, SS 1-1/2IN FIG "F"
SS1-1/2IN-G	CHAR,SS1-1/2IN, FIG "G"

SS1-1/2IN-H	CHAR, SS1-1/2IN, LET "H"
SS1-1/2IN-J	CHAR, SS 1-1/2IN FIG "J"
SS1-1/2IN-K	CHAR, SS 1-1/2IN FIG "K"
SS1-1/2IN-L	CHAR,SS1-1/2IN, FIG "L"
SS1-1/2IN-M	CHAR, SS 1-1/2IN FIG "M"
SS1-1/2IN-N	CHAR, SS 1-1/2IN FIG "N"
SS1-1/2IN-P	CHAR, SS 1-1/2IN FIG "P"
SS1-1/2IN-PER	CHAR, SS1-1/2IN, FIG " PER"
SS1-1/2IN-Q	CHAR, SS1-1/2IN, FIG "Q"
SS1-1/2IN-R	CHAR, SS1-1/2IN, FIG "R"
SS1-1/2IN-S	CHAR, SS 1-1/2IN FIG "S"
SS1-1/2IN-T	CHAR,SS1-1/2IN, FIG"T"
SS1-1/2IN-U	CHAR,SS1-1/2IN, FIG "U"
SS1-1/2IN-V	CHAR,SS1-1/2IN, FIG "V"
SS1-1/2IN-W	CHAR, SS 1-1/2IN FIG "W"
SS1-1/2IN-X	CHAR, SS 1 1/2IN, LET X
SS1-1/2IN-Y	CHAR, SS1-1/2IN, FIG "Y"
SS1-1/2IN-Z	CHAR, SS1-1/2IN, FIG "Z"
SS1-3/4IN--	CHAR, SS1-3/4IN, FIG -
SS1-3/4IN-7	CHAR, SS1-3/4IN, FIG 7
SS1-3/4IN-8	CHAR, SS1-3/4IN, FIG 8
SS1-3/4IN-E	CHAR, SS1-3/4IN, LET "E"
SS1-3/4IN-F	CHAR, SS1-3/4IN, LET "F"
SS1-3/4IN-N	CHAR, SS1-3/4IN, LET " N"
SS1-3/4IN-O	CHAR, SS1-3/4IN, LET "O"
SS1-3/4IN-P	CHAR, SS1-3/4IN, LET " P"
SS1-3/4IN-T	CHAR, SS1-3/4IN, LET " T"

SS1-3/4IN-U	CHAR, SS1-3/4IN, LET " U "
SS1IN	CHAR SET, SS 1IN, 111 PC
SS1IN--	CHAR, SS 1IN FIG "DASH"
SS1IN-"	SS1IN-"
SS1IN-%	SS1IN-%
SS1IN-/	CHAR, SS1IN, FIG /
SS1IN-0	CHAR, SS 1IN, FIG 0
SS1IN-1	CHAR, SS 1IN, FIG 1
SS1IN-2	CHAR, SS 1IN, FIG 2
SS1IN-3	CHAR, SS 1IN, FIG 3
SS1IN-4	CHAR, SS 1IN, FIG 4
SS1IN-5	CHAR, SS 1IN, FIG 5
SS1IN-6	CHAR, SS 1IN, FIG 6
SS1IN-7	CHAR, SS 1IN, FIG 7
SS1IN-8	CHAR, SS 1IN, FIG 8
SS1IN-9	CHAR, SS 1IN, FIG 9
SS1IN-A	CHAR, SS 1IN, LET A
SS1IN-AMP	CHAR, SS 1IN, FIG AMPERSAND
SS1IN-B	CHAR, SS 1IN, LET B
SS1IN-C	CHAR,SS 1IN LET C
SS1IN-COM	CHAR, SS1IN, FIG COMMA
SS1IN-D	CHAR, SS 1IN, LET D
SS1IN-DEG	SS1IN-DEG
SS1IN-E	CHAR, SS 1IN, LET E
SS1IN-F	CHAR,SS1IN, LET F
SS1IN-G	CHAR, SS 1IN LET G
SS1IN-H	CHAR, SS 1IN LET H

SS1IN-I	CHAR, SS 1IN LET I
SS1IN-J	CHAR,SS1IN LET J
SS1IN-K	CHAR, SS 1IN LET K
SS1IN-L	CHAR, SS1IN, LET L
SS1IN-M	CHAR, SS 1IN LET M
SS1IN-N	CHAR, SS 1IN, LET N
SS1IN-O	CHAR, SS 1IN, LET O
SS1IN-P	CHAR, SS 1IN LET P
SS1IN-PER	CHAR, SS 1IN FIG PERIOD
SS1IN-Q	CHAR,SS1IN,LET Q
SS1IN-R	CHAR,SS1IN, LET R
SS1IN-S	CHAR, SS 1IN, LET S
SS1IN-T	CHAR, SS 1IN LET T
SS1IN-U	CHAR,SS 1IN LET U
SS1IN-V	CHAR,SS 1IN LET V
SS1IN-W	CHAR, SS 1IN, LET W
SS1IN-X	CHAR, SS 1IN, LET X
SS1IN-Y	CHAR, SS 1IN FIG "Y"
SS1IN-Z	CHAR, SS 1IN, LET Z
SS2IN	CHAR SET, SS 2IN, 111 PC
SS2IN--	CHAR, SS 2IN, FIG DASH
SS2IN-"	CHAR, SS2IN, FIG "
SS2IN-%	CHAR, SS 2IN FIG "%"
SS2IN-/	CHAR, SS 2IN, FIG SLASH
SS2IN-0	CHAR, SS 2IN, FIG 0
SS2IN-1	CHAR, SS 2IN, FIG 1
SS2IN-2	CHAR, SS 2IN, FIG 2

SS2IN-3	CHAR, SS 2IN, FIG 3
SS2IN-4	CHAR, SS 2IN, FIG 4
SS2IN-5	CHAR, SS 2IN, FIG 5
SS2IN-6	CHAR, SS 2IN, FIG 6
SS2IN-7	CHAR, SS 2IN, FIG 7
SS2IN-8	CHAR, SS 2IN, FIG 8
SS2IN-9	CHAR, SS 2IN, FIG 9
SS2IN-A	CHAR, SS 2IN, LET A
SS2IN-AMP	CHAR, SS2IN, LET "AMP"
SS2IN-B	CHAR, SS 2IN, LET B
SS2IN-C	CHAR, SS 2IN, LET C
SS2IN-COM	CHAR, SS2IN, LET "COM"
SS2IN-D	CHAR, SS 2IN, LET D
SS2IN-DEG	CHAR, SS2IN, LET "DEG"
SS2IN-E	CHAR, SS 2IN, LET E
SS2IN-F	CHAR, SS 2IN, LET F
SS2IN-G	CHAR, SS 2IN, LET G
SS2IN-H	CHAR, SS 2IN, LET H
SS2IN-I	CHAR, SS 2IN, LET I
SS2IN-J	CHAR, SS 2IN, LET J
SS2IN-K	CHAR, SS 2IN, LET K
SS2IN-L	CHAR, SS 2IN, LET L
SS2IN-M	CHAR, SS 2IN, LET M
SS2IN-MM	CHAR, SS2IN, LET "MM"
SS2IN-N	CHAR, SS 2IN, LET N
SS2IN-O	CHAR, SS 2IN, LET O
SS2IN-P	CHAR, SS 2IN, LET P

SS2IN-PER	CHAR, SS 2IN, FIG PERIOD
SS2IN-Q	CHAR, SS2IN, LET "Q"
SS2IN-R	CHAR, SS 2IN, LET R
SS2IN-S	CHAR, SS 2IN, LET S
SS2IN-T	CHAR, SS 2IN, LET T
SS2IN-U	CHAR, SS 2IN, LET U
SS2IN-V	CHAR, SS 2IN, LET V
SS2IN-W	CHAR, SS 2IN, LET W
SS2IN-X	CHAR, SS 2IN, LET X
SS2IN-Y	CHAR, SS 2IN, LET Y
SS2IN-Z	CHAR, SS 2IN FIG "Z"
SS3/4IN	CHAR SET, SS 3/4IN 111 PC EGRA
SS3IN	CHAR SET, SS 3IN, 79 PC
SS3IN--	CHAR, SS 3IN, FIG DASH
SS3IN-"	CHAR, SS3IN, FIG "
SS3IN-#	CHAR, SS 3IN, POUND SIGN
SS3IN-%	CHAR, SS3IN, FIG %
SS3IN-/	CHAR, SS 3IN, FIG SLASH
SS3IN-0	CHAR, SS 3IN, FIG 0
SS3IN-1	CHAR, SS 3IN, FIG 1
SS3IN-2	CHAR, SS 3IN, FIG 2
SS3IN-3	CHAR, SS 3IN, FIG 3
SS3IN-4	CHAR, SS 3IN, FIG 4
SS3IN-5	CHAR, SS 3IN, FIG 5
SS3IN-6	CHAR, SS 3IN, FIG 6
SS3IN-7	CHAR, SS 3IN, FIG 7
SS3IN-8	CHAR, SS 3IN, FIG 8

SS3IN-9	CHAR, SS 3IN, FIG 9
SS3IN-A	CHAR, SS 3IN, LET A
SS3IN-AMP	CHAR, SS3IN, LET "AMP"
SS3IN-B	CHAR, SS 3IN, LET B
SS3IN-C	CHAR, SS3IN, LET "C"
SS3IN-COM	CHAR, SS3IN, LET "COM"
SS3IN-D	CHAR, SS 3IN, LET D
SS3IN-DEG	CHAR, SS3IN, LET "DEG"
SS3IN-E	CHAR, SS 3IN, LET E
SS3IN-F	CHAR, SS 3IN, LET F
SS3IN-G	CHAR, SS 3IN, LET G
SS3IN-H	CHAR, SS 3IN, LET H
SS3IN-I	CHAR, SS 3IN, LET I
SS3IN-J	CHAR, SS 3IN, LET J
SS3IN-K	CHAR, SS 3IN, LET K
SS3IN-L	CHAR, SS 3IN, LET L
SS3IN-M	CHAR, SS 3IN, LET M
SS3IN-MM	CHAR, SS3IN, LET "MM"
SS3IN-N	CHAR, SS 3IN, LET N
SS3IN-O	CHAR, SS3IN, LET "O"
SS3IN-P	CHAR, SS 3IN, LET P
SS3IN-PER	CHAR, SS3IN, LET "PER"
SS3IN-Q	CHAR, SS 3IN, LET Q
SS3IN-R	CHAR, SS3IN, LET R
SS3IN-S	CHAR, SS3IN, LET "S"
SS3IN-T	CHAR,SS 3IN,LET T
SS3IN-U	CHAR, SS 3IN, LET U

SS3IN-V	CHAR, SS 3IN, LET V
SS3IN-W	CHAR, SS3IN, LET "W"
SS3IN-X	CHAR, SS 3IN, LET X
SS3IN-Y	CHAR, SS 3IN, LET Y
SS3IN-Z	CHAR, SS 3IN, LET Z
SS4IN	CHAR SET, SS 4IN, 79 PC
SS4IN--	\
SS4IN-"	CHAR, SS4IN, FIG "
SS4IN-%	CHAR, SS4IN, FIG %
SS4IN-/	CHAR, SS4IN, FIG /
SS4IN-0	CHAR, SS 4IN, FIG 0
SS4IN-1	CHAR, SS 4IN, FIG 1
SS4IN-2	CHAR, SS 4IN, FIG 2
SS4IN-3	CHAR, SS 4IN, FIG 3
SS4IN-4	CHAR, SS 4IN, FIG 4
SS4IN-5	CHAR, SS 4IN, FIG 5
SS4IN-6	CHAR, SS 4IN, FIG 6
SS4IN-7	CHAR, SS 4IN, FIG 7
SS4IN-8	CHAR, SS 4IN, FIG 8
SS4IN-9	CHAR, SS4IN, FIG 9
SS4IN-A	CHAR, SS4IN, LET "A"
SS4IN-AMP	CHAR, SS4IN, LET "AMP"
SS4IN-B	CHAR, SS4IN, LET "B"
SS4IN-C	CHAR, SS4IN, LET "C"
SS4IN-COM	CHAR, SS4IN, LET "COM"
SS4IN-D	CHAR, SS4IN, LET "D"
SS4IN-DEG	CHAR, SS4IN, LET "DEG"



SS4IN-E	CHAR, SS4IN, LET "E"
SS4IN-F	CHAR, SS 4IN, LET F
SS4IN-G	CHAR, SS 4IN, LET G
SS4IN-H	CHAR, SS4IN, LET "H"
SS4IN-I	CHAR, SS4IN, LET "I"
SS4IN-J	CHAR, SS 4IN FIGURE "J"
SS4IN-K	CHAR, SS4IN, LET "K"
SS4IN-L	CHAR, SS4IN, LET "L"
SS4IN-M	CHAR, SS 4IN, LET M
SS4IN-MM	CHAR, SS4IN, LET "MM"
SS4IN-N	CHAR, SS4IN, LET "N"
SS4IN-O	CHAR, SS 4IN, LET O
SS4IN-P	CHAR, SS4IN, LET "P"
SS4IN-PER	CHAR, SS4IN, LET "PER"
SS4IN-Q	CHAR, SS4IN, LET "Q"
SS4IN-R	CHAR, SS 4IN, LET R
SS4IN-S	CHAR, SS 4IN, LET S
SS4IN-T	CHAR, SS 4IN, LET T
SS4IN-U	CHAR, SS4IN, LET "U"
SS4IN-V	CHAR, SS4IN, LET "V"
SS4IN-W	CHAR, SS4IN, LET "W"
SS4IN-X	CHAR, SS 4IN, LET X
SS4IN-Y	CHAR, SS 4IN, LET Y
SS4IN-Z	CHAR, SS4IN, LET "Z"
SS-BLANKET	BOARD, CUTTING SS (40" x 11.5")
SS-BLANKET	BOARD, CUTTING SS (40" x 11.5")
SS-MLR600MM-SET	RULES, LINING SS MAG (10/SET)

SS-MLW1530-SET	WEDGE, LINING SS MAG (10/SET)	
SS-MLW3050-SET	WEDGE, LINING SS MAG (10/SET)	

## Oilboard

- Marsh oilboard is cured in a plant that is solely dedicated to the production of superior grade oilboard. Then, its treated with a special blend of double-boiled linseed oils to resist ink bleed-through. After treatment with the oil, the board is cut with the grain in order to further strengthen its rigidity.
- Specially formulated to resist ink bleed-through.
- Fine grade oilboard will not tear or pull when cut — saves you time and money.
- The largest selection of standard sizes available for all types of stencil machines.
- Choice of natural or canary finish.
- Available in .015", .011" and .007" thickness.
- .015" thickness recommended for 1", 3/4" and 1/2" machines including Marsh R, R-5, S, H and Super Size stencil machines.
- Premium grade, finer fibers produce extremely clean-cut characters.
- Other special cut sizes and rolls available. Please call for pricing and availability.



Part Number	Description	Unit Price
OBC15-11X36-50	OILBOARD, CAN15PT, 11" X 36" - 50LB	<p><b>Please send email to</b>  <a href="mailto:abm@abmmarking.com">abm@abmmarking.com</a> <b>for price.</b></p>
OBC15-12X48-50	OILBOARD, CAN15PT, 12" X 48" - 50LB	
OBC15-20X24-50	OILBOARD, CAN15PT, 20" X 24" - 50LB	
OBC15-24X36-50	OILBOARD, CAN15PT, 24" X 36" - 50LB	

OBC15-5X16-50	OILBOARD, CAN15PT, 5" X 16" - 50LB
OBC15-5X20-50	OILBOARD, CAN15PT, 5" X 20" - 50LB
OBC15-5X24-50	OILBOARD, CANARY 15PT, 5" X 24" - 50LB
OBC15-6.5X20-50	OILBOARD, CAN15PT, 6.5" X 20" - 50LB
OBC15-6.5X24-50	OILBOARD, CAN15PT, 6.5" X 24" - 50LB
OBC15-6X16-50	OILBOARD, CAN15PT, 6" X 16" - 50LB
OBC15-6X20-50	OILBOARD, CAN15PT, 6" X 20" - 50LB
OBC15-6X24-50	OILBOARD, CAN15PT, 6" X 24" - 50LB
OBC15-6X36-50	OILBOARD, CAN15PT, 6" X 36" - 50LB
OBC15-7X20-50	OILBOARD, CAN15PT, 7" X 20" - 50LB
OBC15-7X24-50	OILBOARD, CAN15PT, 7" X 24" - 50LB
OBC15-10X32-50	OILBOARD, CAN15PT, 10" X 32" - 50LB
OBC15-11.75X24-50	OILBOARD, CANARY 15PT, 12" X 24" - 50LB
OBC15-11X24-50	OILBOARD, CAN15PT, 11" X 24" - 50LB
OBC15-12X24-50	OILBOARD, CANARY 15PT, 12" X 24" - 50LB
OBC15-12X36-50	OILBOARD, CAN15PT, 12" X 36" - 50LB.
OBC15-20X32-50	OILBOARD, CAN15PT, 20" X 32" - 50LB
OBC15-24X48-50	OILBOARD, CAN15PT, 24" X 48" - 50LB
OBC15-29X24-40	OILBOARD, CAN 15PT 29" X 24" 40 LB
OBC15-3.5X24-50	OILBOARD, CAN15PT, 3.5" X 24" - 50LB
OBC15-36X48-50	OILBOARD, CANARY 15PT, 36"X48" - 50LB
OBC15-3X24-50	OILBOARD, CAN15PT, 3" X 24" - 50LB
OBC15-3X36-50	OILBOARD, CANARY 15PT, 3" X 36" - 50LB
OBC15-3X48-50	OILBOARD, CAN15PT, 3" X 48" - 50LB
OBC15-4.5X16-50	OILBOARD, CAN15PT, 4.5" X 16" - 50LB
OBC15-4X12-50	OILBOARD, CAN 15PT, 4"X12", 50 LB
OBC15-4X16-50	OILBOARD, CAN15PT, 4" X 16" - 50LB

OBC15-4X20-50	OILBOARD, CAN15PT, 4" X 20" - 50LB
OBC15-4X24-50	OILBOARD, CAN15PT, 4" X 24" - 50LB
OBC15-4X36-50	OILBOARD, CAN15PT, 4" X 36" - 50LB
OBC15-4X48-50	OILBOARD, CAN15PT, 4" X 48" - 50LB
OBC15-4X8-50	OILBOARD, CAN15PT, 4" X 8" - 50LB
OBC15-5X12-50	OILBOARD, CAN15PT, 5" X 12" - 50LB
OBC15-6.5X12-50	OILBOARD, CAN15PT, 6.5" X 12" - 50LB
OBC15-6.5X32-50	OILBOARD, CAN15PT, 6.5" X 32" - 50LB
OBC15-6X12-50	OILBOARD, CAN15PT, 6" X 12" - 50LB
OBC15-6X18-50	OILBOARD, CAN15PT, 6" X 18" - 50LB
OBC15-6X30-50	OILBOARD, CANARY 15PT, 6" X 30" - 50LB
OBC15-6X48-50	OILBOARD, CAN15PT, 6" X 48" - 50LB.
OBC15-7.5X24-50	OILBOARD, CANARY 15PT, 7.5" X 24" - 50LB
OBC15-7X12-50	OILBOARD, CAN15PT, 7" X 12" - 50LB
OBC15-7X36-50	OILBOARD, CAN15PT, 7" X 36" - 50LB
OBC15-8X20-50	OILBOARD, CAN15PT, 8" X 20" - 50LB
OBC15-8X24-50	OILBOARD, CAN15PT, 8" X 24" - 50LB
OBC15-8X36-50	OILBOARD, CANARY 15PT, 8" X 36" - 50LB
OBC15-8X48-50	OILBOARD, CANARY 15PT, 8" X 48" - 50LB
OBC15-9X12-50	OILBOARD, CAN15PT, 9" X 12" - 50LB
OBC11-24X36-50	OILBOARD, CANARY 11PT, 24" X 36" - 50LB
OBC11-5X20-50	OILBOARD, CANARY 11PT, 5" X 20" - 50LB
OBC11-6X16-50	OILBOARD, CANARY 11PT, 6" X 16" - 50LB
OBC11-6X20-50	OILBOARD, CANARY 11PT, 6" X 20" - 50LB
OBC11-6X24-50	OILBOARD, CANARY 11PT, 6" X 24" - 50LB
OBC11-6X36-50	OILBOARD, NAT11PT, 6" X 36" - 50LB
OBC11-7X20-50	OILBOARD, CANARY 11PT, 7" X 20" - 50LB

OBC11-7X24-50	OILBOARD, CANARY 11PT, 7" X 24" - 50LB
OBC11-11X24-50	OILBOARD, CAN 11PT, 11" X 24" - 50LB
OBC11-12X24-50	OILBOARD, CANARY 11PT, 12" X 24" - 50LB
OBC11-12X36-50	OILBOARD, CANARY 11PT, 12" X 36" - 50LB
OBC7-24X36-50	OILBOARD, CANARY 7PT 24" X 36" - 50LB
OBC7-5X20-50	OILBOARD, CANARY 7PT, 5" X 20" - 50LB
OBC7-6.5X20-50	OILBOARD, CANARY 7PT, 6.5" X 20" - 50LB
OBC7-6.5X24-50	OILBOARD,CAN 07PT,6.5"X24"-50LB
OBC7-6X16-50	OILBOARD, CANARY 7PT, 6" X 16" - 50LB
OBC7-6X20-50	OILBOARD, CANARY 7PT, 6" X 20" - 50LB
OBC7-6X24-50	OILBOARD, CANARY 7PT, 6" X 24" - 50LB
OBC7-7X20-50	OILBOARD, CANARY 7PT, 7" X 20" - 50LB
OBC7-7X24-50	OILBOARD, CANARY 7PT, 7" X 24" - 50LB
OBC7-12X36-50	OILBOARD, CANARY 7PT-12"X36"-50LB
OBC7-5X16-50	OILBOARD, CANARY 7PT, 5" X 16" - 50LB
OBC7-6X40-50	OILBOARD, CANARY 7PT, 6" X 40" - 50LB
OB15-11X36-50	OILBOARD, NAT15PT, 11" X 36" - 50LB
OB15-12X48-50	OILBOARD, NAT15PT, 12" X 48" - 50LB
OB15-18X24-50	OILBOARD, NAT15PT, 18" X 24" - 50LB
OB15-20X24-50	OILBOARD, NAT15PT, 20" X 24" - 50LB
OB15-24X36-50	OILBOARD, NAT15PT, 24" X 36" - 50LB
OB15-5X16-50	OILBOARD, NAT15PT, 5" X 16" - 50LB
OB15-5X20-50	OILBOARD, NAT15PT, 5" X 20" - 50LB
OB15-5X24-50	OILBOARD, NAT15PT, 5" X 24" - 50LB
OB15-6.5X20-50	OILBOARD, NAT15PT, 6.5" X 20" - 50LB
OB15-6.5X24-50	OILBOARD, NAT15PT, 6.5" X 24" - 50LB
OB15-6X16-50	OILBOARD, NAT15PT, 6" X 16" - 50LB

OB15-6X20-50	OILBOARD, NAT15PT, 6" X 20" - 50LB
OB15-6X24-50	OILBOARD, NAT15PT, 6" X 24" - 50LB
OB15-6X36-50	OILBOARD, NAT15PT, 6" X 36" - 50LB
OB15-7X20-50	OILBOARD, NAT15PT, 7" X 20" - 50LB
OB15-7X24-50	OILBOARD, NAT15PT, 7" X 24" - 50LB
OB15-10X16-50	OILBOARD, NAT15PT, 10" X 16" - 50LB
OB15-10X32-50	OILBOARD, NAT15PT, 10" X 32" - 50LB
OB15-11.5X43-50	OILBOARD, NAT15PT, 11.5" X 43" - 50LB
OB15-11.75X24-50	OILBOARD, NAT15PT, 11.75" X 24" - 50LB
OB15-11X24-50	OILBOARD, NAT15PT, 11" X 24" - 50LB
OB15-12X12-50	OILBOARD, NAT15PT, 12" X 12" - 50LB
OB15-12X24-50	OILBOARD, NAT15PT, 12" X 24" - 50LB
OB15-12X36-50	OILBOARD, NAT15PT, 12" X 36" - 50LB
OB15-20X32-50	OILBOARD, NAT15PT, 20" X 32" - 50LB
OB15-24X24-50	OILBOARD, NAT15PT, 24" X 24" - 50LB
OB15-24X48-50	OILBOARD, NAT15PT, 24" X 48" - 50LB
OB15-29X24-40	OILBOARD, NAT15PT, 29" X 24" 40 LB
OB15-3.25X20-50	OILBOARD, NAT15PT, 3.25" X 20" - 50LB
OB15-3.5X24-50	OILBOARD, NAT15PT, 3.5" X 24" - 50LB
OB15-36X48-50	OILBOARD, NAT15PT, 36"X48" - 50LB
OB15-3X24-50	OILBOARD, NAT15PT, 3" X 24" - 50LB
OB15-3X36-50	OILBOARD, NAT15PT, 3" X 36" - 50LB
OB15-4.5X16-50	OILBOARD, NAT15PT, 4.5" X 16" - 50LB
OB15-4.5X48-50	OILBOARD, NAT15PT, 4.5" X 48" - 50LB
OB15-4X12-50	OILBOARD, NAT15PT, 4" X 12" - 50LB
OB15-4X16-50	OILBOARD, NAT15PT, 4" X 16" - 50LB
OB15-4X20-50	OILBOARD, NAT15PT, 4" X 20" - 50LB

OB15-4X24-50	OILBOARD, NAT15PT, 4" X 24" - 50LB
OB15-4X26-50	OILBOARD, NAT15PT, 4" X 26" - 50LB
OB15-4X30-50	OILBOARD, NAT15PT, 4" X 30" - 50LB
OB15-4X36-50	OILBOARD, NAT15PT, 4" X 36" - 50LB
OB15-4X48-50	OILBOARD, NAT15PT, 4" X 48" - 50LB
OB15-5X12-50	OILBOARD, NAT15PT, 5" X 12" - 50LB
OB15-6.5X12-50	OILBOARD, NAT15PT, 6.5" X 12" - 50LB
OB15-6.5X32-50	OILBOARD, NAT15PT, 6.5" X 32" - 50LB
OB15-6.5X36-50	OILBOARD, NAT15PT, 6.5" X 36" - 50LB
OB15-6.75X28-50	OILBOARD, NAT15PT, 6.75" X 28" - 50LB
OB15-6X10-50	OILBOARD, NAT15PT, 6" X 10" - 50LB
OB15-6X12-50	OILBOARD, NAT15PT, 6" X 12" - 50LB
OB15-6X18-50	OILBOARD, NAT15PT, 6" X 18" - 50LB
OB15-6X30-50	OILBOARD, NAT15PT, 6" X 30" - 50LB
OB15-7.5X24-50	OILBOARD, NAT15PT, 7.5" X 24" - 50LB
OB15-7.5X30-50	OILBOARD, NAT15PT, 7.5" X 30" - 50LB
OB15-7.5X36-50	OILBOARD, NAT15PT, 7.5" X 36" - 50LB
OB15-7X12.5-50	15PT, 7" x 12.5", OIL BOARD - 50 LB CARTON
OB15-7X12-50	OILBOARD, NAT15PT, 7" X 12" - 50LB
OB15-7X27-50	OILBOARD, NAT15PT, 7" X 27" - 50LB
OB15-7X30-50	OILBOARD, NAT15PT, 7" X 30" - 50LB
OB15-7X36-50	OILBOARD, NAT15PT, 7" X 36" - 50LB
OB15-7X48-50	OILBOARD, NAT15PT, 7" X 48" - 50LB
OB15-8X20-50	OILBOARD, NAT15PT, 8" X 20" - 50LB
OB15-8X24-50	OILBOARD, NAT15PT, 8" X 24" - 50LB
OB15-8X36-50	OILBOARD, NAT15PT, 8" X 36" - 50LB
OB15-8X48-50	OILBOARD, NAT15PT, 8" X 48" - 50LB

OB11-11X36-50	OILBOARD, NAT11PT, 11" X 36" - 50LB
OB11-24X24-50	OILBOARD, NAT11PT, 24" X 24" - 50LB
OB11-24X36-50	OILBOARD, NAT11PT, 24" X 36" - 50LB
OB11-5X20-50	OILBOARD, NAT11PT, 5" X 20" - 50LB
OB11-6X16-50	OILBOARD, NAT11PT, 6" X 16" - 50LB
OB11-6X20-50	OILBOARD, NAT11PT, 6" X 20" - 50LB
OB11-6X24-50	OILBOARD, NAT11PT, 6" X 24" - 50LB
OB11-6X36-50	OILBOARD, NAT11PT, 6" X 36" - 50LB
OB11-7X20-50	OILBOARD, NAT11PT, 7" X 20" - 50LB
OB11-7X24-50	OILBOARD, NAT11PT, 7" X 24" - 50LB
OB11-11X24-50	OILBOARD, NAT11PT, 11" X 24" - 50LB
OB11-12X24-50	OILBOARD, NAT11PT, 12" X 24" - 50LB
OB11-12X36-50	OILBOARD, NAT11PT, 12" X 36" - 50LB
OB11-20X32-50	OILBOARD, NAT11PT, 20" X 32" - 50LB
OB11-24X48-50	OILBOARD, NAT11PT, 24" X 48" - 50LB
OB11-48-RL-12	OILBOARD, NAT11PT, 12" X 300' - ROLL
OB15-36-RL	OILBOARD, NAT15PT, 36" X 300' - ROLL
OB15-48-RL	OILBOARD, NAT15PT, 48" X 300' - ROLL
OB15-48-RL-12.5	OILBOARD, NAT15PT, 12.5" X 300' - ROLL
OB15-48-RL-24	OILBOARD, NAT15PT, 24" X 300' - ROLL
OB15-48-RL-3	OILBOARD, NAT15PT, 3" X 300' - ROLL
OB15-48-RL-4	OILBOARD, NAT15PT, 4" X 300' - ROLL
OB15-48-RL-6	OILBOARD, NAT15PT, 6" X 300' - ROLL
OB15-48-RL-6.5	OILBOARD, NAT15PT, 6.5" X 300' - ROLL
OB15-48-RL-9	OILBOARD, NAT15PT, 9" X 300' - ROLL
OBC15-48-RL	OILBOARD, CAN15PT, 48" X 300' - ROLL
OBC15-48-RL-4	OILBOARD, CAN15PT, 4" X 300' - ROLL



## Stencil Applicators

### *Leave Lasting Impressions.*

Marsh Fountain Rollers and Brushes can help you make quick work of the stenciling process by delivering ink impressions on a variety of surfaces without fading or flooding. Depend on these hard-working products for a productive stenciling experience, every time.

- **EFI Environmentally Friendly - Productive and Pro-Environment**

The efi Stenciling System provides a portable and convenient method of stenciling crisp, clear marks on a wide variety of porous and non-porous surfaces. The stencil marks are fast drying, permanent, as well as fade and sunlight resistant.

Best of all, since the inks have an ultra-low VOC content – they are more environmentally friendly to the operator applying the markings, and to the atmosphere. The inks are water-soluble and only require soap and water for clean-up. (No separate solvents required!) Since efi inks are also non-flammable, they are safer to use and easier.

- **Fountain Rollers - Productivity on a Roll.**



The pump action of Marsh Fountain Rollers gives you fast, uniform ink distribution without fading or flooding.

- Durable aluminum and brass construction for tough environments.
- Long lasting neoprene roller.
- Environmentally friendly – refill from Marsh quart or gallon ink cans and reduce packaging waste.
- Replacement foam rollers available.

- **Rolmark Pad & Roller System - Efficient and economical**

- Rollers available in 1.5” (38 mm), 3” (76 mm), and 4.5” (114 mm)
- Inexpensive stenciling system.
- Use Rolmark Ink on porous and non-porous surfaces.
- Can also be used with efi inks.
- Units sold separately.
- Only Rolmark or efi inks may be used with pad.



- **Rolmark Express - Minimize down time. Maximize productivity.**

- Designed to be a quick, easy to use tool. Offers the convenience of quickly changing ink cartridges, minimizing potential ink mess, and most importantly production down time.
- The Rolmark Express all metal, disposable ink cartridge becomes the strong, durable handle once it is screwed on the spindle roller assembly. It utilizes the same 3” neoprene roll that is used with standard fountain rollers.



- Cartridges contain 4 ounces of ink and are sold 8 per carton.

- **Fountain Brush - Fills in the gaps.**

The Marsh Fountain Brush ensures solid stencil coverage and strong clear marks. Great for uneven surfaces, such as crates, or concrete.

- No-mess operation – ink refill is at the handle end of the brush
- Extend product life with replaceable brush tips
- Use brushes for porous and non-porous applications with the appropriate ink
- Includes polypropylene cap to protect bristles
- Use with K or Rolmark ink



Part Number	Description	Unit Price
30142	BRUSH, FOUNTAIN HOGS HAIR TIP	<p style="text-align: center;"><b>Please send email to</b>  <a href="mailto:abm@abmmarking.com">abm@abmmarking.com</a> <b>for price.</b></p>
30322	BRUSH FTN, HOGS HAIR W/CVR	
FBR201X-WMSC	BARREL, CAP ASSY SPEC	
RP70705	EFI APPLICATOR BODY ONLY	
RP70710	EFI VALVE ASSEMBLY	
RP70715	EFI 1.5" WIRE FORM ASSEMBLY	
RP70730	EFI 3" WIRE FORM ASSEMBLY	
RPFB12	WSHR, TIP (5)	
RPFB16	COVER, (5)	
RPFB4	VALVE ASSY, PUSH	
RPFB408	SPRING, FOUNTAIN BRUSH PLUNGER (5)	
RPFBR30	CAP, ALUM & GASKET ASSY	
RPFBR32	GASKET, (5)	

RPFR10	PUMP ASSY
RPFR1-30	FRAME ASSY, ROLLER 3"
RPFR17	O-RING, 3/8X1/2X1/16 (5)
RPFR3	VALVE, CHECK (5)
RPFR4	SPRING, CHECK VALVE (5)
RPFR40-15	SPINDLE ASSY, 1 1/2"
RPFR40-30	SPINDLE ASSY, 3"
RPFR42	O-RING, 1/4X3/8X1/16 (5)
RPFR43	SCR, W/WASHER (5)
RPFR5	SCR, SLOT CUP PT 1/4-28X3/16
RFR200-15-ONLY	FTN. ROLLER, ROLMARK 1 1/2" NO INK
RFR200F-30-ONLY	ROLLER FTN, ROLMARK 3" FULL NO INK
FR100-15	FTN ROLLER FOUNTAIN 1 1/2" W/K INK
FR100F-30	ROLLER FTN KIT, 3" FULL W/K INK
RFR200-15	ROLLER FTN KIT, ROLMARK 1 1/2"
RFR200F-30	ROLLER FTN KIT, ROLMARK 3" FULL
RMX-NS	ROLMARK KIT, FULL, NO SOLVENT
33573	ROLLER, 1 1/2" ROLMARK EXPRESS
33575	ROLLER, 3" ROLMARK EXPRESS
30867	ROLLER FTN, REPLACEMENT 1 1/2"
RFR250F-30	ROLLER FTN, REPL 3" FULL
RM10-15	ROLLER HAND, REPL 1 1/2"
RM10-30F	ROLLER HAND, REPL 3" FULL
RM10-45	ROLLER, REPL 4 1/2"
RM15-15	ROLLER, ROLMARK 1 1/2" NO RM10
RM15-30	ROLLER, ROLMARK 3" NO RM10
RM15-45	ROLLER, ROLMARK 4 1/2 NO RM10

RM20-15	ROLLER HAND, ROLMARK 1 1/2"
RM20-30F	ROLLER HAND, ROLMARK 3" FULL
RM20-45	ROLLER, ROLMARK 4 1/2"
RM50	PAD, ROLMARK 5"x 7"
RFR250F-30BULK	FOUNTAIN ROLLER,REPL 3" FULL-BULK PKG
RM10-15BULK	ROLLER,REPL 1 1/2" BULK PKG.
RM10-30FBULK	ROLLER,REPL 3"FULL-BULK PKG
33568	GASKET, 5 PACK, ROLMARK EXPRESS
RP70700	REPLACEMENT CUP WITH LID
RPPR30	HANDLE, PLSTC (5)
RPPR51	PAD, RUBBER (5)
RPRFR259	COVER, 200 W/LID
70150	APPLICATOR,EFI STENCIL INK 1.5"
70300	APPLICATOR, EFI STENCIL INK 3"

## Stencil Inks

- **Rolmark/Poly-Rolmark Ink**

All Marsh inks have been specially formulated to meet the most stringent quality control standards. Permanent, waterproof, light-resistant, fast-drying – Marsh provides high quality inks for all applications. Deciding to purchase Marsh inks ensures you will always make clear legible marks.



- Rolmark stencil ink is waterproof, permanent, and fast-drying on most surfaces; marks on porous or non-porous surface.
- Poly Rolmark stencil ink is specifically formulated for marking polyethylene and plastics such as shrink film and plastic wrap.
- Rolmark and Poly Rolmark stencil ink can be used with any of the following products: Fountain Brush, Fountain Roller, RM20 Roller with RM50 Pad



- **K Stencil Ink - Holds up in any condition.**

- Permanent, waterproof, fast-drying, for marking on porous surfaces such as paper, cloth, wood, corrugated material, etc.
- Perfect for outdoor use. Light resistant.
- Use K Stencil Ink with the following products: Fountain Brush, Fountain Rollers, M99 Marker.

- **Spray Inks - Mark Boldly On Any Surface!**

- Spray Stencil Inks are useful for permanent, waterproof, fast-drying, bold marks on any surface. Marsh Spray Inks are lead free, CFC (Chlorofluorocarbons) and CFHC-Free (hydro-chlorofluorocarbons). All ink formulations comply with CONEG (Coalition of North Eastern Governors) legislation.



- **Spray Mark Over, Tan - The Refreshing Option.**

Tan Spray Mark Over sprays on any surface to cover old marks and re-use cartons. This fast-drying, permanent, waterproof mark over will provide maximum coverage with minimum spray mist and running.

- **Spray Adhesive - Creating Strong Bonds.**

All purpose, no mess, high contact spray adhesive that forms a permanent bond on most materials.

- **W-15 Mark Over - Liquid Asset.**

- W-15 mark over ink obliterates old marks on tan colored porous surfaces. Fast drying, permanent, waterproof – marks on any surface. Cleans up easily with water, no solvents required.
- Use with following products: Standard paint brush, Paint roller.



- **Roller Coder Inks - Waterproof, No Smear, and Fast-Drying.**

- Porous roller coder ink is used for marking on corrugated cartons, paper and other porous surfaces. These inks will never dry on non-porous surfaces at room temperature.
- Non Porous roller coder ink marks on plastic, metal, glass, rubber and other non-porous surfaces and will dry in approximately 2 seconds at 75-degrees F ambient temperature.
- Used with this equipment: Conveyor Line Printer, Mini Roller Coder, Hand Printer, Stamp Pad, Spray Gun, 99 Marker



Part Number	Description	Unit Price
CM1-BK-4	INK, CM-1 4OZ BLK	<p style="text-align: center;"><b>Please send email to</b>  <a href="mailto:abm@abmmarking.com">abm@abmmarking.com</a> <b>for price.</b></p>
CM1-R-4	INK, CM-1 4OZ RED	
CM1-W-4	INK, CM-1 4OZ WHT	
CM1-BK-G-SP	INK, CM-1 GAL BLK W/POUR SPOUT	
CM1-BK-P	INK, CM-1 PT BLK	
CM1-W-G	INK, CM-1 GAL WHT	
CM75-SOLVENT-Q	SOLVENT, CM75 QUART	
70987	INK, EFI BLACK 4 OZ	
70998	INK, EFI WHITE 4 OZ	
70903	INK, EFI BLACK QUART	
70923	INK, EFI WHITE QUART	
CF-BK-Q	INK, CF QT BLK	
W15-T-G	INK, W15 MARK OVER GAL TAN	
20887	INK, ROLMARK GAL BLACK	
20889	INK, ROLMARK GAL BLUE	
20891	INK, ROLMARK GAL RED	
20893	INK, ROLMARK GAL GREEN	
20894	INK, ROLMARK GAL ORANGE	
20895	INK, ROLMARK GAL BROWN	
20898	INK, ROLMARK GAL WHITE	
20900	INK, ROLMARK GAL YELLOW	
RMS-G	SOLVENT, ROLMARK GAL	
20929	INK, ROLMARK 50 GAL BLACK	
20941	INK, ROLMARK 50 GAL WHITE	
K-BK-G50	INK, K STEN BLACK 50 GAL DRUM	
R-Y-G50	INK, ROLMARK 50 GAL YELLOW	



20903	INK, ROLMARK BLACK QUART
20908	INK, ROLMARK QT BLUE
20909	INK, ROLMARK RED QUART
20911	INK, ROLMARK QT GREEN
20915	INK, ROLMARK QT ORANGE
20917	INK, ROLMARK QT BROWN
20919	INK, ROLMARK QT BRIGHT BLUE
20923	INK, ROLMARK WHITE QUART
20926	INK, ROLMARK YELLOW QUART
RMS-Q	SOLVENT, ROLMARK QUART
20958	INK, POLY ROLMARK QT BLACK
33564	INK, CART. 8 PK ROLMARK EXP BLACK
33565	INK, CART. 8 PK ROLMARK EXP WHITE
33567	INK, CART. 8 PK ROLMARK EXP YELLOW
K-BK-G	INK, K STENCIL GAL BLK
K-R-G	INK, K STENCIL GAL RED
K-BK-Q	INK, K STENCIL QT BLK
K-R-Q	INK, K STENCIL QT RED
K-SOL-Q	SOLVENT, K STENCIL QT
T-BKP-Q	INK, T QT BLK PIGMENT
T-BL-Q	INK, T QT BLUE
T-R-Q	INK, T QT RED
T-SOL-Q	SOLVENT, T QT
T-WP-Q	INK, T QT WHT PIGMENT
30394	INK, SPRAY STENCIL TAN MARKOVER 311GMS
30395	INK, SPRAY STENCIL BLACK 311GMS
30400	INK, SPRAY STENCIL WHITE 311GMS

30396	INK, SPRAY STENCIL BLUE 311GMS	
30397	INK, SPRAY STENCIL GREEN 311GMS	
30398	INK, SPRAY STENCIL ORANGE 311GMS	
30399	INK, SPRAY STENCIL RED 311GMS	
30401	INK, SPRAY STENCIL YELLOW 311GMS	

## **ABM Marking Services LTD**

2799 South Belt West Belleville, IL 62226

Voice: 618-277-3773

Fax: 618-277-3782

Email: [abm@abmmarking.com](mailto:abm@abmmarking.com)

Website: <http://www.abmmarking.com/>