



WEAVE
DETAIL &
LIMITATIONS

Updated September 6, 2017

AVAILABLE STYLES

WEAVE #	NAME	SERIES	PRICE GROUP		MAX WIDTH (IN)	CONTENT	H-REPEAT	V-REPEAT	EXTRA DENSITY WEAVING		SPECIAL NOTES	AVAILABLE STYLES					
			PRIVACY LEVEL						SIDE MATCH	TRADITIONAL / OLD		CLASSIC	ROLLER	ROLL DRAPERY	PLEAT DRAPERY	TOP TREATMENT	
LE1003	Shantung	Glimmer	6	2	180"	Arrowroot			Y	Y	V	•	•	•	•	•	•
LE1006	Cambric	Elements	6	2	180"	Ramie			Y	Y	V	•	•	•	•	•	•
LE1012	Farandine	Elements	6	2	180"	Ramie			Y	Y	V	•	•	•	•	•	•
LE1015	Cambresine	Elements	6	2	180"	Ramie			Y	Y	V	•	•	•	•	•	•
LE1020	Awan	Pathways	6	1	180"	Banana Fiber	3"		Y	Y	V	•	•	•	•	•	•
LE1024	Hutan	Pathways	6	1	180"	Ramie	3"		Y	Y	V	•	•	•	•	•	•
LE1030	Vatulele	Pathways	6	2	180"	Banana Fiber	3½"		Y	Y	V	•	•	•	•	•	•
LE1032	Namale	Pathways	6	2	180"	Ramie	3½"		Y	Y	V	•	•	•	•	•	•
LE1039	Lustring	Elements	6	2	180"	Ramie			Y	Y	V	•	•	•	•	•	•
LE1050	Sendal	Elements	6	2	180"	Ramie			Y	Y	V	•	•	•	•	•	•
LE1051	Tulle	Glimmer	6	2	180"	Arrowroot			Y	Y	V	•	•	•	•	•	•
LE1052	Batiste	Elements	6	2	180"	Ramie			Y	Y	V	•	•	•	•	•	•
LE1053	Silesia	Elements	6	2	180"	Ramie			Y	Y	V	•	•	•	•	•	•
LE1054	Borato	Elements	6	2	180"	Ramie			Y	Y	V	•	•	•	•	•	•
LE1055	Sindon	Elements	6	2	180"	Ramie			Y	Y	V	•	•	•	•	•	•
LE1056	Camaca	Interwoven	6	1	180"	Banana Fiber/Water Hyacinth	Rndm	Rndm	Y	N	V	•	•	•	•	•	•
LE1057	Seychelles	Interwoven	6	1	180"	Banana Fiber/Water Hyacinth	Rndm	Rndm	Y	N	V	•	•	•	•	•	•
LE1062	Challis	Elements	6	2	180"	Banana Fiber/Ramie			Y	Y	V	•	•	•	•	•	•
LE1064	Madras	Illumination	6	2	180"	Palm/Arrowroot			Y	Y	V	•	•	•	•	•	•
LE1070	Lanta	Vines	6	1	180"	Banana Fiber/Arrowroot		Rndm	Y	N	V	•	•	•	•	•	•
LE1072	Surin	Vines	6	1	180"	Banana Fiber/Arrowroot		Rndm	Y	N	V	•	•	•	•	•	•
LE1081	Tapu	Interwoven	6	1	180"	Banana Fiber/Abaca	Rndm	Rndm	Y	N	V	•	•	•	•	•	•
LE1082	Wehi	Interwoven	6	1	180"	Banana Fiber/Banana Stem	Rndm	Rndm	Y	N	V	•	•	•	•	•	•
LE1083	Laut	Interwoven	6	2	180"	Ramie/Banana Stem	Rndm	Rndm	Y	N	V	•	•	•	•	•	•
LE1084	Zephyr	Elements	6	2	180"	Ramie			Y	Y	V	•	•	•	•	•	•
LE1086	Aroha	Interwoven	6	1	180"	Banana Fiber/Banana Stem	Rndm	Rndm	Y	N	V	•	•	•	•	•	•
LE1095	Gading	Vetiver	6	2	180"	Ramie/Vetiver		1½"	Y	N	V	•	•	•	•	•	•
LE1096	Jahe	Vetiver	6	2	180"	Ramie/Vetiver		1½"	Y	N	V	•	•	•	•	•	•
LE1098	Kayu	Vetiver	6	2	180"	Ramie/Vetiver		1½"	Y	N	V	•	•	•	•	•	•
LE1100	Cassimere	Thatch	6	3	180"	Palm			Y	Y		•	•	•	•	•	•
LE1104	Tussah	Tissage	6	3	180"	Abaca		Rndm	Y	Y		•	•	•	•	•	•
LE1107	Utara	Driftwood	6	2	180"	Ramie/Palm		Rndm	Y	Y	V	•	•	•	•	•	•
LE1109	Selatan	Driftwood	6	2	180"	Ramie/Palm		Rndm	Y	Y	V	•	•	•	•	•	•
LE1123	Kocoma	Cabana	6	4	180"	Palm/Arrowroot		¼"	Y	N		•	•	•	•	•	•
LE1124	Togo	Driftwood	6	2	180"	Palm/Ramie		Rndm	Y	Y	V	•	•	•	•	•	•
LE1125	Qamea	Cabana	6	4	180"	Palm/Arrowroot		¼"	Y	N		•	•	•	•	•	•
LE1130	Palm	Cabana	6	4	180"	Water Hyacinth/Mendong		Rndm	Y	N	S	•	•	•	•	•	•
LE1132	Motu	Woodstock	6	2	180"	Ramie/Mendong		Rndm	Y	N	SV	•	•	•	•	•	•
LE1150	Leno	Vintage	5	3	180"	Palm	3½"		Y	Y		•	•	•	•	•	•
LE1150w	Leno 5" warp	Austrian	5	3	180"	Palm	5"		Y	Y		•	•	•	•	•	•
LE1151	Chamois	Vintage	5	3	180"	Palm	3½"		Y	Y		•	•	•	•	•	•

SPECIAL NOTES

S – Structured valance will be railroaded

V – Valance or Top Treatment recommended to conceal componentry

AVAILABLE STYLES

WEAVE #	NAME	SERIES	PRICE GROUP		MAX WIDTH (IN)	CONTENT	H-REPEAT	V-REPEAT	EXTRA DENSITY WEAVING		SPECIAL NOTES	AVAILABLE STYLES					
			PRIVACY LEVEL						SIDE MATCH	TRADITIONAL / OLD		CLASSIC	ROLLER	ROLL DRAPERY	PLEAT DRAPERY	TOP TREATMENT	
LE1151w	Chamois 5" warp	Austrian	5	3	180"	Palm	5"		Y	Y		•			•	•	•
LE1152	Marcello	Vintage	5	3	180"	Palm	3½"		Y	Y		•			•	•	•
LE1154	Crentone	Vintage	5	3	180"	Palm	3½"		Y	Y		•			•	•	•
LE1154w	Crentone 5" warp	Austrian	5	3	180"	Palm	5"		Y	Y		•			•	•	•
LE1155	Cypress	Vintage	5	3	180"	Walingi	3½"		Y	Y		•			•	•	•
LE1169	Moorea	Woodstock	6	2	180"	Ramie		Rndm	Y	Y	V	•	•	•	•	•	•
LE1200	Canera	Haven	6	2	180"	Ramie	3½"		Y	Y	V	•			•	•	•
LE1201	Frieze	Vintage	5	3	180"	Walingi/Palm	3½"		Y	Y		•			•	•	•
LE1203	Bistre	Vintage	5	3	180"	Bamboo	3½"		Y	Y		•			•	•	•
LE1205	Mauri	Haven	6	2	180"	Ramie	3½"		Y	Y	V	•			•	•	•
LE1207	Tiaki	Haven	6	2	180"	Ramie	3½"		Y	Y	V	•			•	•	•
LE1218	Cremello	Tissage	6	1	180"	Banana Fiber		Rndm	Y	Y	V	•	•	•	•	•	•
LE1239	Dapple	Tissage	6	2	180"	Ramie		Rndm	Y	Y	V	•	•	•	•	•	•
LE1242	Arabian	Tissage	6	1	180"	Banana Fiber/Abaca		Rndm	Y	Y	V	•	•	•	•	•	•
LE1250	Calico	Rustica	5	3	180"	Ramie/Banana Stem	3½"	1"	N	N	S	•			•	•	•
LE1253	Burrel	Rustica	5	4	180"	Water Hyacinth/Banana Stem		1¾"	N	N	S	•		•	•	•	•
LE1254	Cordivan	Vintage	5	3	180"	Palm	3½"		Y	Y		•			•	•	•
LE1254w	Cordivan 5" warp	Austrian	5	3	180"	Palm	5"		Y	Y		•			•	•	•
LE1255	Sorrel	Tissage	6	2	180"	Abaca/Banana Fiber		Rndm	Y	Y	V	•	•	•	•	•	•
LE1257	Halus	Tissage	6	2	180"	Abaca		Rndm	Y	Y	V	•	•	•	•	•	•
LE1292	Pasir	Illumination	6	2	180"	Ramie/Arrowroot/Black Fiber		¼"	Y	N	V	•		•	•	•	•
LE1300	Cire	Heritage	6	3	180"	Arrowroot	3½"		Y	Y		•			•	•	•
LE1300w	Cire 5" warp	Austrian	6	3	180"	Arrowroot	5"		Y	Y		•			•	•	•
LE1301	Barege	Illumination	6	2	180"	Arrowroot			Y	Y	V	•	•	•	•	•	•
LE1303	Tamin	Glimmer	6	2	180"	Arrowroot			Y	Y	V	•	•	•	•	•	•
LE1305	Atlas	Heritage	6	3	180"	Arrowroot	3½"		Y	Y		•			•	•	•
LE1310	Railay	Trestle	6	2	180"	Arrowroot	3¾"		Y	Y	V	•	•	•	•	•	•
LE1317	Berani	Woodstock	6	1	180"	Banana Fiber/Walingi		Rndm	Y	N	SV	•		•	•	•	•
LE1360	Zanella	Glimmer	6	2	180"	Arrowroot			Y	Y		•	•	•	•	•	•
LE1403	Aura	Glisten	6	1	180"	Banana Fiber/Metallic	13¾"		Y	Y	V	•	•	•	•	•	•
LE1421	Calcite	Glisten	6	2	180"	Ramie/Arrowroot/Metallic		Rndm	Y	Y	V	•	•	•	•	•	•
LE1423	Nautilus	Glisten	6	2	180"	Ramie/Metallic		Rndm	Y	Y	V	•	•	•	•	•	•
LE1506	Sand	Shale	6	2	180"	Arrowroot		Rndm	Y	N	V	•		•	•	•	•
LE1512	Dune	Shale	6	2	180"	Arrowroot		Rndm	Y	N	V	•		•	•	•	•
LE1530	Sage	Shale	6	2	180"	Arrowroot		Rndm	Y	N	V	•		•	•	•	•
LE1606	Natural	Crosshatch	6	3	180"	Palm			Y	Y		•	•	•	•	•	•
LE1609	Wheat	Crosshatch	6	3	180"	Palm			Y	Y		•	•	•	•	•	•
LE1618	Flax	Crosshatch	6	3	180"	Palm			Y	Y		•	•	•	•	•	•
LE1639	Dust	Crosshatch	6	3	180"	Palm			Y	Y		•	•	•	•	•	•
LE1642	Tea	Crosshatch	6	3	180"	Palm			Y	Y		•	•	•	•	•	•
LE1660	Thunder	Crosshatch	6	3	180"	Palm			Y	Y		•	•	•	•	•	•

SPECIAL NOTES

S – Structured valance will be railroaded

V – Valance or Top Treatment recommended to conceal componentry

AVAILABLE STYLES

WEAVE #	NAME	SERIES	PRICE GROUP	PRIVACY LEVEL	MAX WIDTH (IN)	CONTENT	H-REPEAT	V-REPEAT	EXTRA DENSITY WEAVING	SIDE MATCH	SPECIAL NOTES	AVAILABLE STYLES				
												TRADITIONAL / OLD	CLASSIC	ROLLER	ROLL DRAPERY	PLEAT DRAPERY
LE1703	Wrafton	Thatch	6	4	180"	Ramie			Y	Y		•	•	•	•	•
LE1800	Bouclé	Heritage	6	3	180"	Arrowroot	3½"		Y	Y		•			•	•
LE1803	Parchment	Vintage	5	3	120"	Hemp	3½"		Y	Y		•			•	•
LE1805	Buckskin	Thatch	6	3	180"	Ramie		Rndm	Y	Y	S	•	•	•	•	•
LE1860	Armure	Heritage	6	3	180"	Arrowroot	3½"		Y	Y		•			•	•
LE1903	Champagne	Interbraid	6	2	180"	Ramie		3½"	Y	N	V	•			•	•
LE1906	Blonde	Interbraid	6	2	180"	Ramie		3½"	Y	N	V	•			•	•
LE1939	Ash	Interbraid	6	2	180"	Ramie		3½"	Y	N	V	•			•	•
LE1960	Heather	Interbraid	6	2	180"	Ramie		3½"	Y	N	V	•			•	•
LE2012	Dawn	Rainfall	6	2	180"	Ramie	Rndm		Y	Y	V	•	•	•	•	•
LE2021	Sunrise	Rainfall	6	2	180"	Ramie	Rndm		Y	Y	V	•	•	•	•	•
LE2024	Sunset	Rainfall	6	2	180"	Ramie	Rndm		Y	Y	V	•	•	•	•	•
LE2039	Dusk	Rainfall	6	2	180"	Ramie	Rndm		Y	Y	V	•	•	•	•	•
LE2115	Pueblo	Mesa	6	3	180"	Palm/Ramie Skin		Rndm	N	N	S	•			•	•
LE2121	Adobe	Mesa	6	3	180"	Palm/Water Hyacinth/Ramie Skin		Rndm	N	N	S	•			•	•
LE2203	Whitecap	Tartan	6	2	180"	Ramie		Rndm	Y	N	V	•		•	•	•
LE2212	Sandle	Tartan	6	2	180"	Ramie		Rndm	Y	N	V	•		•	•	•
LE2215	Briarwood	Tartan	6	2	180"	Ramie		Rndm	Y	N	V	•		•	•	•
LE2257	Lapis	Tartan	6	2	180"	Ramie		Rndm	Y	N	V	•		•	•	•
LE2260	Cobblestone	Tartan	6	2	180"	Ramie		Rndm	Y	N	V	•		•	•	•

SPECIAL NOTES

S – Structured valance will be railroaded

V – Valance or Top Treatment recommended to conceal componentry

PRIVACY LEVEL INDEX

This index is designed to help you understand the level of privacy an unlined weave will provide.

Privacy Level 1: SHEER – Defuses light and glare while preserving a view. Provides almost no privacy.

Privacy Level 2: TRANSPARENT – Most light passes through while softening the view. Provides some privacy.

Privacy Level 3: TRANSLUCENT – Some light passes through with little view. Provides moderate privacy.

Privacy Level 4: SEMI-OPAQUE – Little light passes through while obstructing the view. Provides significant privacy.

Privacy Level 5: OPAQUE – No light passes through and no view possible. Provides complete privacy.

WEAVE #	NAME	SERIES	PRICE GROUP	PRIVACY LEVEL	MAX WIDTH (IN)	CONTENT	H-REPEAT	V-REPEAT	SIDE MATCH	SPECIAL NOTES	AVAILABLE STYLES				
											TRADITIONAL / OLD	CLASSIC	ROLLER	PLEAT DRAPERY	ROLL DRAPERY
PE600-03	Pure White	Clarity	4	3	150"	Pulp Fiber			Y		*	*	*	*	*
PE600-06	Sacred Desert	Clarity	4	3	150"	Pulp Fiber			Y		*	*	*	*	*
PE600-09	Serene Sand	Clarity	4	3	150"	Pulp Fiber			Y		*	*	*	*	*
PE600-30	Wise Sage	Clarity	4	3	150"	Pulp Fiber			Y		*	*	*	*	*
PE600-36	Placid Grey	Clarity	4	3	150"	Pulp Fiber			Y		*	*	*	*	*
PE600-60	Steady Graphite	Clarity	4	3	150"	Pulp Fiber			Y		*	*	*	*	*
PE601-06	Soothing White	Balance	4	3	150"	Pulp Fiber		Rndm	N		*	*	*	*	*
PE601-30	Gentle Green	Balance	4	3	150"	Pulp Fiber		Rndm	N		*	*	*	*	*
PE601-36	Soft Grey	Balance	4	3	150"	Pulp Fiber		Rndm	N		*	*	*	*	*
PE602-03	Divine White	Harmony	5	3	150"	Pulp Fiber		Rndm	Y		*	*	*	*	*
PE602-09	Blended Raffia	Harmony	5	3	150"	Pulp Fiber		Rndm	N		*	*	*	*	*
PE602-42	Infused Bark	Harmony	5	3	150"	Pulp Fiber		Rndm	N		*	*	*	*	*
PE602-60	Diverse Grey	Harmony	5	3	150"	Pulp Fiber		Rndm	N		*	*	*	*	*
PE603-03	Calm White	Serenity	4	2	150"	Pulp Fiber	3½"		Y	V	*			*	*
PE603-03w	Calm White 5" warp	Serenity	4	2	150"	Pulp Fiber	5"		Y	V	*			*	*
PE603-06	Mindful Ivory	Serenity	4	2	150"	Pulp Fiber	3½"		Y	V	*			*	*
PE603-06w	Mindful Ivory 5" warp	Serenity	4	2	150"	Pulp Fiber	5"		Y	V	*			*	*
PE603-09	Creative Sand	Serenity	4	2	150"	Pulp Fiber	3½"		Y	V	*			*	*
PE603-09w	Creative Sand 5" warp	Serenity	4	2	150"	Pulp Fiber	5"		Y	V	*			*	*
PE603-30	Mellow Green	Serenity	4	2	150"	Pulp Fiber	3½"		Y	V	*			*	*
PE603-30w	Mellow Green 5" warp	Serenity	4	2	150"	Pulp Fiber	5"		Y	V	*			*	*
PE603-36	Sulky Grey	Serenity	4	2	150"	Pulp Fiber	3½"		Y	V	*			*	*
PE603-36w	Sulky Grey 5" warp	Serenity	4	2	150"	Pulp Fiber	5"		Y	V	*			*	*
PE603-60	Tranquil Grey	Serenity	4	2	150"	Pulp Fiber	3½"		Y	V	*			*	*
PE603-60w	Tranquil Grey 5" warp	Serenity	4	2	150"	Pulp Fiber	5"		Y	V	*			*	*
PE604-03	Inspired White	Enlightenment	4	3	150"	Pulp Fiber	½"		Y		*	*	*	*	*
PE604-06	Restful Ivory	Enlightenment	4	3	150"	Pulp Fiber	½"		Y		*	*	*	*	*
PE604-09	Relaxed Sand	Enlightenment	4	3	150"	Pulp Fiber	½"		Y		*	*	*	*	*
PE604-30	Peaceful Green	Enlightenment	4	3	150"	Pulp Fiber	½"		Y		*	*	*	*	*
PE604-36	Contented Grey	Enlightenment	4	3	150"	Pulp Fiber	½"		Y		*	*	*	*	*
PE604-60	Vibrant Grey	Enlightenment	4	3	150"	Pulp Fiber	½"		Y		*	*	*	*	*
PE605-03	Cozy White	Tranquility	4	3	150"	Pulp Fiber	Rndm	¾"	N		*	*	*	*	*
PE605-09	Quiet Beige	Tranquility	4	3	150"	Pulp Fiber	Rndm	¾"	N		*	*	*	*	*
PE605-30	Easy Green	Tranquility	4	3	150"	Pulp Fiber	Rndm	¾"	N		*	*	*	*	*
PE605-36	Passive Grey	Tranquility	4	3	150"	Pulp Fiber	Rndm	¾"	N		*	*	*	*	*
PE605-60	Cool Grey	Tranquility	4	3	150"	Pulp Fiber	Rndm	¾"	N		*	*	*	*	*

SPECIAL NOTES

V – Valance or Top Treatment recommended to conceal componentry

PRIVACY LEVEL INDEX

This index is designed to help you understand the level of privacy an unlined weave will provide.

- Privacy Level 1: SHEER – Defuses light and glare while preserving a view. Provides almost no privacy.
- Privacy Level 2: TRANSPARENT – Most light passes through while softening the view. Provides some privacy.
- Privacy Level 3: TRANSLUCENT – Some light passes through with little view. Provides moderate privacy.
- Privacy Level 4: SEMI-OPAQUE – Little light passes through while obstructing the view. Provides significant privacy.
- Privacy Level 5: OPAQUE – No light passes through and no view possible. Provides complete privacy.

WEAVE #	NAME	SERIES	PRICE GROUP	PRIVACY LEVEL	MAX SEAMLESS WIDTH (IN)	MAX SEAMABLE WIDTH (IN)	CONTENT	H-REPEAT	V-REPEAT	SIDE MATCH	SEAMABLE	SPECIAL NOTES	AVAILABLE STYLES			
													TRADITIONAL / OLD	CLASSIC	ROLLER	TOP TREATMENT
PW10b	Antique Silk	Silk Road	2	3	72"		Cotton/Cellulose/Rayon	2½"		Y	Y		•		•	•
PW10g	Midori Silk	Silk Road	2	3	72"		Cotton/Cellulose/Rayon	2½"		Y	Y		•		•	•
PW10p	Porcelain Silk	Silk Road	2	3	72"		Cotton/Cellulose/Rayon	2½"		Y	Y		•		•	•
PW10t	Tyairo Silk	Silk Road	2	3	72"		Cotton/Cellulose/Rayon	2½"		Y	Y		•		•	•
PW10w	Pearl Silk	Silk Road	2	3	72"		Cotton/Cellulose/Rayon	2½"		Y	Y		•		•	•
PW50	Snow Lantern	Zen	1	1	72"		Cellulose/Poly	¾"		Y	Y	V	•	•	•	•
PW51	Moon Bridge	Zen	1	1	72"		Cellulose/Poly	¾"		Y	Y	V	•	•	•	•
PW52	Stepping Stone	Zen	1	1	72"		Cellulose/Poly	¾"		Y	Y	V	•	•	•	•
PW53	Koi Pond	Zen	1	1	72"		Cellulose/Poly	¾"		Y	Y	V	•	•	•	•
PW56m	Moreno	Rio	2	2	72"	144"	Cellulose/Poly	1¼"	2¾"	N	N	BLSV	•		•	•
PW56t	Terrace	Rio	2	2	72"	144"	Cellulose/Poly	1¼"	2¾"	N	N	BLSV	•		•	•
PW57c	Crystal	Navajo	2	2	96"	144"	Pulp Fiber	⅝"	½"	N	N	V		•	•	•
PW57g	Ganado	Navajo	2	2	96"	144"	Pulp Fiber	⅝"	½"	N	N	V		•	•	•
PW58w	Izota	Navajo	2	3	96"	144"	Pulp Fiber	¾"		N	N			•	•	•
PW59c	Chichen	Navajo	2	2	72"	144"	Jute/Pulp Fiber	1"	2¾"	N	N	V	•		•	•
PW63e	Eridu	Yucatán	2	2	72"	144"	Jute		Rndm	N	N	V		•	•	•
PW65s	Sisal	Yucatán	3	3	72"		Jute	2⅞"	¾"	N	Y	S	•		•	•
PW67p	Palas	Bengal	2	2	70"	144"	Jute/Poly			Y	Y	V		•	•	•
PW67r	Rah Rah	Bengal	2	2	70"	144"	Jute/Poly			Y	Y	V		•	•	•
PW67z	Zilu	Bengal	2	2	70"	144"	Jute/Poly			Y	Y	V		•	•	•
PW68g	Ganges	Bengal	3	3	70"		Jute		Rndm	N	N			•	•	•
PW68k	Hughly	Bengal	3	3	70"		Jute		Rndm	N	N			•	•	•
PW74a	Acra	Navajo	3	1	78"	144"	Ramie/Cotton	⅝"	½"	N	N	V			•	•
PW74f	Flora	Amerindian	3	2	78"	144"	Poly/Cotton	1¼"		Y	N	V			•	•
PW74m	Macapa	Amerindian	3	2	78"	144"	Poly/Cotton	1¼"		Y	N	V			•	•
PW74p	Purus	Navajo	3	1	78"	144"	Cotton	⅝"	½"	N	N	V			•	•
PW88d	Dragonwell	Shanghai	4	4	72"		Cellulose/Jute/Poly	2⅝"		Y	Y		•			•
PW88g	Ginseng	Shanghai	4	4	72"		Cellulose/Jute/Poly	2⅝"		Y	Y		•			•
PW88j	Jasmine	Shanghai	4	4	72"		Cellulose/Jute/Poly	2⅝"		Y	Y		•			•
PW88m	Macha	Shanghai	4	4	72"		Cellulose/Jute/Poly	2⅝"		Y	Y		•			•
PW89a	Annapurna	Himalaya	4	4	72"		Viscose/Cotton	2½"		Y	Y	L	•			•
PW89e	Everest	Himalaya	4	4	72"		Viscose/Cotton	2½"		Y	Y	L	•			•
PW89L	Lhotse	Himalaya	4	4	72"		Viscose/Cotton	2½"		Y	Y	L	•			•
PW89m	Makalu	Himalaya	4	4	72"		Viscose/Cotton	2½"		Y	Y	L	•			•
PW94b	Sahara	Pharaoh	4	4	96"		Pulp Fiber	3½"		Y	Y	C	•			•
PW94g	Ibis	Pharaoh	4	4	96"		Pulp Fiber	3½"		Y	Y	C	•			•
PW94w	Cotton	Pharaoh	4	4	96"		Pulp Fiber	3½"		Y	Y	C	•			•
PW94y	Giza	Pharaoh	4	4	96"		Pulp Fiber	3½"		Y	Y	C	•			•
PW101b	Barley	Armenia	1	3	70"	144"	Pulp Fiber	½"		Y	Y		•	•	•	•
PW101c	Cattail	Armenia	1	3	70"	144"	Pulp Fiber	½"		Y	Y		•	•	•	•
PW101e	Emmer	Armenia	1	3	70"	144"	Pulp Fiber	½"		Y	Y		•	•	•	•
PW101i	Iris	Armenia	1	3	70"	144"	Pulp Fiber	½"		Y	Y		•	•	•	•

SPECIAL NOTES

B – ⅝" Bamboo edge binding standard

C – ⅝" Chiffon edge binding standard

L – Liner recommended to protect against sun damage

S – Structured valances will be railroaded

V – Valance or Top Treatment recommended to conceal componentry

WEAVE #	NAME	SERIES	PRICE GROUP	PRIVACY LEVEL	MAX SEAMLESS WIDTH (IN)	MAX SEAMABLE WIDTH (IN)	CONTENT	H-REPEAT	V-REPEAT	SIDE MATCH	SEAMABLE	SPECIAL NOTES	AVAILABLE STYLES			
													TRADITIONAL / OLD	CLASSIC	ROLLER	TOP TREATMENT
PW101s	Sumac	Armenia	1	3	70"	144"	Pulp Fiber	½"		Y	Y		•	•	•	•
PW101t	Thistle	Armenia	1	3	70"	144"	Pulp Fiber	½"		Y	Y		•	•	•	•
PW155	Zen Garden	Zen	1	1	72"	144"	Cellulose/Poly	¾"		Y	N	V	•		•	•
PW156	Stone Temple	Zen	1	1	72"	144"	Cellulose/Poly	¾"		Y	N	V	•		•	•
PW157-06	Ecru	Woolen Mill	4	3	72"	144"	Cellulose/Cotton/Poly	1¼"	1⅞"	N	Y		•		•	•
PW157-09	Buff	Woolen Mill	4	3	72"	144"	Cellulose/Cotton/Poly	1¼"	1⅞"	N	Y		•		•	•
PW157-36	Heathered	Woolen Mill	4	3	72"	144"	Cellulose/Cotton/Poly	1¼"	1⅞"	N	Y		•		•	•
PW157-45	Henna	Woolen Mill	4	3	72"	144"	Cellulose/Cotton/Poly	1¼"	1⅞"	N	Y		•		•	•
PW157-66	Bruine	Woolen Mill	4	3	72"	144"	Cellulose/Cotton/Poly	1¼"	1⅞"	N	Y		•		•	•
PW158-03	Blanched	Basketry	5	2	72"		Pulp Fiber	5¼"		Y	N	BV	•			•
PW158-09	Fawn	Basketry	5	2	72"		Pulp Fiber	5¼"		Y	N	BV	•			•
PW158-36	Dusty	Basketry	5	2	72"		Pulp Fiber	5¼"		Y	N	BV	•			•
PW158-45	Bister	Basketry	5	2	72"		Pulp Fiber	5¼"		Y	N	BV	•			•
PW158-66	Cocoa	Basketry	5	2	72"		Pulp Fiber	5¼"		Y	N	BV	•			•

SPECIAL NOTES

B – ⅝" Bamboo edge binding standard

C – ⅝" Chiffon edge binding standard

L – Liner recommended to protect against sun damage

S – Structured valances will be railroaded

V – Valance or Top Treatment recommended to conceal componentry

PRIVACY LEVEL INDEX

This index is designed to help you understand the level of privacy an unlined weave will provide.

Privacy Level 1: SHEER – Defuses light and glare while preserving a view. Provides almost no privacy.

Privacy Level 2: TRANSPARENT – Most light passes through while softening the view. Provides some privacy.

Privacy Level 3: TRANSLUCENT – Some light passes through with little view. Provides moderate privacy.

Privacy Level 4: SEMI-OPAQUE – Little light passes through while obstructing the view. Provides significant privacy.

Privacy Level 5: OPAQUE – No light passes through and no view possible. Provides complete privacy.

WEAVE #	NAME	SERIES	PRICE GROUP	PRIVACY LEVEL	MAX SEAMLESS WIDTH (IN)	MAX SEAMABLE WIDTH (IN)	CONTENT	H-REPEAT	V-REPEAT	SIDE MATCH	SEAMABLE	SPECIAL NOTES	AVAILABLE STYLES			
													TRADITIONAL / OLD	CLASSIC	ROLLER	TOP TREATMENT
KW102t	Ume Tendril	Tendril	5	2	94"		Jute	12"	1 1/4"	N	N	V	•			•
KW103t	Wisteria Tendril	Tendril	5	2	94"		Jute	12"	1 1/4"	N	N	V	•			•
KW110	Asa	Essentia	5	2	96"	144"	Jute			Y	Y	V	•	•		•
KW112	Kumo	Essentia	5	2	96"	144"	Jute			Y	Y	V	•	•		•
KW114	Haru	Essentia	5	2	96"	144"	Jute			Y	Y	V	•	•		•
KW116	Ame	Essentia	5	2	96"	144"	Jute			Y	Y	V	•	•		•
KW118	Ishi	Essentia	5	2	96"	144"	Jute			Y	Y	V	•	•		•
KW120	Hana	Essentia	5	2	96"	144"	Jute			Y	Y	V	•	•		•
KW122	Kawa	Essentia	5	2	96"	144"	Jute			Y	Y	V	•	•		•
KW71	Chaji Tea	Tea	4	2	96"		Jute/River Reed		Rndm	N	N	SV	•			•
KW71n	Natsu Tea	Tea	4	2	96"		Jute/River Reed		Rndm	N	N	V	•			•
KW92	Pacific Basin	Blossom	5	2	96"	144"	Jute			Y	Y	V	•	•		•
KW92r	Pacific Basin w/Reed	Blossom	5	2	96"		Jute/Sea Grass	Rndm	4"	N	N	V	•	•		•
KW95	Lotus Blossom	Blossom	5	2	96"	144"	Jute			Y	Y	V	•	•		•
KW95r	Lotus Blossom w/Reed	Blossom	5	2	96"		Jute/Sea Grass	Rndm	4"	N	N	V	•	•		•
KW96	Orchid Blossom	Blossom	5	2	96"	144"	Jute			Y	Y	V	•	•		•
KW96r	Orchid Blossom w/Reed	Blossom	5	2	96"		Jute/Sea Grass	Rndm	4"	N	N	V	•	•		•
KW98	Sakura Blossom	Blossom	5	2	96"	144"	Jute			Y	Y	V	•	•		•
KW98r	Sakura Blossom w/Reed	Blossom	5	2	96"		Jute/Sea Grass	Rndm	4"	N	N	V	•	•		•
No.13m	Morning Prairie	Prairie	3	3	96"		Jute/River Reed		Rndm	N	N	ES	•	•		•
No.13n	Natural Prairie	Prairie	3	3	96"		Jute/River Reed		Rndm	N	N	ES	•	•		•
No.13r	Russet Prairie	Prairie	3	3	96"		Jute/River Reed		Rndm	N	N	ES	•	•		•
No.13s	Shadow Prairie	Prairie	3	3	96"		Jute/River Reed		Rndm	N	N	ES	•	•		•
No.14	Jomon Reed	Jomon	2	3	96"		Jute/River Reed	1 1/4"	3/4"	N	N	ES	•	•		•
No.25r	Bamboo Rustic w/Reed	Bamboo	1	4	120"		Bamboo	2"		N	N	ES	•	•		•
No.31	Taki Caramel	Taki	2	3	96"		Bamboo	3"		Y	N	ES	•			•
No.31r	Taki Rustic	Taki	1	3	96"		Bamboo	3"		Y	N	ES	•			•
No.31s	Taki Shell	Taki	1	3	96"		Bamboo	3"		Y	N	ES	•			•
No.41	Belai Natural	Belai	2	3	96"		Jute/Bamboo	2"	1/4"	N	N	S	•			•
No.42	Belai Bronze	Belai	2	3	96"		Jute/Bamboo	2"	1/4"	N	N	S	•			•
No.81	Morning Longtail	Longtail	4	2	96"	144"	Jute	2 1/8"		Y	Y	V	•	•		•
No.81r	Morning Longtail w/Reed	Longtail	4	2	96"		Jute/River Reed	2 1/8"	1 3/4"	N	N	SV	•	•		•
No.90	Kanto Basin	Basin	4	2	96"	144"	Jute			Y	Y	V	•	•		•
No.91d	Dusk Linen	Linen	4	2	96"	144"	Bamboo			Y	Y	SV	•	•		•
No.91p	Palm Linen	Linen	3	2	96"	144"	Bamboo			Y	Y	SV	•	•		•
No.91r	Russet Linen	Linen	4	2	96"	144"	Bamboo			Y	Y	SV	•	•		•
No.91s	Summer Linen	Linen	3	2	96"	144"	Bamboo			Y	Y	SV	•	•		•
No.91w	Winter Linen	Linen	4	2	96"	144"	Bamboo			Y	Y	SV	•	•		•
No.92	Mu Basin	Basin	4	2	96"	144"	Jute			Y	Y	V	•	•		•
No.93	Yangtze Basin	Basin	4	2	96"	144"	Jute			Y	Y	V	•	•		•
No.95	Saru Basin	Basin	4	2	96"	144"	Jute			Y	Y	V	•	•		•
No.98	Fuji Basin	Basin	4	2	96"	144"	Bamboo			Y	Y	V	•	•		•

SPECIAL NOTES

C – 3/8" Chiffon edge binding standard

E – Not available with 3/8" edge binding

S – Structured valances will be railroaded

V – Valance or Top Treatment recommended to conceal componentry

WEAVE #	NAME	SERIES	PRICE GROUP	PRIVACY LEVEL	MAX WIDTH (IN)	CONTENT	H-REPEAT	V-REPEAT	SIDE MATCH	SPECIAL NOTES	AVAILABLE STYLES			
											TRADITIONAL / OLD	CLASSIC	ROLLER	TOP TREATMENT
CW09	Sand Dollar	Classic	4	2	120"	Bamboo	2"			S	•			•
CW09d	Sand Dollar	Modern	4	2	120"	Bamboo	3"			S	•			•
CW29	Quartz	Classic	4	2	120"	Bamboo	2"			S	•			•
CW29d	Quartz	Modern	4	2	120"	Bamboo	3"			S	•			•
CW36	Park Avenue	Classic	4	2	120"	Bamboo	2"			S	•			•
CW36d	Park Avenue	Modern	4	2	120"	Bamboo	3"			S	•			•
CW45	Bolivian Maple	Classic	3	2	120"	Bamboo	2"			PS	•			•
CW46	Peruvian Walnut	Classic	3	2	120"	Bamboo	2"			PS	•			•
CW47	Brazilian Teak	Classic	3	2	120"	Bamboo	2"			PS	•			•
CW48	Chilean Cherry	Classic	3	2	120"	Bamboo	2"			PS	•			•
CW49	Minkwood	Woodland	3	2	120"	Bamboo	2½"			PS	•			•
CW50	Brickwood	Woodland	3	2	120"	Bamboo	2½"			PS	•			•
CW51	Bark	Woodland	3	2	120"	Bamboo	2½"			PS	•			•
CW65	Moonfire	Timberland	4	3	96"	Bamboo				PS	•	•	•	•
CW66	Dogwood	Timberland	4	3	96"	Bamboo				PS	•	•	•	•
CW68	Cedar	Timberland	4	3	96"	Bamboo				PS	•	•	•	•
CW70	Frost	Classic	4	2	120"	Bamboo	2"			S	•			•
CW70d	Frost	Modern	4	2	120"	Bamboo	3"			S	•			•
CW71	Sand Dune	Classic	4	2	120"	Bamboo	2"			S	•			•
CW71d	Sand Dune	Modern	4	2	120"	Bamboo	3"			S	•			•
CW72	Stone	Classic	4	2	120"	Bamboo	2"			S	•			•
CW72d	Stone	Modern	4	2	120"	Bamboo	3"			S	•			•

SPECIAL NOTES

P – Custom colors not available

S – Structured valances will be railroaded

PRIVACY LEVEL INDEX

This index is designed to help you understand the level of privacy an unlined weave will provide.

Privacy Level 1: SHEER – Defuses light and glare while preserving a view. Provides almost no privacy.

Privacy Level 2: TRANSPARENT – Most light passes through while softening the view. Provides some privacy.

Privacy Level 3: TRANSLUCENT – Some light passes through with little view. Provides moderate privacy.

Privacy Level 4: SEMI-OPAQUE – Little light passes through while obstructing the view. Provides significant privacy.

Privacy Level 5: OPAQUE – No light passes through and no view possible. Provides complete privacy.

NATURAL FABRIC

AVAILABLE STYLES

WEAVE #	NAME	SERIES	PRICE GROUP		FABRIC WIDTH (IN)	MAX SEAMLESS WIDTH (IN)	MAX SEAMABLE WIDTH (IN)	CONTENT	H-REPEAT	V-REPEAT	SIDE MATCH	SEAMABLE	MASTERS OF LINEN CERTIFIED	SPECIAL NOTES	FLAT	CLASSIC	TOP TREATMENT
				LEVEL													
EW32b	Biot	Ridged	3	1	54"	50"	144"	Linen	⅝"	½"	N	Y	N		•	•	•
EW32f	Frejus	Ridged	3	1	54"	50"	144"	Linen	⅝"	½"	N	Y	N		•	•	•
EW91g	Genoa	Brushed	1	1	118"	114"	144"	Poly/Cotton			Y	Y	N		•	•	•
EW91m	Merano	Brushed	1	1	118"	114"	144"	Poly/Cotton			Y	Y	N		•	•	•
EW91p	Pisa	Brushed	1	1	118"	114"	144"	Poly/Cotton			Y	Y	N		•	•	•
EW104-18	Sandstone	Weathered	4	3	59"	55"	144"	Linen		Rndm	Y	Y	Y		•	•	•
EW104-60	Graystone	Weathered	4	3	59"	55"	144"	Linen		Rndm	Y	Y	Y		•	•	•
EW105-06	Buff	Ribbed	4	2	118"	114"	144"	Linen		¼"	N	Y	Y		•	•	•
EW105-60	Denim	Ribbed	4	2	118"	114"	144"	Linen		¼"	N	Y	Y		•	•	•
EW108-21	Bask	Arboretum	5	2	118"	114"	144"	Linen	30"	32"	N	Y	Y		•	•	•
EW108-60	Shade	Arboretum	5	2	118"	114"	144"	Linen	30"	32"	N	Y	Y		•	•	•
EW109-06	Cotton	Cords	4	2	118"	114"	144"	Linen		4½"	N	Y	Y		•	•	•
EW109-12	Burlap	Cords	4	2	118"	114"	144"	Linen		4½"	N	Y	Y		•	•	•
EW140L	LeBlon	Hued Stripe	4	3	54"	50"	144"	Linen	3⅜"		Y	Y	Y		•	•	•
EW140r	Rocha	Hued Stripe	4	3	54"	50"	144"	Linen	3⅜"		Y	Y	Y		•	•	•
EW141a	Andari	Strie	3	1	54"	50"	144"	Linen		Rndm	Y	Y	Y		•	•	•
EW141t	Tijura	Strie	3	1	54"	50"	144"	Linen		Rndm	Y	Y	Y		•	•	•
EW144b	Balem	Sheer Stripe	3	1	54"	50"	144"	Linen	3"		Y	Y	Y		•	•	•
EW144n	Natal	Sheer Stripe	3	1	54"	50"	144"	Linen	3"		Y	Y	Y		•	•	•
EW144o	Ounda	Sheer Stripe	3	1	54"	50"	144"	Linen	3"		Y	Y	Y		•	•	•
EW144r	Recliffe	Sheer Stripe	3	1	54"	50"	144"	Linen	3"		Y	Y	Y		•	•	•
EW145m	Marceio	Plaid	4	1	54"	50"	144"	Linen	2⅛"	2"	N	Y	Y		•	•	•
EW145s	Sao' Luis	Plaid	4	1	54"	50"	144"	Linen	2⅛"	2"	N	Y	Y		•	•	•
EW146a	Amapa	Ridged	2	1	59"	55"	144"	Linen/Cotton	½"		Y	Y	Y		•	•	•
EW146f	Fortaleza	Ridged	2	1	59"	55"	144"	Linen/Cotton	½"		Y	Y	Y		•	•	•
EW147	Lagoa	Strie	4	1	59"	55"	144"	Linen		Rndm	Y	Y	Y		•	•	•
EW148-12	Earthen	Fields	4	2	118"	114"	144"	Linen		Rndm	N	Y	Y	V	•	•	•
EW148-39	Root	Fields	4	2	118"	114"	144"	Linen		Rndm	N	Y	Y	V	•	•	•
EW148-51	Bloom	Fields	4	2	118"	114"	144"	Linen		Rndm	N	Y	Y	V	•	•	•
EW148-57	Petal	Fields	4	2	118"	114"	144"	Linen		Rndm	N	Y	Y	V	•	•	•
EW148-84	Peat	Fields	4	2	118"	114"	144"	Linen		Rndm	N	Y	Y	V	•	•	•
EW201	Lumen	Entwined	5	1	56"	52"		Poly/Abaca		6"	N	N	N		•	•	•
EW202	Candela	Entwined	5	1	56"	52"		Poly/Abaca		6"	N	N	N		•	•	•
EW210	Delaine	Challis	4	2	54"	50"	144"	Wool	⅙"	¼"	N	Y	N		•	•	•
EW212	Tamis	Challis	4	2	54"	50"	144"	Wool	⅙"	¼"	N	Y	N		•	•	•
EW214	Sagathy	Challis	4	2	54"	50"	144"	Wool	⅙"	¼"	N	Y	N		•	•	•
EW233	Aropa	Wheat	4	4	54"	50"	144"	Linen/Cotton	12½"	15¼"	N	Y	N		•	•	•
EW234	Vela	Wheat	4	4	54"	50"	144"	Linen/Cotton	12½"	15¼"	N	Y	N		•	•	•
EW235	Pradlo	Wheat	4	4	54"	50"	144"	Linen/Cotton	12½"	15¼"	N	Y	N		•	•	•
EW256	Praca	Geometry	5	2	57"	53"	144"	Linen	7½"	7½"	Y	Y	Y		•	•	•
EW257	Angulo	Geometry	5	2	57"	53"	144"	Linen	7½"	7½"	Y	Y	Y		•	•	•
EW258	Moldar	Geometry	5	2	57"	53"	144"	Linen	7½"	7½"	Y	Y	Y		•	•	•

SPECIAL NOTES

V – Valance or Top Treatment recommended to conceal componentry

NATURAL FABRIC

WEAVE #	NAME	SERIES	PRICE GROUP		FABRIC WIDTH (IN)	MAX SEAMLESS WIDTH (IN)	MAX SEAMABLE WIDTH (IN)	CONTENT	H-REPEAT	V-REPEAT	SIDE MATCH	SEAMABLE	MASTERS OF LINEN CERTIFIED	SPECIAL NOTES	AVAILABLE STYLES		
			1	2											FLAT	CLASSIC	TOP TREATMENT
EW259	Contorno	Geometry	5	2	57"	53"	144"	Linen	7½"	7½"	Y	Y	Y		•	•	•
EW260	Etamine	Boucle	4	2	54"	50"	144"	Linen/Cotton	Rndm	Rndm	Y	Y	N		•	•	•
EW262	Linsey	Boucle	4	2	54"	50"	144"	Linen/Cotton	Rndm	Rndm	Y	Y	N		•	•	•
EW264	Raschel	Boucle	4	2	54"	50"	144"	Linen/Cotton	Rndm	Rndm	Y	Y	N		•	•	•
EW266	Crochet	Boucle	4	2	54"	50"	144"	Linen/Cotton	Rndm	Rndm	Y	Y	N		•	•	•
EW281	Bloemen	Leaf	3	4	60"	56"	144"	Cotton/Hemp	15¼"	12¼"	N	Y	N		•	•	•
EW283	Lillieline	Leaf	3	4	60"	56"	144"	Cotton/Hemp	15¼"	12¼"	N	Y	N		•	•	•
EW285	Blodau	Leaf	3	4	60"	56"	144"	Cotton/Hemp	15¼"	12¼"	N	Y	N		•	•	•
EW290	Palomino	Windsor	4	2	63"	59"	144"	Linen/Horsehair	7/8"		Y	Y	N		•	•	•
EW291	Broadmore	Windsor	5	2	63"	59"	144"	Horsehair	¼"	¼"	N	Y	N			•	•
EW292	Crin	Windsor	5	2	63"	59"	144"	Linen/Horsehair	7/8"		Y	Y	N		•	•	•

SPECIAL NOTES

V – Valance or Top Treatment recommended to conceal componentry

PRIVACY LEVEL INDEX

This index is designed to help you understand the level of privacy an unlined weave will provide.

Privacy Level 1: SHEER – Defuses light and glare while preserving a view. Provides almost no privacy.

Privacy Level 2: TRANSPARENT – Most light passes through while softening the view. Provides some privacy.

Privacy Level 3: TRANSLUCENT – Some light passes through with little view. Provides moderate privacy.

Privacy Level 4: SEMI-OPAQUE – Little light passes through while obstructing the view. Provides significant privacy.

Privacy Level 5: OPAQUE – No light passes through and no view possible. Provides complete privacy.

PRIVACY LINER FABRIC

WEAVE #	NAME	SERIES	PRIVACY LEVEL	FABRIC WIDTH (IN)	MAX SEAMLESS WIDTH (IN)	MAX SEAMABLE WIDTH (IN)	CONTENT	H-REPEAT	V-REPEAT	SIDE MATCH	SEAMABLE	SPECIAL NOTES	AVAILABLE STYLES		
													FLAT	CLASSIC	TOP TREATMENT
SH01	Soft White	Sheer Liner	1	118"	118"	180"	Cotton				Y			•	•
SH02	Linen	Sheer Liner	1	118"	118"	180"	Cotton/Poly				Y			•	•
SH03	Khaki	Sheer Liner	1	118"	118"	180"	Cotton				Y			•	•
SH05	Umber	Sheer Liner	1	118"	118"	180"	Cotton/Poly				Y			•	•
SH06	Asher	Sheer Liner	1	118"	118"	180"	Cotton				Y			•	•
TR01	Soft White	Translucent Liner	3	113"	113"	180"	Cotton				Y		•	•	•
TR02	Linen	Translucent Liner	3	113"	113"	180"	Cotton				Y		•	•	•
TR03	Khaki	Translucent Liner	3	52"	52"	180"	Cotton				Y		•	•	•
TR04	Sepia	Translucent Liner	3	52"	52"	180"	Cotton/Poly				Y		•	•	•
TR05	Umber	Translucent Liner	3	52"	52"	180"	Cotton/Poly				Y		•	•	•
TR06	Asher	Translucent Liner	3	52"	52"	180"	Cotton/Poly				Y		•	•	•
BO01	Soft White	Blackout Liner	5	52"	52"	180"	Cotton w/Rayon Acrylic Latex				Y			•	•
BO02	Linen	Blackout Liner	5	52"	52"	180"	Cotton w/Rayon Acrylic Latex				Y			•	•
BO03	Khaki	Blackout Liner	5	52"	52"	180"	Cotton w/Rayon Acrylic Latex				Y			•	•
BO04	Sepia	Blackout Liner	5	52"	52"	180"	Cotton w/Rayon Acrylic Latex				Y			•	•
BO05	Umber	Blackout Liner	5	52"	52"	180"	Cotton w/Rayon Acrylic Latex				Y			•	•
BO06	Asher	Blackout Liner	5	52"	52"	180"	Cotton w/Rayon Acrylic Latex				Y			•	•

PRIVACY LEVEL INDEX

This index is designed to help you understand the level of privacy an unlined weave will provide.

Privacy Level 1: SHEER – Defuses light and glare while preserving a view. Provides almost no privacy.

Privacy Level 2: TRANSPARENT – Most light passes through while softening the view. Provides some privacy.

Privacy Level 3: TRANSLUCENT – Some light passes through with little view. Provides moderate privacy.

Privacy Level 4: SEMI-OPAQUE – Little light passes through while obstructing the view. Provides significant privacy.

Privacy Level 5: OPAQUE – No light passes through and no view possible. Provides complete privacy.

PERFORMANCE FABRIC

WEAVE #	NAME	SERIES	PRICE GROUP		OPENNESS %	MAX SEAMLESS WIDTH (IN)	MAX SEAMABLE WIDTH (IN)	CONTENT	H-REPEAT	V-REPEAT	MICROBAN PROTECTION	ECOLIBRIUM GREEN TECHNOLOGY	GREENGUARD CERTIFIED	OEKO-TEX CERTIFIED	PVC FREE	LEAD FREE	FLAME RESISTANT	AVAILABLE STYLES	
			PRIVACY LEVEL															ROLLERSHADE	TOP TREATMENT
G03	Snow	9000	3	5	0%	110"	144"	Poly			N	N	N	Y	Y	Y	Y	•	•
G06	Natural	9000	3	5	0%	110"	144"	Poly			N	N	N	Y	Y	Y	Y	•	•
G09	Wheat	9000	3	5	0%	110"	144"	Poly			N	N	N	Y	Y	Y	Y	•	•
G15	Smoke	9000	3	5	0%	110"	144"	Poly			N	N	N	Y	Y	Y	Y	•	•
G42	Earth	9000	3	5	0%	110"	144"	Poly			N	N	N	Y	Y	Y	Y	•	•
P01	Pearl White	3000	1	2	14%	96"	144"	Vinyl/Fiberglass/Poly			Y	N	Y	N	N	Y	Y	•	•
P02	White	2000	2	2	5%	96"	144"	Fiberglass/Vinyl			Y	N	Y	N	N	Y	Y	•	•
P04	White/Bone	2000	2	2	5%	96"	144"	Fiberglass/Vinyl			Y	N	Y	N	N	Y	Y	•	•
P06	Chalk	4000	2	2	5%	98"	144"	Poly/Vinyl			Y	Y	Y	N	N	Y	Y	•	•
P07	Alabaster	4000	2	3	5%	98"	144"	Poly/Vinyl			Y	Y	Y	N	N	Y	Y	•	•
P62	White	7000	2	5	0%	118"	144"	Poly/Acrylic			N	N	Y	N	N	Y	Y	•	•
P63	Birch	7000	2	5	0%	118"	144"	Poly/Acrylic			N	N	Y	N	N	Y	Y	•	•
PFBO01	Soft White	Blackout	2	5	0%	79"	144"	Cotton			N	N	N	Y	Y	Y	N	•	•
PFBO02	Linen	Blackout	2	5	0%	79"	144"	Cotton			N	N	N	Y	Y	Y	N	•	•
PFBO03	Khaki	Blackout	2	5	0%	79"	144"	Cotton			N	N	N	Y	Y	Y	N	•	•
PFBO06	Asher	Blackout	2	5	0%	110"	144"	Poly			N	N	N	Y	Y	Y	N	•	•
PFSH01	Soft White	Sheer	2	2	0%	114"	144"	Poly			N	N	N	Y	Y	Y	N	•	•
PFSH02	Linen	Sheer	2	2	0%	114"	144"	Poly			N	N	N	Y	Y	Y	N	•	•
PFSH03	Khaki	Sheer	2	2	0%	114"	144"	Poly			N	N	N	Y	Y	Y	N	•	•
PFSH06	Asher	Sheer	2	2	0%	114"	144"	Poly			N	N	N	Y	Y	Y	N	•	•
PFTR01	Soft White	Translucent	1	3	0%	79"	144"	Poly			N	N	N	Y	Y	Y	N	•	•
PFTR02	Linen	Translucent	1	3	0%	79"	144"	Poly			N	N	N	Y	Y	Y	N	•	•
PFTR03	Khaki	Translucent	1	3	0%	79"	144"	Poly			N	N	N	Y	Y	Y	N	•	•
PFTR06	Asher	Translucent	1	3	0%	78"	144"	Poly			N	N	N	Y	Y	Y	N	•	•
PFTR10	Muslin	Translucent	1	3	0%	78"	144"	Poly/Linen			N	N	N	Y	Y	Y	N	•	•
PFTR11	Gabardine	Translucent	1	3	0%	78"	144"	Cotton/Linen			N	N	N	Y	Y	Y	N	•	•
PFTR12	Worsted	Translucent	1	3	0%	78"	144"	Cotton/Linen			N	N	N	Y	Y	Y	N	•	•
Q01	Mushroom Sand	3000	1	2	14%	96"	144"	Vinyl/Fiberglass/Poly			Y	N	Y	N	N	Y	Y	•	•
Q04	Chocolate	3000	1	2	14%	96"	144"	Vinyl/Fiberglass/Poly			Y	N	Y	N	N	Y	Y	•	•
Q05	Bone	2000	2	3	5%	96"	144"	Fiberglass/Vinyl			Y	N	Y	N	N	Y	Y	•	•
Q10	Bronze	2000	2	2	5%	96"	144"	Fiberglass/Vinyl			Y	N	Y	N	N	Y	Y	•	•
Q12	Pebblestone	4000	2	2	5%	98"	144"	Poly/Vinyl			Y	Y	Y	N	N	Y	Y	•	•
Q16	Tobacco	4000	2	2	5%	98"	144"	Poly/Vinyl			Y	Y	Y	N	N	Y	Y	•	•
Q17	Sand Dollar	3000	1	2	14%	96"	144"	Vinyl/Fiberglass/Poly			Y	N	Y	N	N	Y	Y	•	•
Q57	Wheat	7000	2	5	0%	118"	144"	Poly/Acrylic			N	N	Y	N	N	Y	Y	•	•
SW5015	Crimini	5000	3	3	10%	98"	144"	Poly/Vinyl			Y	N	Y	N	N	Y	Y	•	•
SW5016	Oyster	5000	3	3	10%	98"	144"	Poly/Vinyl			Y	N	Y	N	N	Y	Y	•	•
SW5046	Morrell	5000	3	3	7%	98"	144"	Poly/Vinyl/Acrylic			Y	N	Y	N	N	Y	Y	•	•
SW5047	Chanterelle	5000	3	3	7%	98"	144"	Poly/Vinyl/Acrylic			Y	N	Y	N	N	Y	Y	•	•
SW5049	Shitaki	5000	3	3	7%	98"	144"	Poly/Vinyl/Acrylic			Y	N	Y	N	N	Y	Y	•	•
SW5050	Portobello	5000	3	3	5%	98"	144"	Poly/Vinyl/Acrylic			Y	N	Y	N	N	Y	Y	•	•
SW5051	Truffle	5000	3	3	5%	98"	144"	Poly/Vinyl/Acrylic			Y	N	Y	N	N	Y	Y	•	•

PERFORMANCE FABRIC

WEAVE #	NAME	SERIES	PRICE GROUP		OPENNESS %	MAX SEAMLESS WIDTH (IN)	MAX SEAMABLE WIDTH (IN)	CONTENT	H-REPEAT	V-REPEAT	MICROBAN PROTECTION	ECOLIBRIUM GREEN TECHNOLOGY	GREENGUARD CERTIFIED	OEKO-TEX CERTIFIED	PVC FREE	LEAD FREE	FLAME RESISTANT	AVAILABLE STYLES	
																		ROLLERSHADE	TOP TREATMENT
SW5060	Matsutake	5000	3	3	10%	98"	144"	Poly/Vinyl			Y	N	Y	N	N	Y	Y	•	•
SW5089	Enoki	5000	3	3	3%	98"	144"	Poly/Vinyl			Y	N	Y	N	N	Y	Y	•	•
SW5090	Maitake	5000	3	3	10%	98"	144"	Poly/Vinyl			Y	N	Y	N	N	Y	Y	•	•
SW5092	Porcini	5000	3	3	5%	98"	144"	Poly/Vinyl			Y	N	Y	N	N	Y	Y	•	•
V01	Pale Grey	3000	1	2	14%	96"	144"	Vinyl/Fiberglass/Poly			Y	N	Y	N	N	Y	Y	•	•
V02	Ninja Grey	3000	1	2	14%	96"	144"	Vinyl/Fiberglass/Poly			Y	N	Y	N	N	Y	Y	•	•
V04	Platinum	2000	2	2	5%	96"	144"	Fiberglass/Vinyl			Y	N	Y	N	N	Y	Y	•	•
V07	Pewter	4000	2	2	5%	96"	144"	Poly/Vinyl			Y	Y	Y	N	N	Y	Y	•	•
V10	Ebony	4000	2	2	5%	98"	144"	Poly/Vinyl			Y	Y	Y	N	N	Y	Y	•	•
V21	Charcoal	2000	2	2	5%	96"	144"	Fiberglass/Vinyl			Y	N	Y	N	N	Y	Y	•	•
V39	Graphite	7000	2	5	0%	118"	144"	Poly/Acrylic			N	N	Y	N	N	Y	Y	•	•

PRIVACY LEVEL INDEX

This index is designed to help you understand the level of privacy an unlined weave will provide.

Privacy Level 1: SHEER – Defuses light and glare while preserving a view. Provides almost no privacy.

Privacy Level 2: TRANSPARENT – Most light passes through while softening the view. Provides some privacy.

Privacy Level 3: TRANSLUCENT – Some light passes through with little view. Provides moderate privacy.

Privacy Level 4: SEMI-OPAQUE – Little light passes through while obstructing the view. Provides significant privacy.

Privacy Level 5: OPAQUE – No light passes through and no view possible. Provides complete privacy.

NATURAL WALLCOVERING

WEAVE #	NAME	SERIES	PRICE (LINEAR YD)	ROLL WIDTH (IN)	ROLL LENGTH (YDS)	CONTENT	H-REPEAT	V-REPEAT	TRIMMED	SIDE MATCH	BACKING	ASTM E84 CLASS A	LEED Credits			
													SPECIAL NOTES	RAPIDLY RENEWABLE MATERIALS (MRC6)	LOW-VOC ADHESIVE	LOW EMITTING MATERIALS (EOC4)
WL301	Capitol	District	34	36"	8	Abaca	9"		Y	Y	Paper	Y		•	•	•
WL302	Dupont	District	34	36"	8	Abaca	9"		Y	Y	Paper	Y		•	•	•
WL303	Trinity	District	34	36"	8	Abaca	9"		Y	Y	Paper	Y		•	•	•
WL304	Georgetown	District	34	36"	8	Abaca	9"		Y	Y	Paper	Y		•	•	•
WL305	Bethesda	District	34	36"	8	Abaca	9"		Y	Y	Paper	Y		•	•	•
WL310	Rainier	Cascadia	26	36"	8	Sisal			Y	N	Paper	Y		•	•	•
WL311	Queen Anne	Cascadia	26	36"	8	Sisal			Y	N	Paper	Y		•	•	•
WL312	Pike	Cascadia	26	36"	8	Sisal			Y	N	Paper	Y		•	•	•
WL313	Alki	Cascadia	26	36"	8	Sisal			Y	N	Paper	Y		•	•	•
WL314	Madrona	Cascadia	26	36"	8	Sisal			Y	N	Paper	Y		•	•	•
WL315	Pinehurst	Cascadia	26	36"	8	Sisal			Y	N	Paper	Y		•	•	•
WL316-84	Sandpoint	Cascadia	26	36"	8	Sisal			Y	N	Paper	Y		•	•	•
WL321	Blanc	North Estate	49	36"	8	Jute			Y	Y	Paper	Y		•		
WL322	Chateau	North Estate	49	36"	8	Jute			Y	Y	Paper	Y		•		
WL323	Barrique	North Estate	49	36"	8	Jute			Y	Y	Paper	Y		•		
WL325	Claret	North Estate	49	36"	8	Jute			Y	Y	Paper	Y		•		
WL326	Domaine	North Estate	49	36"	8	Jute			Y	Y	Paper	Y		•		
WL333	Telfair	Colonial	39	36"	8	Sisal	18"	16"	Y	Y	Paper	Y		•	•	•
WL334	Sorrel	Colonial	39	36"	8	Sisal	18"	16"	Y	Y	Paper	Y		•	•	•
WL335	Chippewa	Colonial	39	36"	8	Sisal	18"	16"	Y	Y	Paper	Y		•	•	•
WL336	Forsyth	Colonial	39	36"	8	Sisal	18"	16"	Y	Y	Paper	Y		•	•	•
WL344	Ranchgrass	Hill Country	31	36"	8	Paper	Rndm	Rndm	Y	N	Paper	Y			•	•
WL345	Verdure	Hill Country	31	36"	8	Paper	Rndm	Rndm	Y	N	Paper	Y			•	•
WL346	Wildseed	Hill Country	31	36"	8	Paper	Rndm	Rndm	Y	N	Paper	Y			•	•
WL347	Graystem	Hill Country	31	36"	8	Paper	Rndm	Rndm	Y	N	Paper	Y			•	•
WL348	Chapparal	Hill Country	31	36"	8	Paper	1/8"	1/8"	Y	N	Paper	Y			•	•
WL349	Muhly	Hill Country	31	36"	8	Paper	1/8"	1/8"	Y	N	Paper	Y			•	•
WL351	Palm Dunes	High Desert	54	36"	8	Ramie			Y	Y	Paper	Y		•		
WL352	Mineral Springs	High Desert	54	36"	8	Ramie			Y	Y	Paper	Y		•		
WL353	Ridgecrest	High Desert	54	36"	8	Ramie			Y	Y	Paper	Y		•		
WL354	Sweetwater	High Desert	54	36"	8	Ramie			Y	Y	Paper	Y		•		
WL355	Sage Creek	High Desert	54	36"	8	Ramie			Y	Y	Paper	Y		•		
WL356	Saddle Pass	High Desert	54	36"	8	Ramie			Y	Y	Paper	Y		•		
WL357	Sedona	High Desert	54	36"	8	Ramie			Y	Y	Paper	Y		•		
WL358	Sonoran	High Desert	54	36"	8	Ramie/Jute	Rndm	Rndm	Y	Y	Paper	Y		•		
WL359	Mojave	High Desert	54	36"	8	Ramie/Jute	Rndm	Rndm	Y	Y	Paper	Y		•		
WL364	Cypress	Santa Lucia	54	36"	8	Ramie			Y	Y	Paper	Y		•		•
WL365	Sequoia	Santa Lucia	54	36"	8	Ramie			Y	Y	Paper	Y		•		•
WL366	Ventana	Santa Lucia	54	36"	8	Ramie			Y	Y	Paper	Y		•		•
WL374	Aspen	Alpine	35	36"	8	Cork	Rndm	Rndm	Y	N	Paper	Y		•	•	•
WL375	Bristlecone	Alpine	35	36"	8	Cork	Rndm	Rndm	Y	N	Paper	Y		•	•	•

SPECIAL NOTES

T – Wallcovering has selvage edge which requires trimming by installer

W – Read special installation instructions available at hartmannforbes.com

NATURAL WALLCOVERING

WEAVE #	NAME	SERIES	PRICE (LINEAR YD)	ROLL WIDTH (IN)	ROLL LENGTH (YDS)	CONTENT	H-REPEAT	V-REPEAT	TRIMMED	SIDE MATCH	BACKING	ASTM E84 CLASS A	LEED Credits			
													SPECIAL NOTES	RAPIDLY RENEWABLE MATERIALS (MRC6)	LOW-VOC ADHESIVE	LOW EMITTING MATERIALS (EQC4)
WL376	Pine	Alpine	35	36"	8	Cork	Rndm	Rndm	Y	N	Paper	Y		•	•	•
WL377	Larch	Alpine	35	36"	8	Cork	Rndm	Rndm	Y	N	Paper	Y		•	•	•
WL378	Spruce	Alpine	35	36"	8	Cork	Rndm	Rndm	Y	N	Paper	Y		•	•	•
WL381	Lincoln Park	Lake Shore	41	36"	8	Cork/Metallic		26"	Y	Y	Paper	Y		•	•	•
WL382	Bucktown	Lake Shore	41	36"	8	Cork/Metallic		26"	Y	Y	Paper	Y		•	•	•
WL383	Edgewater	Lake Shore	41	36"	8	Cork/Metallic		26"	Y	Y	Paper	Y		•	•	•
WL390	Lexington	Avenue	48	36"	8	Sisal	6"	6"	Y	Y	Paper	Y	W	•	•	•
WL391	Fifth	Avenue	48	36"	8	Sisal	6"	6"	Y	Y	Paper	Y	W	•	•	•
WL392	Madison	Avenue	48	36"	8	Sisal	6"	6"	Y	Y	Paper	Y	W	•	•	•
WL402-72	Red Rock	Sundance	36	36"	8	Paper/Metallic			Y	Y	Paper	Y		•	•	•
WL403-65	Wasatch Peak	Sundance	36	36"	8	Paper/Metallic			Y	Y	Paper	Y		•	•	•
WL405	Jordanelle	Sundance	36	36"	8	Paper/Metallic			Y	Y	Paper	Y			•	
WL406	Rockport	Sundance	36	36"	8	Paper/Metallic			Y	Y	Paper	Y			•	
WL407	Elkhorn	Sundance	36	36"	8	Paper/Metallic			Y	Y	Paper	Y			•	
WL408	Deer Valley	Sundance	36	36"	8	Paper/Metallic			Y	Y	Paper	Y			•	
WL409-12	Oat	Acre	30	36"	8	Paper Raffia			Y	Y	Paper	Y			•	
WL409-15	Chaff	Acre	30	36"	8	Paper Raffia			Y	Y	Paper	Y			•	
WL409-21	Hay	Acre	30	36"	8	Paper Raffia			Y	Y	Paper	Y			•	
WL410-06	Snowdrift	Tahoe	32	36"	11	Paper/Metallic			Y	Y	Paper	Y				
WL410-12	Icecap	Tahoe	32	36"	11	Paper/Metallic			Y	Y	Paper	Y				
WL410-21	Sundown	Tahoe	32	36"	11	Paper/Metallic			Y	Y	Paper	Y				
WL410-81	Starlight	Tahoe	32	36"	11	Paper/Metallic			Y	Y	Paper	Y				
WL412-03	Pearlescent	Northsands	34	36"	11	Mica Sand/Metallic Paper			Y	N	Paper	Y			•	
WL412-06	Opalescent	Northsands	34	36"	11	Mica Sand/Metallic Paper			Y	N	Paper	Y			•	
WL412-21	Gilt	Northsands	34	36"	11	Mica Sand/Metallic Paper			Y	N	Paper	Y			•	
WL412-36	Sterling	Northsands	34	36"	11	Mica Sand/Metallic Paper			Y	N	Paper	Y			•	
WL413-03	Clouded	Coastline	35	36"	11	Mica Sand/Metallic Paper	7¼"		Y	Y	Paper	Y			•	•
WL413-45	Golden	Coastline	35	36"	11	Mica Sand/Metallic Paper	7¼"		Y	Y	Paper	Y			•	•
WL413-84	Eclipse	Coastline	35	36"	11	Mica Sand/Metallic Paper	7¼"		Y	Y	Paper	Y			•	•
WL414-03	Cape	Seaboard	\$93	43"	BTY	Water Lily		Rndm	Y	N	Paper	Y	W	•		•
WL414-12	Landing	Seaboard	\$87	43"	BTY	Water Lily		Rndm	Y	N	Paper	Y	W	•		•
WL414-36	Pier	Seaboard	78	43"	BTY	Abaca/Metallic			Y	Y	Paper	Y	W	•		•
WL415-03	Sail	Riverfront	61	43"	BTY	Abaca/Metallic			Y	Y	Paper	Y	W	•		•
WL415-36	Mooring	Riverfront	61	43"	BTY	Abaca/Metallic			Y	Y	Paper	Y	W	•		•
WL417-15	Sea Foam	Peninsula	39	36"	8	Raffia			Y	Y	Paper	Y		•	•	•
WL417-33	Sea Break	Peninsula	39	36"	8	Raffia			Y	Y	Paper	Y		•	•	•
WL417-45	Beach	Peninsula	39	36"	8	Raffia			Y	Y	Paper	Y		•	•	•
WL417-60	Haze	Peninsula	39	36"	8	Raffia			Y	Y	Paper	Y		•	•	•
WL418-06	Shell	Island Coast	39	36"	8	Raffia/Metallic			Y	Y	Paper	Y		•	•	•
WL418-15	Pebble	Island Coast	39	36"	8	Raffia/Metallic			Y	Y	Paper	Y		•	•	•
WL418-33	Sea Mist	Island Coast	39	36"	8	Raffia/Metallic			Y	Y	Paper	Y		•	•	•

SPECIAL NOTES

T – Wallcovering has selvage edge which requires trimming by installer

W – Read special installation instructions available at hartmannforbes.com