WELCOME

То

the presentation

Of

Zap Exports Pvt. Ltd.

- Established:
- Managed By:
- Registered Brand:
- Company Philosophy:

May'2004 Professionals D'Spaze

Commit what you can Deliver and Deliver what you Commit TEAM TOGETHER We Delivery



ACHIEVEMENTS

Maintaining all eco friendly product profile Pioneers in launch of new products in India

- •Designer sq. tiles in laminate flooring in 2008
- •WPC Wall Panels in 2009
- •WPC Decking Tiles in 2012
- •PVC Wall Panels in 2012
- •WPC Solid Deck flooring in 2015
- •Luxe Composite Flooring in 2015
- Hi- Gloss Laminate Flooring in 2015
- . Random width Laminate Flooring 2016
- . UV Sheets (Marble Sheets) 2016

PRODUCT RANGE

Interiors

Exteriors

- Wall Panels
 - WPC Wall Panels
 - PVC Wall Panels
 - UV Sheets
- Luxe Composite Flooring
- Laminate Flooring
 - 8.3 mm Flooring
 - 12.3 mm Flooring
 - In approx. 4' planks
 - Louvre Series
 - Forest Series
 - Desire Series
 - In 600 X 600 mm Tiles
 - Baroque Series
 - Country Conico

- •WPC Decking (Hollow/Solid)
- Artificial Grass
- Terrace Gardens

WOOD PLASTIC COMPOSITE (WPC)

Wood Plastic Composites are produced by mixing wood flour or fiber & plastics to produce a material that can be processed like a conventional plastic & has the best features of wood & plastic

Growth Rate of WPCs for building products is more than 50 % in US market

American Society for Testing and Materials (ASTM) Standards for building products are now based on WPCs

WPC BENEFITS OVER WOOD AND PLASTIC

•Will not warp or rot due to harsh weather

•Is splinter-free

•Doesn't need sanding, staining, or painting ever

•Plastic shields wood from moisture and insect damage

•Wood protects plastic from UV damage

D'SPAZE WPC FOR OUTDOORS

Low maintenance
An almost entirely green product
Soft, splinter less comfort that will never rot or corrode
Highly resistant to decay and marine borer attack.
Good workability: Can be shaped using conventional wood working tools
Homogenous material

•No Paint or polish required

D'SPAZE WPC BENEFITS

•Because maintenance costs are minimal, D'Spaze WPC saves you money over time.

•D'Spaze WPC doesn't weaken over time the way wood does.

•Maintains its high quality and value for years to come

•A smart investment

•Immediately boost your building value while enhancing its beauty.

D'SPAZE EXTERIORS

D'SPAZE DECKING PLANKS



Specification

Size: 2.2 mtr. X 150 mm X 25 mm Density: Approx. 1300 kgs. / m3 Surface: One side thin strips and other side wide strips

Use

- •Around Swimming Pools
- •Walk ways in the gardens and terraces gardens
- •Below Pergola's
- Terraces


D'SPAZE WPC DECK EDGE


•Excellent traction even when wet


•Resists damage from moisture and sunlight.

•No toxic chemicals and preservatives.

•Will not splinter, so bare feet and hands are always safe.







WPC Decking used on steel structures

WPC DIY DECK TILES



Specification

Size: 305 X 305 mm X 25 mm

Construction: Made out of WPC decks screwed on the plastic frame

Easy Installation


Use

- •Around Swimming Pools
- •Walk ways in the gardens and terraces gardens
- •Below Pergola's

Terraces



WPC Cladding on façade of house in Chandigarh





Decking and Pergola Structures


D'Spaze WPC Solid Deck Flooring

Dimensions : 19 mm X 120 mm X 2.9 mtr.

Colours: Elegant sandal wood (colour code 104) Rich copper brown (colour code 102)

Surface: One side narrow lining and other side plain

Shades of D'Spaze WPC Solid Deck Flooring



ARTIFICIAL GRASS

- •High density artificial grass with natural look.
- •Best suited for landscaping and terrace gardens.
- •One of the best quality turfs in its category.
- Five specifications

Item Code: DGB-40A,

Pile Height: 40mm, Stitch Rate: 18stiches / 10cm, Gauge: 3/8", Dtex : 12800, Fibre Colour: Natural



Item Code: DT-40,

Pile Height: 40mm,

Stitch Rate: 14 stiches / 10cm,

Gauge: 3/8"

Dtex : 12800,

Item Code: DT-25

Pile Height: 25 mm,

Stitch Rate: 14stiches / 10cm,

Gauge: 3/8",

Dtex : 12800,

Item Code: DT-35,

Pile Height: 35 mm,

Stitch Rate: 14stiches / 10cm,

Gauge: 3/8",

Dtex : 12800,

Item Code: DT-35,

Pile Height: 35mm,

Stitch Rate: 16stiches / 10cm,

Gauge: 3/8",

Dtex : 12800,

D'SPAZE INTERIORS

WPC Wall Panels



Specification

Length: 3.05/ 2.74 Mtr. (10 /9 Feet) Widths: Specific to Design 131 – 211 mm Thickness: Approx 8 mm Core Mat.: Wood Plastic Composite Top Layer: PVC Foil

Features

- •Termite Proof
- •Water/Dampness Proof
- (Can be used on damp walls also)
- •Three dimensional designs
- •Easy to Install
- •Fire Retardant
- •Can be used in ceilings

WPC Wall Panels Site Pics



DehiPublic School, Sector 102, Gurgaon DPS International School, Golf Course Extr. Road, Gurgaon









D'SPAZE PVC WALL PANELS

Specifications

Length	:	9' and 10'
Widths	:	Specific to Design 200 and 250 mm 🗣
Thickness		: Approx 8-12 mm
Core Mat.		: Mix of PVC and Silicate
Top Layer		: PVC Foil or glossy transfer print
W eight	:	From 3-4.5 Kg./sq. mtr.

Features

•Termite Proof

•Water/Dampness Proof (Can be used on damp walls also)

•Easy to Install

D'SPAZE LAMINATE FLOORING 8.3/8 mmThickness

Klassic Series: AC4 Grade flooring in 8.3 mm with small embossed surface with glossy finish.

Krystal Series: It has feather embossed surface with glossy finish and V-Groove on all four sides in AC4 Grade.

Lumber Series: It comes with real wood, embossing, matt finish and Vgroove on all the four sides.

Hi Gloss Series: It comes with hi gloss polished surfaces of french bleed designs in four elegant colours. V-groove on all the four edges.

Random Width : It comes with real wood , V-groove on all the four sides.

Pics of 8.3/8 mm Shades







Krystal Series

HI - GLOSS SHADES



Hg – 01 Light Walnut Hg – 02 Forest Teak





Hg – 03 Maritime mahogany



Hg – 04 Sapele

D'SPAZE LAMINATE FLOORING 12.3 mmThickness

Louvre Series: Registered embossed surface with sound proofing rubber layer and wax shield against moisture absorption in AC4 grade.

Forest Series : Exotic surfaces in 12.3mm and AC4 grade.

Country Series : Exotic surfaces in square tile form in 12.3mm and AC4 grade.

Baroque Series : Square tiles with designer parquet style surface for royal feel. They come with wax shield against moisture absorption in Ac4 grade.


Desire Series

exquisite surface with sound proofing tempisture absorption in Ac4

Desire Series – for the Connoisseurs



Baroque Series – for the Royals



LUXE COMPOSITE FLOOR (WATER PROOF AND TERMITE PROOF)

Zap Exports Pvt. Ltd. Launched its new brand LUXE for introducing high end luxurious interior products to the discerning clients. Brand LUXE will be a symbol of hassle free dependable interior products to suit the aristocracy of choice customers.

Under LUXE brand waterproof and termite proof composite flooring comes in 8 mm thickness. The flooring has the base cushion of 1 mm rubber and comes with the core of composite material. Top layer consists of 2 mm PVC with .5 wear layer which ensures a comfortable life span of 15 years in residential use.

SHADES OF COMPOSITE FLOORING



Our Esteemed Clients

•Supreme Court.

•Ansal Buildwell Ltd. – Connaught Place

- •Today Homes & Infrastructure Pvt. Ltd. Connaught Place
- •Sri Balaji Action Medical Institute Paschim Vihar
- •RBI Governor office
- •DPS International School, Gurgaon
- •Afghanistan Embassy
- International Fateh Academy Amritsar
- •Kutons Retail India Ltd. Gurgaon
- •S.R Education Society Rohtak
- •Hotel White Shimla
- •Hotel Manu Maharani, Nainital
- •Kasauli Construction Pvt. Ltd. Kasauli
- Desh Bhagat Group of College Chandigarh
- •Omaxe Buildcon Ltd. Distt: Mohali, H.P
- •Hotel Heaven Blue Abohar
- •Hotel Park Plaza Manali

