

TMR

The Main Resource

Automotive Professional Products



WHEEL SERVICE



www.TheMainResource.com

TIRE CHANGER

Mount/Demount Heads



TMRTC14024784

Nylon Mount/Demount Head Kit for Tire Changers

- Kit Includes; Nylon Mount/Demount Head, Bracket and Hardware
- Replacement for Accuturn 14024784 for use on Models 3602 • 3602HP • 4260 • 4560MR • 4602 • 5602 • 5602 HP
- Replacement for Hofmann 4024784 for use on Models 1000 • 1520 • 1565 • 1575 1620 • 1625 • 1625EM • 3300 • 3300EM • 3550
- Replacement for FMC/John Bean EAA 0247G20A for use on EHP Series Tire Changers
- Replacement for Snap-On EAA 0247G20A for use on All Models

TMRTC20024335

Nylon Mount / Demount Head for TC 14024784 Mount / Demount Head Kit Head Only

TMRTC14120

Tool Head for Hunter TCA34 Tire Changers with Serial Number 664 and Above



TMRTC400327

Nylon Winged Head For Hunter TCX

- Nylon replacement winged head OEM RP11-8-11400327
- Fits all Hunter TCX50, TCX51, TCX53, TCX56
- Used with TMRTC250 Adapter Kit
- Also used with TMRTC300 Adapter Kit



TMRTC182788

Stainless Steel Mount/Demount Head

O.E.M.	OEM Part Number	Tire Changer
Coats	8182788	RC1 • 5 • 10 • 15 • 20 • Early 5060 • 5030 • 5040 5050 • 5060 • 5065 • 5070 • 6050 • 6060 6065 • 7050 • 7055 • 7060 • 7065 • 7655 7660 • 7665

TMRTI182961

Plastic Insert Rim Protectors for Coats Stainless Steel Mount/Demount Head (2 Pack)

- For TC182788 stainless steel mount/demount heads

TMRTI182963

Plastic Insert Rim Protectors for Coats Stainless Steel Mount/Demount Head (12 Pack)



TMRTC183061

Nylon Mount / Demount Head Kit with Tapered Hole

- Use with tapered shaft 182767 or 182812
- | OEM | OEM Part Number | Tire Changer |
|-------|-----------------|--|
| Coats | 8183061 | 5030 • 5040 • 5050 • 5060 • 5065 • 6050
• 6060 • 6065 • 7050 • 7055 • 7060 • 7065
• 7655 • 7660 • 7665 |

TMRTC061

3 Piece Screw & Washer Kit for TMRTC183061

- Includes 1 each of: TMRTC183033 - Large Washer, TMRTC106302 - Hex Washer Head and TMRTC182027 - Small Washer



TMRTC182960

Nylon Mount / Demount Head Only for TC183061 Kit



TMRTC183429

Stainless Steel Mount/Demount Head with Round Hole for Coats Tire Changers

O.E.M.	OEM Part Number	Tire Changer
Coats	8183429	RC 1 • 5 • 10 • 15 • 20 • Early 5060 • 5030 • 5040 5050 • 5060 • 5065 • 5070 • 6050 • 6060 6065 • 7050 • 7055 • 7060 • 7065 • 7655 7660 • 7665



TMRTC184432

Low Profile Grey Nylon Mount / Demount Head Kit

- For use with Low Profile Tires
- | O.E.M. | OEM Part Number | Tire Changer |
|--------|-----------------|--|
| Coats | 8184432 | 5030 • 5040 • 5050 • 5060 • 5065
6050 • 6060 • 6065 • 7050 • 7055
7060 • 7065 • 7655 • 7660 • 7665 |

TMRTC432

Hardware Kit for TC184432 Low Profile Grey Mount / Demount Head

TIRE CHANGER

Mount/Demount Heads & Insert Hardware

TMRTCR343

Red Nylon Mount and Demount Head

O.E.M.	Part Number	Tire Changer
Hunter	221-675-2	TC 250 · TC 300 · TC325
	221-675-2-B	TC250 · TC300 · TC325 · TC350 TC2000 · TC3250 · TC3500 TC3000 And TC 3100 Series (Require Adapter)



TMRTCR343-6

Red Mount/Demount Head for Hunter Tire Changers (6 Pack)



TMRTC0343

Plastic Mount/Demount Head for Hunter & Accuturn Tire Changers

- Accuturn SM102529 220A, All Other Models Require 102765 Adapter
- Hunter RP6 0343B TC250, TC300, TC325, (TC3000 Requires Adapter)

TMRTC0343-6

Plastic Mount/Demount Head For Hunter and Accuturn Tire Changers (6 pack)



TMRTCY2433

Yellow Nylon Mount/ Demount Head Only

- Replacement for Accuturn 20024335. Use with models 7700, 8910, 8911, 8922 8944 and 8989
- Replacement for Hofmann 20024335
- Replacement for FMC/John Bean EA A 24335. For use on EHP series tire changes
- Replacement for Snap-on 24335. For use on all models.

TMRTC101608

Nylon Inserts for Steel Mount/Demount Heads (5 Pack)

- For Accuturn, Bosch and Sicam Tire Changer



TMRTC247G15A-10

Long Inserts for Metal Mount Heads, Fits Snap-on, JBC, FMC & GS Boxer



TMRTCY6076

Yellow Long Inserts for Stainless Mount/ Demount Head



TMRTC250309

Nylon Mount/Demount Head Kit with Round Hole

- For Coats, Corghi, Hofmann, Giuliano and All Tool tire changers

O.E.M.	Part Number	Tire Changer
All Tool	G3008403	All Models
Coats	83008403	RC 1 · 5 · 10 · 15 · 20 · Early 5060 9010 · 9024 · APX90 All Rim Clamp (Optional Accessory) Shaft needs to be turned 180 degrees for this head to work
Corghi	50310	All Earlier Models except 1550 · 620 · 1625
Giuliano	3008403	Fits All TCX Series (Earlier TCX500 Requires Upgrade Shaft and Adapter Kit RP11-8-114-00091)
Hofmann	8314813	M39, S40, S41, S42, S43, S45, S408MAXI, S435, S436, S436TOP
Hunter	RP11-8314813	
Sice	8314813	



TMRTC450310

Nylon Mount / Demount Head with Round Hole Head Only

- For TC 250309 mount / demount head kit



TMRTC250

Mounting Bracket for TMRTC250309 Mount/Demount Head Kit



TMRTC300

Screw and Bolt Kit for TMRTC250309 Mount/Demount Head Kit

- Use with TC250309
- Silver Metal finish



TMRTI11400096

20 Piece of Nylon Insert Kit for Hunter Steel Mount/Demount Heads

- Kit Includes; Tmrti4096 Head Inserts (10 Pcs)
- For use with old style Hunter steel head OEM #RP11-5-400439



TMRTI182963

Plastic Insert Rim Protectors for Coats Stainless Steel Mount/Demount Head (12 Pack)



TMRTI20011064

Plastic Duck Bill Insert for Accuturn Mount / Demount Head 24011066 (Bulk)



TMRTI4096-10

Hunter Nose Inserts For Steel Mount Heads (10/Bag)

- For use with old style Hunter steel head OEM #RP11-5-400439



TIRE CHANGER ACCESSORIES

Air Gauges & Lens Covers



TMRAG107985

Air Gauge for Coats Tire Changers (Flange Mount)

- Replacement for Coats 8107985
- For use on Models RC15 · RC100
- 9010 40 · 50 · 60 · 70 Series



TMRAG107518

Air Gauge for Earlier Coats Tire Changers

- Bolts on back with clips
- Replacement for Coats 8107518
- For use on Models 1010 · 2020 · 2020A



TMRAG66170

Air Gauge For FMC/John Bean / Snap-On Tire Changers

- Replacement for FMC/ John Bean 66170
- For use on Models 7600 · 8800
- Replacement for Snap-On 66170 for use on All Models



TMRLC107517

Lens Cover with Gasket for Air Gauges

Bead Keepers

TMRTCB7900

Nylon Protective Shoe for Tire Changer Side Shovel

O.E.M.	Part Number	Tire Changer
Snap-On	EAA0304G15A	All Models
John Bean	EAA0304G15A	EPH Systems, I, II, III, IV, V, 8931, 8936, 8950, 8960, 8990, 8991
Hofmann	EAA0304G15A	3300, 3300EM, 1520, 1565, 1625EM



TMRTCY7875

Yellow Nylon Shoe Protector For Side Shovel for Tire Changers, Snap-ON, John Bean and Hofmann

TMRTC2210-3

Tire Rim Protector (Bag of 3)

TMRTC435685

Bead Depressor Drop Center Tool



Bead Lift Tools



TMRTC11400098

Long Bead Lift Tool Socket - Length 13-1/2" (Each)

- Made of High Impact Nylon for the prevention of wheel marring
- For all Rim Clamp Tire Changers
- Use with TMRTC181354

TMRTC11400098-4

Long Bead Lift Tool Socket - Length 13-1/2" (4 Pack)



TMRTC7874Y

Yellow Cover for Bead Lift Tool Bar



TMRTC181354

20" Bead Lifting Tool for all Rim Clamp Tire Changers

- Use With TMRTC11400098

TMRTC2402

24" Bead Lifting Tool

- Use with TMRTC11400098



TMRTC2505

Bead Lift "Wave" Tool Bar

- Specially Shaped for Difficult Tire Beads



TMRCT768

Combo Tool Specifically Designed to Mount and Demount Tires

- Use with T1 30 Demount and T1 55 Mount Booties

Jaws

TMRTC182247-4

Adjustable 2 Button Rim Clamp Jaw (4 Pack)

- Replacement for Coats 8182247 for use on 5030 · 5040 · 5045 · 50X · 60X · 70X
- External (Outside/Inside) Wheel Clamping 6" - 20" Range
- Only works with upgraded Carriage System
- Use with TMRTC183604 Covers
- 6" to 20" Range



TMRTC182250

Spring Loaded Position Push Buttons for 2 & 3 Button Jaws



TMRTC181677-4

Rim Clamp Jaw for Coats Tire Changers (Box of 4)

- Replacement for Coats 8181677 for use RC1 · RC5 · RC10
- RC15 · RC20 Baseline BL200 · BL300 · BL400 · BL500
- Rim clamp jaws are not adjustable
- Use with TMRTC183604 covers



TMRTC184126-4

3 Position Jaw, Fits Any Coats X-Models with Adjustable Carriers (Box of 4)



TIRE CHANGER ACCESSORIES

Inflator Hose Assemblies



TMRHA106871

Coats Inflator Hose Assembly

- Replacement for Coats 8106871
- Length: 60"; 1/4" I.D. - 19 BSP
- Includes TMREC410419 Euro chuck
- All brass connectors



TMRHA137862

Hunter Type Inflator Hose Assembly

- Replacement for Hunter137-86-2
- Length 60"; 1/4" I.D. - 19 BSP
- Includes TMREC2000 Female Style Standard Chuck
- All brass connectors

TMRHA152347

Inflator Hose Assembly

- Includes EC410419 Euro Chuck. 54" ; Blank End



TMRHA67715

Inflator Hose Assembly

- Replacement for FMC / John Bean 67715
- Length 54"; 1/4" I.D. - 19 BSP with spring guard
- Includes TMREC410419 Euro Chuck
- All brass connectors



TMRHA714100

Corghi Type Hose Assembly

- Replacement for Corghi 714100
- Length: 60"; 1/4" I.D. - 1/8" Male Pipe BSP
- Includes TMREC410419 Euro chuck
- All brass connectors

Clamp Socks

TMRTC183604

Nylon Quilted Clamp Sock for Jaws and Coats Rim Clamp Tire Changers (10 Pk)

O.E.M. Coats	Part Number 8183604	Tire Changer All Tire Changers (Except 9010 And 9024E)
--------------	---------------------	--



TMRTCB304-4

Nylon Cover for Snap-On Jaws (4 Pack)

- Protective Cover/Socks for Clamp Jaws
- Replacement for Snap-On EAA0304G21A for All Models



Clamping Kits


TMRTC113125C

3 Position Extended X-Clamp Kit for Coats X-Models with Adjustable Carriers

- External (Outside/In) Wheel Clamping (6" - 22" Range) (8 Pcs)
- Kit Includes: TMRTC182250 Position Push Buttons (4 Pcs) and TMRTC184126 3 Position X-Clamp (4 Pcs)

O.E.M. Coats	Part Number 8113125C	Tire Changer 50X - 60X - 70X
--------------	----------------------	------------------------------

(ONLY Works with Upgraded Carriage System
Does Not Work with 5030, 5040, 5045: Must Use TC182247)



TMRTC184327

24" X-Out Clamp Kit

- Fits only X-Model rim clamp tire changers



Inflation Chucks

TMREC410419

Open End Barbed Style European Air Chuck

- Fits all passenger and truck tire valves
- Connects to 1/4" ID hose found on many tire changers
- Open Flow, air flows freely through chuck without a valve attached



TMREC6000C

1/4" Heavy Duty Closed Female Style Standard Chuck



TMREC2000

1/4" Heavy Duty Open End Female Style Standard Chuck



Lube Applicator

TMRTI1506

Angled Applicator Brush for Euro White Paste

- Wooden Handle Length: 7-3/4"
- Brush Length: 1-3/4"



TMRTI6350

Truck Tire Paste Brush

- Handle length: 10" • Brush length: 1-3/4"
- Brush Head Diameter: 1-3/4"



TMRTI35

Long Tire Swab (14-1/2")

- Use for application of tire lube
- Use with TMRLB106259, TMRLB106572, TMRLB660066 Lube Buckets



TMRTI94

Truck Tire Swab (18")

TIRE CHANGER ACCESSORIES

Tire Lube



Murphy's Tire and Tube Mounting Compound

- Made from natural, renewable resources
- Safe for all tires
- Contains no petroleum oils of any kind
- 1 year warranty on material and workmanship

TMRJTMF1.0002 - 25 lb. Pail

TMRJTMF1.0006 - 40 lb. Pail



Murphy's Concentrated Extra Slippery Liquid Lubricant

- Contains no petroleum products
- Formulated for fast mounting of tires
- Rust inhibitor added to help fight rim rust
- 1 year warranty on material and workmanship

TMRJTMF1.0050 - 1 Gallon Jug

TMRJTMF1.0115 - 5 Gallon Pail



Murphy's Tire Mounting White Paste

- Designed for alloy wheels, low profile and run flat tires
- No water or mixing, use right from the container
- Extra slippery to help mount tires with stiff beads
- 1 year warranty on material and workmanship

TMRJTMF1.0066 - 8 lb. Pail

TMRJTMF1.0129 - 8 lb. Low Profile Pail



Murphy's Slix Black Tire Lubricant

- Contains no petroleum oils
- Will not swell or affect rubber especially inner tubes
- Stops the bonding or "freezing" of tire beads to tire rims
- 1 year warranty on material and workmanship

TMRJTMF1.0086 - 8 lb. Pail

TMRJTMF1.0085 - 25 lb. Pail



TMRTI2600-2

Liqui-Gel Tire Slick Bead Lube (Gallon) (2 Pack)

TMRTI2602

2 Oz. Sample Bottle of Tire Gel



TMRTI365

Euro Style White Tire Paste, 6.5lb Bucket (Case Of 4)

- For prevention of damage to tire beads during mounting and demounting of tires
- X-Tra Seal Brand

TMRTI311

Euro Style White Tire Paste, 11 lb Bucket (Case of 4)

Lube Bucket



TMRLB106259

Straight Lube Bucket

- Straight Spout
- Replacement for Coats 8106259 and Hunter 166-35-2
- Use with TMRTI50 and TMRTI35 Tire Swabs

TMRLB66006

Straight Lube Bucket - Black

- Replacement for FMC/John Bean 66006
- Replacement for Snap-On 66006



TMRLB106572

Angled Lube Bucket

- Angled Spout
- Replacement for Coats 8106572
- Use with TMRTI50 and TMRTI35 Tire Swabs



TMRTI220-0640

5 Gallon Pail of LiquiTube Permanent Premium Tire

- Reducing equipment downtime from flat tires
- Extending tire life



TMRTI-KX1052N

Universal Mounting Paste (Low Profile Bucket) 7.7 lb bucket (Case of 4)

- Reduces rim slippage
- Contains rust inhibitors, petroleum free
- Apply with brush

TMRTI-KX1052

Universal Mounting Paste for Tire Service, 7.7 lb bucket (Case of 4)

Rubber and Nylon Pads

Pads for Coats Tire Changers

- Protects wheel from damage caused by the tire changer during wheel service
- Replacement for Coats 8181851, for use on 5000 · 6000 · 7000 Series



TMRTI181855

Large Center Rubber Pad for Coats Tire Changers

- Pad Dimensions: 6-1/2" x 5-3/8" x 1-1/2"
- One pad required



TMRTI181851

Large Bead Loosener Nylon Front Pad for Coats Tire Changers

- Pad Dimensions: 5-1/4" x 5" x 1-1/2"
- 2 pads required

TMRTI851855

Tire Changer Pad Kit for Coats Tire Changers

- Includes: (2) TMRTI181851 and (1) TMRTI181855

WHEEL BALANCER ACCESSORIES

Haweka Kits

TMRWB4029-40

25 Piece, 40mm Haweka Flange Plate Kit

- Kit Includes: WB241605-40 Flange Plate A - 4 Lug and 8 Lug Plate, WB251703-40 Flange Plate B - 5 Lug Plate, WB251704-40 Flange Plate C - 5 Lug Plate, WB261501-40 Flange Plate D - 6 Lug Plate, WB271804118 Short Stud - Stud II - 24.5mm Head Diameter, 80mm Long (8 Pcs), WB271904119 Long Stud - Stud III - 24.5mm Head Diameter, 90mm Long (5 Pcs), WB271994121 SUV/Light Truck Stud - Stud V - 22.5mm Head Diameter, 100mm Long (8 Pcs) and Trolley and Vehicle Application Chart



Hub Nuts

TMRWB440

Haweka Pro Grip 40mm Quick Release Nut Kit (4mm Pitch)

- Kit Includes: Wing Nut, Pressure Cup, etc.



TMRWB806

Rubber Sleeve/Guard for All Haweka Quick Release Nuts

- Use with TMRWB802 and TMRWB805



TMRHN12103

40mm / 8mm Pitch Manual Hub Nut for Coats Wheel Balancers



TMRHN110543

28mm Manual Hub Nut for Coats Wheel Balancers

- Replacement for Coats 8110543
- For use with Wheel Balancers with 28mm Coarse Threaded Shafts
- Manual spin on hub nut for locking of the cones



Pressure Cups & Rings

TMRWB112106

40mm Pressure Cup for HN12103 Hub Nut for Coats Wheel Balancers (Conversion Kit Hub Nut)



TMRWB110542

28mm Small Pressure Cup for HN 110543 Hub Nut Coats # 110542

- Replacement for Coats 8110542
- For use with TMRHN110543 Manual Hub Nut



TMRWB463202

Spacer for Hunter Pressure Cups



Pressure Cups & Rings

TMRWB1753921

6" Wheel Balancer Polymer Pressure Cup

- Replaces Hunter 175-392-1
- For use on all Hunter Wheel Balancers



TMRWB1061572

6" Rubber Ring for Hunter Pressure Cup

- Replaces Hunter 106-157-2
- For use on all Hunter wheel balancers



TMRWB1753531

4.5" Pressure Cup for Hunter Quick Release Nut

- Used for proper positioning of Wheel Balancer Cones
- Made of high impact nylon



TMRWB106822

4.5" Rubber Ring for Hunter Quick Release Nut

- For use with TMRWB1753531 Pressure Cup
- Replaces OEM #106-82-2



Shaft Gauge

TMRWB777

Wheel Balancer Shaft Gauge

- Measures shaft size and thread pitch



Wheel Balancer Cones/Kits



Part #	Range	Size
TMRWB705-40	Range: 1.75 - 2.58	Metric: 40mm
TMRWB715-40	Range: 2.44 - 3.06	Metric: 40mm
TMRWB720-40	Range: 2.95 - 3.63	Metric: 40mm
TMRWB725-40	Range: 3.375 - 5.25	Metric: 40mm
TMRWB730-40	Range: 3.375 - 5.88	Metric: 40mm
TMRWB735-40	Range: 5.03 - 6.88	Metric: 40mm
TMRWB740-40	Range: 5.875 - 7.315	Metric: 40mm
TMRWB750-40	Range: 6.75 - 7.50	Metric: 40mm

TMRWB805-40

Wheel Balancer Cone Kit

- Range: 1.75 - 2.58
- Metric: 40mm



TMRWB835-40

Wheel Balancer Cone Kit

- Range: 5.03 - 6.88
- Metric: 40mm



TMRWB840-40

Wheel Balancer Cone Kit

- Range: 5.875 - 7.315
- Metric: 40mm



WHEEL BALANCER ACCESSORIES

Wheel Balancer Accessories



Wheel Balancer Chuck Adapters

- Tire Service Solutions for 16" Dually 19.5" and 22.5" Hub Centric Truck Wheels
- Fits most Hub-centric wheels with flat faced mounting pads with a wide range, 3.13" to 7.13", makes the 3-jaw chuck a versatile tool
- Centering accuracy as well as vertical stability supports wheel while clamping and unclamping

TMR90028BK (28mm Shaft)

TMR90040BK (40mm Shaft)



TMR90041

Extended Jaw Set for Balancer Chucks
TMR90040 & TMR90028

- Increases center hole size range up to 9.125" for 24.5" Hub Centric Truck Wheels



TMRWB309011

Wheel Caliper

- Measures in 1/2" to 1" increments (up to 14")
- For use in the measurement of the center hole of the wheel for Wheel Balancer Service
- Made of durable plastic

TMRWB790-40


40mm Wheel Balancer Spring



Truck Cone Kits

TMRWB7015-40

40mm Wheel Balancer
Spacer Backing Plate (8-3/4")



TMRWB7016-40

40mm Wheel Balancer Cone
(6 7/8" - 8 1/8")

- Range: 3.375" to 5.25"



TMRWB450550-40

Large Truck Double Sided
Hub Centric Cone
for Ford F450 and F550

- Range: 152.40 - 177.80 • 40mm



TMRWB150400091

Dual Sided Truck Cone Kit
(4.72" to 6.85")

- Includes 40mm Spacer Disc



TMRWB150280091

Dual Sided Truck Cone Kit
(4.72" to 6.85")

- Includes 28mm Spacer Disc



Wheel Balancer Shafts

TMRWB113082

40mm Coats Wheel Balancer
Conversion Shaft Kit



Low Profile Specialty Cones



Part #	Size	Range
TMRWB2251-40	40mm Low Profile Taper Balancer Cone	1.69" - 2.23"
TMRWB2252-40	40mm Low Profile Taper Balancer Cone	2.15" - 2.58"
TMRWB2253-40	40mm Low Profile Taper Balancer Cone	2.50" - 2.94"
TMRWB2254-40	40mm Low Profile Taper Balancer Cone	2.85" - 3.28"
TMRWB2255-40	40mm Low Profile Taper Balancer Cone	3.20" - 3.63"
TMRWB2256-40	40mm Low Profile Taper Balancer Cone	3.45" - 4.36"
TMRWB2257-40	40mm Low Profile Taper Balancer Cone	4.24" - 5.18"

TMRWB2000-40

40mm Low Profile

Taper Cone Set

- Replaces Hunter 20-1626-1

BRAKE LATHE ACCESSORIES

Arbors and Arbor Nuts

TMRAN3102

Standard Replacement 1"

Arbor Nut for Ammco Brake Lathes

- Replacement Arbor Nut for Ammco 903102
- For use with TMRAR3101 Arbor



TMRAR3101

Standard 1" Arbor

for Ammco Brake Lathes

- For use with most Ammco Brake Lathes
- Use with TMRAN3102 Arbor Nut
- Replaces Ammco 903101



Boots and Accessories

TMRBR23682

Bronze Boot Ring

- Replacement for Ammco 23682 • Use with TMRSB3085 Spindle Boot



Boots and Accessories

TMRSB3085

Spindle Protective Boot - Length 8.25"

O.E.M. Part Number Brake Lathe
Ammco 3085 3000 • 4000
• 4100 • 7700



TMRSB3085RUB

Spindle Protective Boot -
Length 8.25"



TMRSB3087

Large Cloth Protective Cross Feed
Screw Boot (8-1/2" Long)



TMRSB3086

Small Cloth Protective Cross Feed
Screw Boot (10" Long)

- Replacement for Ammco 903086
- For use on Models 3000 • 4000 • 7700



BRAKE LATHE ACCESSORIES

Carbide Bits



TMRCB90488

FMC Type Positive Rake Bit (10 Pk)

- Replacement for Ammco 40410. Not for use on Ammco Lathes, Ammco Part Number for other Brands Reference
- Replacement for FMC/John Bean/Snap-On 90488
- Replacement for Hofmann W139 (5 pack)
- Use with Models Trucut 400, 401, on the Car 201, Standard 1115 HD
- Includes Screws



TMRCB109-1092-23

Kwikway Positive Rake Carbide Bit (10 Pk)

- Replacement for Hunter 221-639-3
- Use with Models; BL300 ·BL500 ·BL505 ·OCL360 ·OCL400 ·OCL430MD




TMRCB433796

Generic Replacement for Accuturn Carbide Bit (10 Pk)

TMRCB433796P

Premium Carbide Bits Positive Rake (10 Pk)



TMRCB50742

Replacement Procut Positive Rake Carbide Bit (10 Pk)

- Replacement for Procut 50-742
- Use with all Procut models
- Screws Included



TMRCB6918-10

3850 Ammco Type Positive Rake Coated Carbide Bit (10 Pk)



TMRCB69

Round Positive Rake Carbide Bit (10 Pk)

- Use with Ammco and Kwikway Brake Lathes
- Use with TMRBH69R and TMRBH69L



TMRCB7681-10

Ammco Type Positive Rake Bit (10 Pk)


- Replacement For Ammco 9076812, 9076816
- Use with Models 4000 ·7000 ·800 OTV
- Replacement for Hunter 212-583-3
- Use with Models BL300 ·BL500 ·BL505 ·OCL360 ·OCL400 ·OCL430MD
- Includes Screws



TMRCB6914-10

Negative Rake Carbide Bit (10 Pk)

- Replacement for Ammco 90691410, 40420, 40430
- Use With Models; 1000 ·2002 ·3000 ·4000 ·4100 ·7000 ·7700
- Replacement for FMC/John Bean 90817
- Replacement For Hunter 221-580-2, 221-617-2
- Use With Models BL300 ·BL500 ·BL505 ·OCL360 ·OCL400 ·OCL430MD
- Includes Screws



TMRCB6914TH-10

Ammco Type Premium Thick Negative Rake Bit (10 Pk)



TMRCB29687

Van Norman Type Negative Rake Bit 1/32nd Radius (10 Pk)



TMRCB221-626-3

Replacement Micro Mini (Round) Hunter Carbide Bit (10 Pk)

- Replacement For Hunter 221-626-3
- Use With Models; BL300 ·BL500 ·BL505 ·OCL360 ·OCL400 ·OCL430MD
- Screws Sold Separately; TMRMI75556

Silencers



TMRSB9800

Ventilated Rotor Spring Silencer Assembly



TMRSP9183-2

Replacement Silencer Pads (2 Pk)

- Replacement Pads for TMRSB7075 Friction Rotor Assembly
- Replacement for Ammco 909183



TMRBS10

Adjustable Ventiladed Rotor Silencer Band

Silencers



TMRBS22-2

Large Black Solid Rotor Silencer Band (2 Pack)


- Replacement for Ammco 906921
- 10"-12" Diameter
- For use on thin solid rotors



TMRBS17-2

Small Black Solid Rotor Silencer Band (2 Pk)

- Replacement for Ammco 906922
- 6"-9" Diameter
- For use on thin solid rotors



TMRBS80A

Premium 1-3/4" Drum Silencer Band

- Replacement for Ammco 905280
- Length: 6' (Extra Long)
- For use on automotive drums
- Natural rubber with riveted buckle

TMRBS5

Heavy Duty 2-3/4" Truck Drum Silencer Band

- Length: 6'



TMRCSPC-50DT

On-Car Brake Lathe Silencer

- Chip deflector
- Extra thick
- For use on pro-cut brake lathes
- Made with thicker pads so it could be used on rear thin solid motors



TMRCSUP-185

Clip On Brake Lathe Silencer

- Velcro strap
- Clip-on silencer
- Chip deflector
- Strap keeps the silencer in place



TMRCSUT-85TH

Clip on Brake Lathe Silencer - Extra Thick

- Clip-on brake lathe silencer
- Chip deflector
- Thicker pads for more dampening power

TMRCSD1

Clip On Disc Silencer



TMRCSS5

Clip On Disc Silencer for Procut Lathes

- Replacement for Procut 50-703
- Heavy Duty Pads



BRAKE LATHE ACCESSORIES & ADAPTERS

Tool Holders

TMRBH10651

Right Hand Tool Bit Holder

- Ammco Type RH Bit Holder for 6950 Twin Cutter
- Use with Ammco 6950 and 6900 Twin Cutters



TMRBH10650

Left Hand Tool Bit Holder

TMRBH10701

Negative Rake

Right Hand Toolholder

- Replacement for Ammco 910702
- Use with TMRCB6914-10 Carbide Insert



TMRBH10702

Negative Rake Left Hand Toolholder

TMRBH433763

Positive Rake Right Hand Toolholder

- Use with Accuturn Brake Lathes



TMRBH433764

Positive Rake Left Hand Toolholder

TMRBH69R

Positive Rake Right Hand Toolholder for Round Bits

- Use with Ammco and Kwikway Brake Lathes
- Use with TMRCB69
- Replaces Ammco 940609



TMRBH69L

Positive Rake Left Hand Toolholder for Round Bits

Adapter Kits/ Spacers

TMRAS70040

Quick 3 Jaw Chuck Adapter Kit for Domestic and Foreign Vehicles



TMRSP9492

Self Aligning Spacer

- Equivalent Ammco 909492
- Size: 1.625" x 1.625"



TMRAS8240

Lite Dual Chuck Brake Lathe Adapter Kit, 6 Piece

- Dual Jaws: Passenger car mounted on one side; Truck jaws on other side for quick conversion
- Fits on all popular 1" Arbor Brake Lathe Machines



Lift Pads

TMRLP601

Molded Rubber Pad for Benwil / Bishamon

- (4-1/2" x 3-5/8" x 3/4")
- 1-7/8" (W) between bolt holes
- 1-5/8" (L) between bolt holes
- 4 Piece Kit



TMRLP602

Heavy Die Cut Material for Challenger

- VBM Round
- (5-7/8" x 5-7/8" x 1/4")
- 3" between bolt holes - 4 Piece Kit



TMRLP603

Rough Heavy Die Cut Material (8 Sided)

- For Forward / Eagle / Gemini / Worth / American
- (5" x 5" x 1/4")
- 3-3/4" between bolt holes - 4 Piece Kit



TMRLP605

Lift Pads Nussbaum/Phoenix/Force Molded Rubber Pad (5" x 1")

- 3-1/2" between bolt holes



TMRLP608

Bend Pak Square

- (5-1/2" x 5-1/2" x 1")
- 4 Piece Kit



TMRLP610

Molded Rubber Pad for Wheeltronics / Snap-On / Ammco - Square

- (5-1/4" x 4-1/2" x 1") - 4 Piece Kit



TMRLP613

Solid Molded Rubber Block Pad

- (6" x 4-3/4" x 3")
- 4 Piece Kit



TMRLP615

Solid Molded Rubber Block Pad

- (6-1/4" x 4-3/4" x 1-1/2")
- 4 Piece Kit



TMRLP617

Lift Pad Kit for Challenger CL9 & CL10

- (4" x 4" x 3/16")
- 4 Piece Kit



TMRLP620

Molded Rubber Pad for Quality

- (5-1/2" x 3/4" Round)
- 4 Piece Kit



PolyPadz

- Outlasts standard rubber lift pads many times
- Comes with hardware - Sold as a set of four pads
- Will not deteriorate like rubber pads when oil spraying



Part #	Application/Description	Size
TMRLPVP600	Ammco, Ben Pearson, Challenger, Weaver	Pad Size: 4-3/4"x4x1"
TMRLPVP601	Benwill, Bishamon, Coats	Pad Size: 4-1/2" x 3 5/8" x 3/4"
TMRLPVP602	Challenger VBM Round, Rotary RTP 10	Pad size: 5-3/4" x 5-3/4" x 1/4"
TMRLPVP603	American, Eagle, Forward, Gemini, Worth	Pad size: 5" x 5" x 1/4"
TMRLPVP605	Force (old), Nussbaum, Phoenix	Pad size: 5" x 5" x 1"
TMRLPVP609	Rotary SPO 12	Pad size: 3" x 2-1/4"
TMRLPVP610	Ammco Square, Snap On, Wheeltronics	Pad Size: 5" x 4-3/4" x 3/4"
TMRLPVP617	Challenger CL9 & CL10	Pad size: 4" x 4" x 1/2"
TMRLPVP621	Ammco TLS Lifts	Pad size: 4-1/2" x 3" x 1"

TIRE VALVES/CAPS/CORES

Brass Valves

- TMRTR500** Straight Brass Truck Valve, Height 2.00" - .625" Valve Hole
 - TMRTR501** Straight Brass Truck Valve, Height 1.50" - .625" Valve Hole
 - TMRTR501-Oval** Oval Straight Brass Truck Valve, Height 1.50" - .625" Valve Hole
 - TMRTR570** Straight Brass Truck Valve, Height 3.13" - .625" Valve Hole
 - TMRTR571** Straight Brass Truck Valve, Height 3.38" - .625" Valve Hole
 - TMRTR572** Straight Brass Truck Valve, Height 3.75" - .625" Valve Hole
 - TMRTR573** Straight Brass Truck Valve, Height 4.38" - .625" Valve Hole
 - TMRTR574** Straight Brass Truck Valve, Height 5.00" - .625" Valve Hole
 - TMRTR575** Straight Brass Truck Valve, Height 1.13" - .625" Valve Hole
 - TMRTR618A** Agricultural Valve, Air/Liquid Valve
- Recommended Torque at Installation 45-75 in-lbs



High Pressure Snap-In Valves



- TMRTR600HP** High Pressure Snap-In Tire Valve, Height 1.27" - .453" Valve Hole
- TMRTR602HP** High Pressure Snap-In Tire Valve, Height 2.00" - .453" Valve Hole
- TMRTR801HP** High Pressure Snap-In Tire Valve, Height 1.31" - .625" Valve Hole
- TMRTR802HP** High Pressure Snap-In Tire Valve, Height 2.00" - .625" Valve Hole

Chrome Snap-In Valves

- TMRTR208CS** Chromed Plastic Sleeve for Snap-In Style TPMS Stems (100 Per Box)
- Will not cause corrosion with TPMS Sensors
- For use with Snap-In Style Rubber TPMS Replacement Stems
- Use with chrome plastic caps for "Chrome Appearance" of Stem



- TMRTR413SL-100** Chrome Sleeve for TR413 Tire Valve
- For standard snap-in tire valves
- 100 Per Box



- TMRTR412CS** Snap-In Tire Valve, Height .88" - .453" Valve Hole With Chrome Sleeve And Chrome Cap
- TMRTR413CS** Snap-In Tire Valve Height 1.25" - .453" Valve Hole With Chrome Sleeve And Chrome Cap
- TMRTR414CS** Snap-In Tire Valve Height 1.5" - .453" Valve Hole With Chrome Sleeve And Chrome Cap
- TMRTR418CS** Snap-In Tire Valve Height 2.00" - .453" Valve Hole With Chrome Sleeve And Chrome Cap

Bolt-In Valves, Flush Mount

- TMRTR416** Nickel Plated Brass Tire Valve
- Height 1.44"
- .453" - .625" Valve Hole
- Includes 2 Grommets



- TMRTR559** Chrome Plated Brass Valve
- Height 1"
- .453" / .625" Valve Hole



Nickel Plated Valves



- TMRTR509** Nickel Plated Valves For Aluminum Rims Height .45" - Length 4.75" .625" Valve Hole; 90°Angle
- TMRTR510** Nickel Plated Valves For Aluminum Rims Height .45" - Length 5.50" .625" Valve Hole; 90° Angle
- TMR17-170** TPMS Grommet Pick Removal Tool

Nickel Plated Brass Valves - Metric

- TMRTR543D** Nickel Plated Brass Valves; Height 0.98" - 1.38" Length 9.7mm Valve Hole 60° Angle
- TMRTR544D** Nickel Plated Brass Valves; Height 0.98" - 1.94" Length 9.7mm Valve Hole 60° Angle
- TMRTR545D** Nickel Plated Brass Valves; Height 0.98" - 2.60" Length 9.7mm Valve Hole 60° Angle
- TMRTR546D** Nickel Plated Brass Valves; Height 0.98" - 3.35" Length 9.7mm Valve Hole 60° Angle



TIRE VALVES/CAPS/CORES

Snap-In Valves

TMRTR412	Snap-In Tire Valve, Height .88"	.453" Valve Hole
TMRTR413	Snap-In Tire Valve, Height 1.25"	.453" Valve Hole
TMRTR414	Snap-In Tire Valve, Height 1.50"	.453" Valve Hole
TMRTR415	Snap-In Tire Valve, Height 1.25"	.625" Valve Hole
TMRTR418	Snap-In Tire Valve, Height 2.00"	.453" Valve Hole
TMRTR423	Snap-In Tire Valve, Height 2.50"	.453" Valve Hole
TMRTR425	Snap-In Tire Valve, Height 2.00"	.625" Valve Hole



Valve Cores

TMRTI71
High Heat Tire Valve Core
(NOT FOR USE IN TPMS SENSORS)
(100 Per Box)



TMRTR25040
TPMS Nickel Plated Cores
with Yellow Band
(100 Per Box)



Valve Caps

TMRTI100-100
Plastic Tire Valve Cap for
Standard Snap-In Tire Valves
(100 Per Box)



TMRTI118-500
Black Tire Cap With Silicone Seal
(Bag Of 500)

TMRTI103-100
Long Stainless Metal Dome
Truck Cap, High Heat for
Standard Snap-In Tire Valves
(100 Per Box)



TMRTI108
Chromed Plastic Sealing
Caps for TPMS Application
(100 Per Box)



TMRTI111
Chromed Plastic Sealing Caps
for TPMS Application
with Green Nitro I.D. Tip
(100 Per Box)



TMRTI114
Long Plastic Sealing Cap
for TR20008 TPMS Valve
(100 Per Box)



TMRTI116
Chromed Plastic Sealing Cap for
TPMS Application Long Skirted Cap
(100 Per Box)



TMRTI117
Green Plastic Sealing
Cap with Seal (100 Per Box)



TMRTI119
Green Long Plastic Sealing
Cap for TR20008 TPMS Valve
(100 Per Box)



TMRTI579
Double Seal Valve Cap
• Do Not Use With TPMS
for Standard Snap-In
Tire Valves (Each)



Valve Tools

TMRTI22
Two Way Valve Core Tool
• Side One: For removal of tire valve cores
• Side Two: Screws on to valve mouth to open core



TMRTI27
Four Way Valve Core Tool,
Black Hardened Steel

TMRTI42
Chrome Valve Puller (Screw On Type)
• With Rubber Sleeve



TMRTI45
Chrome Valve Puller



TMRTI44
Steel Valve Puller with Rubber Block



TMRTI687
Lock-On Valve Core Tool,
Screwdriver Handle - Length 5"



TMRTI47
Screwdriver Valve Core Tool
(Imported)



TMRTI65
U.S. Made Screwdriver
Valve Core Tool



TIRE VALVES/CAPS/CORES

Valve Tools



TMRTI612
U.S. Made Screwdriver Valve Core Tool
• Shaft length 5-1/4"



TMRTI619
Specialty Valve Core Tool "Click and Go"
• Valve core tool head keeps tire valve secure during installation and removal from tire
• Tool mechanically locks the into place so it won't get blown across the shop when deflating a tire
• There is no magnet so there is no interference with TPMS



TMRTI60
Dual Headed Core Remover
Combination Tool
• For standard and large bore cores



TMRT25005-4
TPMS Valve Core Torque Tool (Bag of 4)



TMRTI73
Heavy Duty Poly Valve
Stem Inserting Lever
• Valve Installation Tool (Screw On Type)



TMRTI76
Poly Valve Stem
Inserting Lever/Valve Tool



TMRTI77
Carbon Steel Valve Stem Puller Tool
• (Screw on type)



TMRTI5
8" Tire Valve Cable Fishing Tool



TMRTI9
10" Tire Valve Chain Fishing Tool



TMRTI1
24" Tire Valve
Cable Fishing Tool
• For removal an installation
of standard valve stems

TIRE REPAIR

Grinding Stones / Cones / Burs

TMR432107-330
SSG Shank Ball 1/2" Diameter
• 330 grit grinding bur
• For tire repairs
• Consistent texture
• Compare to RH 601
• 1/2" diameter
• 60 day warranty on material and workmanship



TMR432106-330
SSG Shank Ball 3/4" Diameter
• Comparable to RH 603



Mushroom Grinding Stones
• Minimal smoke and scorching
• High speed grinding stone for repairs
• Cuts wire efficiently
• 60 day warranty on material and workmanship

TMRA36B (A36 Brown Large)

TMRA36W (A36 White Large)

TMRA37B (A37 Brown Small)

TMRA37W (A37 White Small)

Conical Sanding Stones

- Minimal smoke and scorching
- High speed grinding stone for repairs
- Cuts wires efficiently

TMRA5B (A5 Brown)

TMRA5W (A5 White)



A15 Pencil Grinding Stones

- Minimal smoke and scorching
- High speed grinding stone for repairs
- Cuts wires efficiently
- 60 day warranty on material and workmanship

TMRA15B - Brown

TMRA15W - White

A1 Grinding Cones (3/4 X 2-1/2)

- Minimal smoke and scorching
- High speed grinding stone for repairs
- Cuts wires efficiently
- 60 day warranty on material and workmanship

TMRA1B - Brown

TMRA1W - White

Buffing Tool Adapters



TMRI32072-16
4" x 1/4" Carbide Cone 3/8" x 24
Thread 16 Grit

- Aggressive grit
- Aggressive and efficient
- 4" cone
- 60 day warranty on material and workmanship
- Larger tire repairs
- Prep injuries



TMR810604

1-1/4" Mini Rotary Gouge STD, No Notch

- Remove rubber quickly
- Prolonged stability
- Prolonged sharpness
- 3/8" Arbor hole
- 3 per box

TMR810607

3/4" Micro 19mm Rotary Gouge STD

- 3/8" x 24t thread Arbor hole
- 4 per box

TIRE REPAIR

Buffing Tool Adapters

TMRT115

Threaded Arbor for TI 10 Buffing Wheel

- Height 1.44" • .453" - .625" Valve Hole
- Includes 2 Grommets



TMR332015-60

Flared Contour/Buffer Wheel

- For passenger and light truck tire repairs
- 60 grit, 2 1/2" x 1" x 3/8"
- Consistent texture • Compare to RH107-60
- 60 day warranty on material and workmanship



TMR332014-60

Flared Contour Wheel

- For passenger and light truck tire repairs
- Fine 60 grit, black • Compare to RH 130
- Consistent texture
- 60 day warranty on material and workmanship



TMR432007-170

2-1/2" x 1" SSG Contour Grinding Wheel 3/8" AH

- Inner-liner repairs • 170 grit • fine grit
- Sensitive tire repairs • compare to RH107
- 60 day warranty on material and workmanship



TMR432007-230

2-1/2" x 1" SSG Contour Wheel 3/8" AH 230 Grit

TMRT14550

Steel Shot Grit Contour Wheel

- 170 SSG (60 Grit)
- 2-1/2" x 1" (65 x 25mm)
- 3/8" Center Hole



TMRT14560

Steel Shot Grit Contour Wheel

- 390 SSG (16 Grit)
- 3" x 1-1/4" (76 x 32mm)
- 3/8" Center Hole



TMRT110

2-1/2" Tungsten Coated Buffing Wheel

- For use on tires or tubes
- Coarse Grit (36)
- Rated 25,000 RPM



TMRM14225

4" Twisted Wire Brush

- 3/8" Center Hole
- 20,000 RPM



TMR332064-16

2" x 1/2" Buffout Wheel 16 Grit

- Round faced design • Non-regritable
- 2208 style carbide • New tool every time
- Aggressive, efficient
- 60 day warranty on material and workmanship

TMR332064-36

2" x 1/2" Buffout Wheel 36 Grit


- 2207 style tool

TMR332056-16

2" x 3/16" Buffout Wheel 16 Grit

- 2204 style tool

Insert Repairs



Lead Wire Insert Repair

- For use in radial and bias ply tires
- Designed for chemical or heat vulcanization
- Dip coated with premium blue vulcanizing gum
- **No special tools required: use carbide cutter to prepare the injury, install from the inside, pull through, and cut off the wire.

TMRT1651

3/16" Dipped Lead Wire Insert (20 Bx)

TMRT1652

3/8" Dipped Lead Wire Insert (20 Bx)

TMRT1653

13/32" Dipped Lead Wire Insert (20 Bx)

TMRT1654

1/4" Dipped Lead Wire Insert (20 Bx)

TMRT1810

Orange Bowtie, 2-1/4" x 3/8", 5-Ply, Box of 50

- For use in radial and bias ply tires
- Designed for chemical vulcanization
- Initial install using open eye needle



TMR332009-16

3" x 1-1/2" Contour Wheel 16 Grit

- Used for tire repairs
- Aggressive 16 grit
- Vented for cooling
- 3/8" Arbor hole
- 3" x 1-1/2" contour wheel 16 grit



TMR332010-36

3" x 1" Contour Wheel 36 Grit

- 36 grit
- 3/8" Arbor hole



Combination Repairs

Lead Wire Combination Repair

- For use in radial and Bias Ply tires
- Designed for chemical vulcanization
- Patch portion has grey vulcanizing gum with blue poly backing
- Stem portion is dip coated with premium vulcanizing gum
- **No special tools required: use carbide cutter to prepare the injury, install from the inside, pull through, and cut off the wire.



TMRT1660

1" Round, 1/8" Stem (20 Bx)

TMRT1661

1-3/4" Round, 1/4" Stem (24 Bx)

TMRT1662


2" Round, 5/16" Stem (24 Bx)

TMRT1663

2" Round, 3/8" Stem (24 Bx)

Universal Quill Seal Patch Plug Combination Repair

- For use in radial and bias ply tires
- Designed for chemical vulcanization
- Black vulcanizing gum, white backing
- Equipped with metal quill for easy installation



TMRT1601

1-3/4" Round, 3/16" Stem (20 Bx)

TMRT1602

1-7/8" Round, 1/4" Stem (20 Bx)

TMRT1603


2-1/4" Round, 5/16" Stem (20 Bx)

TIRE REPAIR

Patch Tire Repairs

Feather-Edge All Purpose Repair

- Designed for chemical vulcanization
- Black vulcanizing gum, white poly backing



TMRTI701 Small Round All Purpose Repair, 1-5/8", 43mm (40 Bx)

TMRTI702 Medium Round All Purpose Repair, 2-1/4", 57mm (30 Bx)

TMRTI703 Large Round All Purpose Repair, 3-1/8", 79mm (20 Bx)

Square Universal Repair

- Perfect for nail hole repairs in passenger and light truck tires
- Designed for chemical vulcanization
- Grey vulcanizing gum, red or blue poly backing



TMRTI720B Square Universal Blue Poly, 1-7/8" (30 Bx)

TMRTI722R Square Universal Red Poly, 2-1/8" (30 Bx)

Standard Universal Repair

- Most popular universal tire repair
- Designed for chemical vulcanization
- Black vulcanizing gum, blue poly backing



TMRTI731 Small Round Universal Repair, 1-3/4" (30 Bx)

TMRTI732 Medium Round Universal Repair, 2-1/4" (25 Bx)

TMRTI733 Large Round Universal Repair, 3-1/8" (15 Bx)



USA Style COI Radial Repair

- Designed to vulcanize chemically or in a low temperature system
- Grey vulcanizing gum, blue poly backing
- Each reinforcing ply is individually end-wrapped, to deflect tire flexing stresses

TMRTI740 Dual Cure Radial Repair, 1-3/4" x 3", (20 Bx)


TMRTI741 Dual Cure Radial Repair, 2-1/4" x 3", (20 Bx)

TMRTI742 Dual Cure Radial Repair, 2-1/4" x 4", (10 Bx)

TMRTI743 Dual Cure Radial Repair, 3-3/4" x 4", (10 Bx)

TMRTI744 Dual Cure Radial Repair, 3" x 5", (10 Bx)

String Tire Repairs



Universal String Insert

- For use in Radial and Bias Ply tires
- Temporary repairs sealing by compression only
- String repair should be considered an EMERGENCY repair solution when a full service repair facility is not available
- Not recommended for on the wheel tire repairing

TMRST9US 7" Thin Tire String Repair (Traditional Black)
50 Repairs Per Box / 36 Boxes Per Case

TMRST1933US 4" Thick Radial Tire String Repair (Red / Brown)
60 Repairs Per Box / 36 Boxes Per Case

TMRST1937US 7-1/4" Thick Radial Truck Tire String Repair (Red / Brown)
30 Repairs Per Box / 36 Boxes Per Case

TMRST4204US 4" Thick Radial Tire String Repair (Black)
60 Repairs Per Box / 36 Boxes Per Case

Tire Gauges

TMRTI2400
Pencil Style Tire Pressure Gauge
• Range: 10 - 50 PSI



TMRTI6575
High Pressure Pencil Style Tire Gauge
• Range: 10-120 PSI

TMRTI3400
Dual Foot Tire Pressure Gauge
• Range: 10-150 PSI • Chrome plated with plastic bar



TMRTI3468
Straight On Tilt Lock Chuck (Closed)
• Max PSI 150 • Closed Style



TMRTI6847
14" Straight-On Tilt Lock Chuck (Closed)
• Max PSI 150 • Closed style



TMRTI7-1045BC
Premium Dual Foot Tire Gauge
• Range: 10-150 PSI



TMRTI7-6568BC
Premium Straight-on Tilt-lock Dual Foot Air Chuck
• Closed style



TMRTI7-6568BL
14 Black Straight-On Tilt Lock Dual Foot Chuck

TIRE REPAIR

Tire Crayons

TMRTI215

Crayon Holder For TI212 and TI213 Crayons

TMRTI212-12

Yellow Tire Marking Crayon (12/Bx)

TMRTI213-12

White Tire Marking Crayon (12/Bx)

TMRTI218-12

Markal Yellow
Paintstick (12/Bx)

TMRTI216-12

Markal White
Paintstick (12/Bx)

Tire Repair Chemicals

TMRTI210-6

Chemical Vulcanizing Cement,
for Chemical and Heat Vulcanization
Flammable 8oz (6 Per Case)

TMRTI232-6 32oz (6 Per Case)

TMRTI235-6

Blue Heavy Duty Vulcanizing Cement, for Chemical
and Heat Vulcanization Flammable 8oz, Use with
Hard Gum, Provides Stronger Bond (6 Per Case)

TMRTI240-6

Buffing Solution (Rubber Prep),
Flammable 32oz (6 Per Case)

TMRTI241-6

Aerosol Buffing Solution
(Rubber Prep), Non Flammable
16oz (6 Per Case)

TMRTI250-6

Bead Sealer, Flammable
32oz (6 Per Case)

TMRTI245-6

Inner Liner Sealer, Non Flammable
16oz (6 Per Case)

TMRTI260

Aluminum Cement Can and Brush

TMRTI265

Replacement Brush/Lid for Aluminum Cement Can

TMRTI493

Insertion Lube for Tire String and Plug Repairs (2 Oz. Jar)

Tire Repair Kits



TMRTI755

Passenger String Tire Repair Kit In Molded Case

Kit Includes:

TMRTI755	4" Thick Radial Tire String Repair	50 Repairs
TMRST1933US	Open Eye Needle	1 Ea
TMRTI116	Replacement Needle	1 Ea
TMRTI16-N	Spiral Probe	1 Ea
TMRTI17	Insertion Lube	1 Ea
TMRTI493	Razor Knife	1 Ea
Repair Booklet	1 Ea	
	Allen Wrenches For Tool Repair	2 Ea



TMRTI777

Professional Tire Repair Cabinet Assortment

Kit Includes:

1 TMRTI600	Ea	1 TMRMI60	Ea
1 TMRTI702	30 Bx	1 TMRMI985	Ea
1 TMRTI731	30 Bx	1 TMRTI10	Ea
1 TMRTI732	25 Bx	1 TMRTI17	Ea
1 TMRTI651	20 BX	1 TMRTI18	Ea
1 TMRTI654	20 Bx	1 TMRTI330	Ea
1 TMRTI661	24 Bx	1 TMRTI333	Ea
2 TMRTI662	24 Bx	1 TMRTI334	Ea
1 TMRTI210	Ea	1 TMRTI345	Ea
1 TMRTI240	Ea	1 TMRTI346	Ea
1 TMRTI245	Ea	1 TMRTI69Ea	
1 TMRTI250	Ea	1 TMRSG572	Ea
1 TMRTI212	Ea	1 TMRTI399	Ea
1 TMRTI213	Ea	1 TMRTI936	Ea
1 TMRTI976	Ea		

• All product needed for 112 complete repairs

TIRE REPAIR

Tire Repair Kits

TMRTI785

Professional Introductory Tire Repair Kit

Kit Includes:

1	TMRPB90	Tool Box
1	TMRTI830	Pair Of Gloves For
20	TMRTI651	1/4" Lead Wire Inserts
20	TMRTI652	3/8" Lead Wire Inserts
1	TMRTI250	Bead Sealer, Flammable 32oz
1	TMRTI240	Buffing Solution, Flammable 32oz
1	TMRTI245	Inner Liner Sealer, Flammable 16oz
25	TMRTI732	Medium Round Universal Repair 2-1/4"
24	TMRTI661	Lead Wire Combination 1-3/4" Round, 1/4" Stem
24	TMRTI662	Lead Wire Combination 2" Round, 5/16" Stem
1	TMRTI210	Chemical Vulcanizing Cement, Flammable 8oz



• All the product needed for 113 complete repairs

Tire Repair Tools

TMRM1120

Metal Razor Blades - Single Edge

- #9 Blade
- .009 Thick



TMRM1160

Inner Liner Scraper Sharp Blade Hoe Style



TMRM1985

Small Brass Sidewall Tire Brush



TMRM1990

Wire Brush

- 4-3/4" x 3/4" Brush Head
- 10-1/4" Overall length



TMRTI116

Open Eye Needle Die Cast T-Handle

- 4" Replaceable Needle

TMRTI16-N

4" Replacement Needle for T116



TMRTI17


Spiral Probe, Die Cast T-Handle

- 5" Replaceable Needle



TMRTI17-P

5" Replacement Probe for T117



TMRTI48-2

Metal T-Handle Tool with Spiral Probe and Open Eye Needle (2PK)

- Socket Key and Screw included

TMRTI48-A

5" Replacement Spiral Probe for Metal T-Handle T148

TMRTI48-B

3" Replacement Open Eye Needle for Metal T-Handle T148

TMRTI48-C

Replacement (Solid) T-Handle for Metal T-Handle T148



TMRTI93

Heavy Duty Composite Pistol Grip String Insert Tool

- Composite plastic/rubber grip
- XL pistol grip design
- Weighted handle w/metal core
- 4" Replaceable needle

TMRTI58

Split Eye Needle with Plastic T-Handle

- 3" Non-Replaceable Needle



TMRTI59

Open Eye Needle with Plastic T-Handle

- 3" Non-Replaceable Needle



TMRTI69

Ball Bearing Stitcher with Wooden Handle

- 1-1/2" Wheel Diameter
- 4mm Thickness



TMRTI92

Ball Bearing Stitcher

- 1-1/2" Wheel Diameter
- 3mm Thickness
- Heavy Duty Wooden Handle



TMRTI43

Ball Bearing Stitcher with Wooden Handle

- 1-1/2" Wheel Diameter
- 2mm Thickness



TIRE REPAIR

Tire Repair Tools

TMRTI51

Closed Eye Needle with
Screwdriver Type Handle
• 3" Non-Replaceable Needle



TMRTI54

Barbed Rasp with
Screwdriver Type Handle
• 3" Non-Replaceable Rasp



TMRTI62

Screw Driver Type Handle,
7" Non Replaceable Needle
• 3" Non-Replaceable Spiral Probe



TMRTI90

Open Eye Truck Needle with Heavy Duty
• Screw Driver Type Handle • 7" Non Replaceable Needle



TMRTI56

Spiral Probe with Screwdriver Type Handle
• 3" Non-Replaceable Rasp



TMRTI345

3/16" Injury Carbide Cutter



TMRTI346

1/4" Injury Carbide Cutter



TMRTI333

Quick Change Adapter
• For 3/16" (4.8mm) Shank



TMRTI334

Quick Change Adapter
• For 1/4" (6.3mm) Shank



TMRTC4430

19mm, 3/4" Twist Socket Remover,
6 Fluted (1/2" Drive)



TMRTC4435

13/16" Twist Socket Remover, 6 Fluted (1/2" Drive)

TMRTI4300

3 Piece Twist Socket Lug Nut Removal Kit

• For the removal of damaged/rounded lug nuts,
OEM and aftermarket locking lug nuts
• 3/4", 19mm, 13/16" and 21mm lug nuts
• Sockets are dual sided • Includes extractor punch



Tire Repair Tools

TMRTI935

Chrome Lug Nut Pliers
• Heavy Duty 5" Rubber Grip Handles



TMRTi96-2

Tire Tread Depth Gauge
Tri Color Tool (2 Pk)

• Measures in 32nds and mm
• Tri color for easy visibility for tread depth
• Green for good, Yellow for acceptable,
Red "tire must be replaced"



Tire Spreaders

TMRTS8749

Heavy Duty Vertical
Free Standing Tire Spreader

• Spread action: 8" to 10" (2 settings)
• Heavy duty steel construction
• Extra large floor plate
• Industrial strength hardware
• 35" Height, 50 lbs
• Adjustable range for
passenger car and light truck
• Locking pin secures claw arms
in place
• Large dual roller-pin assembly
• Balanced free-standing usage



TMRT8473

LED Work Lamp Assembly

• 8W COB LED will provide 650 Lumens,
750 Lux at 1M
• Flexible gooseneck and swivel head
target light where you need it
• IP65 Dust and water resistance
• UL listed adapter



TMRT8350

LED Lamp Head Only

TMRTS108028

Manual Tire Spreader

• Spread action 0"-10"
• Use with TMRTS181329
• Heavy duty commercial steel construction



TMRTS181329

Rim Clamp Tire Spreader Adapter Base

• Use with TMRTS108028 Tire Spreader
• Sturdy construction

ABRASIVES

Aluminum Oxide Sandpaper

Aluminum Oxide

Quick Change Discs - 100/Box

- Used to clean away rust and imperfections on mag wheels, bumpers, performance parts, valve covers and intake manifolds



Part #	Size/Description	Grit
TMRMI215-100	2" Aluminum Oxide Disc	36 Grit
TMRMI225-100	2" Aluminum Oxide Disc	50 Grit
TMRMI235-100	2" Aluminum Oxide Disc	80 Grit
TMRMI245-100	2" Aluminum Oxide Disc	120 Grit
TMRMI315-100	3" Aluminum Oxide Disc	36 Grit
TMRMI325-100	3" Aluminum Oxide Disc	50 Grit
TMRMI335-100	3" Aluminum Oxide Disc	80 Grit
TMRMI345-100	3" Aluminum Oxide Disc	120 Grit

Arbors

TMRMI20

3" Abrasive Disc Holder (1/4 Mandrel)

- 3" Arbor Roloc Type Holder



TMRMI200

2" Abrasive Disc Holder (1/4 Mandrel)

- 2" Arbor Roloc Type Holder



Cut Off Wheels

Cut Off Wheels - 50/Box

Part #	Disc Size	Arbor Hole Size
TMRCW10-50	3" x 3/32"	3/8"
TMRCW1-50	3" x 1/16"	3/8"
TMRCW15-50	4" x 1/32"	3/8"
TMRCW5-50	3" x 1/32"	3/8"



TMRCW20

Mandrel for 3" and 4" Cut Off Wheels

- 3/8" Shoulder Screw



Scuff Pads

Part #	Description	Size	Per Box
TMRMI8047-10	Medium Maroon Hand Pad	6" x 9"	(10 Bx)
TMRMI8048-20	Fine Grey Hand Pad	6" x 9"	(20 Bx)
TMRMI8049-20	Coarse Green Hand Pad	6" x 9"	(20 Bx)

Flap Wheels

Flap Wheels (Sold Individually)

- Excellent for finishing and polishing metal surfaces, flap wheels deliver a consistent finish recommended for use on steel, stainless steel, plastic and rubber

Part #	Disc Size	Grit
TMRMI501	1" x 1" x 1/4"	40 Grit
TMRMI502	1" x 1" x 1/4"	60 Grit
TMRMI503	1" x 1" x 1/4"	80 Grit
TMRMI504	1" x 1" x 1/4"	120 Grit
TMRMI505	1" x 1" x 1/4"	180 Grit
TMRMI506	1.5" x 1" x 1/4"	40 Grit
TMRMI507	1.5" x 1" x 1/4"	60 Grit
TMRMI508	1.5" x 1" x 1/4"	80 Grit
TMRMI509	1.5" x 1" x 1/4"	120 Grit
TMRMI510	1.5" x 1" x 1/4"	180 Grit
TMRMI511	2" x 1" x 1/4"	40 Grit
TMRMI512	2" x 1" x 1/4"	60 Grit
TMRMI513	2" x 1" x 1/4"	80 Grit
TMRMI514	2" x 1" x 1/4"	120 Grit
TMRMI515	2" x 1" x 1/4"	180 Grit
TMRMI516	3" x 1" x 1/4"	40 Grit
TMRMI517	3" x 1" x 1/4"	60 Grit
TMRMI518	3" x 1" x 1/4"	80 Grit
TMRMI519	3" x 1" x 1/4"	120 Grit
TMRMI520	3" x 1" x 1/4"	180 Grit



Surface Conditioning Discs



Surface Conditioning Discs - Resin Fiber

Part #	Size/Description	Per Box
TMRMI17-100	3" Coarse Grit (Brown)	(100 Bx)
TMRMI17-25	3" Coarse Grit (Brown)	(25 Bx)
TMRMI27-25	3" Medium Grit (Maroon)	(25 Bx)
TMRMI37-25	3" Fine Grit (Blue)	(25 Bx)
TMRMI197-100	2" Coarse Grit (Brown)	(100 Bx)
TMRMI197-50	2" Coarse Grit (Brown)	(50 Bx)
TMRMI297-50	2" Medium Grit (Maroon)	(50 Bx)
TMRMI397-50	2" Fine Grit (Blue)	(50 Bx)

ABRASIVES

Hub & Rotor Cleaning Tools

TMRMI982

2" Rotor and Hub Cleaning Tool Kit

- Works with electric drill
- Includes Hub Cleaner Tool, 2" replacement pads (10 pieces), and replacement Velcro Rings



TMRMI987

2" Replacement Pads for Hub Cleaning Tool Kit (10 Pack)



TMRMI983

3" Cup Brush (Red Cup Brush)

- 3x 5/8-11 Knotted cup brush, carbon steel, Knotted wire is for heavy material removal
- Requires adapter
- Adds extra shine to your product



Blue Zirconia Discs

Blue Zirconia Quick Change Discs

Part #	Size	Grit	Per Box
TMRMI202-50	2"	24 Grit	(50 Bx)
TMRMI203-50	2"	36 Grit	(50 Bx)
TMRMI204-50	2"	50 Grit	(50 Bx)
TMRMI302-25	3"	24 Grit	(25 Bx)
TMRMI303-25	3"	36 Grit	(25 Bx)
TMRMI304-25	3"	50 Grit	(25 Bx)



Strip Away Discs

Surface Conditioning Discs - Resin Fiber

- Recommended for heavy duty stripping and cleaning of rust, oxides and paints
- Replacement for wire brushes



Part #	Size/Description	Size
TMRMI577-25	2" Stripping Disc (Quick Change Type)	(25 Bx)
TMRMI579-25	3" Stripping Disc (Quick Change Type)	(25 Bx)
TMRMI580	3" x 1/2" Plain Strip Away, AH 1/4"	Each
TMRMI581	4" x 1/2" Plain Strip Away, AH 1/4"	Each

Green Zirconia Discs

Green Zirconia Mini Grinding Discs - 25/Box


- Used to clean away rust and imperfections on mag wheels, bumpers, performance parts, valve covers and intake manifolds



Part #	Size/Description	Grit
TMRMI430-25	2" Green Zirconia Mini Grinding Disc	36 Grit
TMRMI431-25	2" Green Zirconia Mini Grinding Disc	50 Grit
TMRMI432-25	2" Green Zirconia Mini Grinding Disc	80 Grit

Green Zirconia Quick Change Discs

- Used to clean away rust and imperfections on mag wheels, bumpers, performance parts, valve covers and intake manifolds



Part #	Size/Description	Grit	Per Box
TMRMI305-50	2" Green Zirconia Disc	24 Grit	(50 Bx)
TMRMI306-50	2" Green Zirconia Disc	36 Grit	(50 Bx)
TMRMI307-50	2" Green Zirconia Disc	50 Grit	(50 Bx)
TMRMI308-25	3" Green Zirconia Disc	24 Grit	(25 Bx)
TMRMI309-25	3" Green Zirconia Disc	36 Grit	(25 Bx)
TMRMI310-25	3" Green Zirconia Disc	50 Grit	(25 Bx)
TMRMI435-25	3" Green Zirconia Disc	36 Grit	(25 Bx)
TMRMI436-25	3" Green Zirconia Disc	50 Grit	(25 Bx)
TMRMI437-25	3" Green Zirconia Disc	80 Grit	(25 Bx)

Shop Rolls

Shop Rolls



Part #	Description	Grit	Size
TMRMI5002	Aluminum Oxide	320 Grit	1" x 50 Yards
TMRMI5004	Aluminum Oxide	240 Grit	1" x 50 Yards
TMRMI5006	Aluminum Oxide	180 Grit	1" x 50 Yards
TMRMI5026	Aluminum Oxide	180 Grit	1-1/2" x 50 Yards
TMRMI5028	Aluminum Oxide	120 Grit	1-1/2" x 50 Yards
TMRMI5102	Aluminum Oxide	400 Grit	1" x 50 Yards
TMRMI5109	Aluminum Oxide	120 Grit	1" x 50 Yards
TMRMI5111	Aluminum Oxide	80 Grit	1" x 50 Yards
TMRMI5112	Aluminum Oxide	60 Grit	1" x 50 Yards
TMRMI5116	Aluminum Oxide	400 Grit	1-1/2" x 50 Yards
TMRMI5117	Aluminum Oxide	320 Grit	1-1/2" x 50 Yards
TMRMI5119	Aluminum Oxide	240 Grit	1-1/2" x 50 Yards
TMRMI5125	Aluminum Oxide	80 Grit	1-1/2" x 50 Yards

SHOP SUPPLIES

Electrical Assortment



Part#	Description/Quantity
TMRHT20-100	Butt Connector with Heat Shrink Tubing Red (16-22)
TMRHT25-100	Butt Connector with Heat Shrink Tubing Blue (14-16) (Bag 100)
TMROPK200	150pc Vinyl Butt Connector Assortment
TMROPK12	90pc Rubber Vacuum Cap Assortment (6 Sizes)
TMROPK1080	385pc Large Rubber Vacuum Cap Assortment
TMROPK2000	385pc Large Vacuum Tee, Cap and Connector Assort.

Hose/Fitting Repair System



Part#	Description/Quantity
TMRHC8658-100	5/8" Open Pinch Clamps (.52" - 5/8") - 100 Pieces
TMROPK8498	Pinch Clamp/Crimper Kit - 91 Pieces

Retainers



Part#	Description/Quantity
TMROPK23	311pc Universal Nylon Retainer Assortment
TMROPK4040	282pc Master Tech Retainer Assortment
TMROPK41	130pc Push Type Rivet And Retainer Assortment

Drain Plugs



Part#	Description/Quantity
TMRDP600	114pc Drain Plug Assortment For Newer Car Applications
TMRDP800	162pc Large Drain Plug/Gasket Assortment

Cable Ties

Part #	Description/Per Pack
TMRBL8	8" Black 50 lb. Cable Ties - 100 Pack
TMRBL11	11" Black 50 lb. Cable Ties - 100 Pack
TMRBL14	14" Black 50 lb. Cable Ties - 100 Pack
TMRBL14W	14" Black 120 lb. Wide Cable Ties - 100 Pack
TMRCL8	8" Natural 50 lb. Cable Ties - 100 Pack
TMRCL11	11" Natural 50 lb. Cable Ties - 100 Pack
TMRCL14	14" Natural 50 lb. Cable Ties - 100 Pack



Jack Handles

Jack Handle Grip

"Protects Vehicles from Scratches and Dents"

- Fits Multiple Manufacturers Jack Handles and Commercial Tire Tools
- Made Of Durable Synthetic Rubber

TMRTC8000 - Black

TMRTC8775 - Yellow



Dead Blow Hammers



TMRTI290T

Soft Face Dead Blow Sledge Hammer

- Weight: 9 lbs.
- Face Diameter: 2-3/4"
- Head Length: 7"
- Overall Length: 30"



TMRTI264T

Soft Face Dead Blow Sledge Hammer

- Weight: 88 oz
- Face Diameter: 2-3/4"
- Head Length: 7"
- Overall Length: 20"

WHEEL WEIGHT ACCESSORIES

Wheel Balancer Tools



TMRTI33
Premium Wheel Weight Hammer
• With replaceable nylon cap



TMRTI34
Heavy Duty Truck Wheel Weight Hammer/Plier



TMRTI36
Premium Heavy Duty Passenger Wheel Weight Hammer / Plier
• For the removal and installation of wheel weights
• Heavy duty construction • Coated handles
• Nickel plated Vanadium



TMRTI39
Wheel Weight Hammer/Plier



TMRTI46
PDQ Style Wheel Weight Hammer/Plier



TMRTI804
Heavy Duty Wheel Weight Plier Hammer
• With replaceable nylon cap



TMRTI806
Heavy Duty Passenger Wheel Weight Hammer/Plier



TMRTI41
Hub Cap Rubber Head Hammer/Plier
• For the removal and installation of hub caps
• Easy to grip handle

TMRTI956
UWT Hammer



TMRTIPL-R
Wheel Weight Pliers Remover
• Removes all wheel weights fast & easy
• No pinching fingers or hands
• No scratching wheels
• Made in the USA



TMRTI1200HP
Wheel Weight Hammer and Remover with Heel Plate
• Removes Wheel Weights Fast & Easy
• Doesn't Pinch Fingers
• Doesn't Scratch Wheels
• Comes with #52 and #72 Hooks

TMRTI973
UWT Replacement Parts Kit For UWT Hammer
• Includes cap, #42 Hook and Boot



TMRTI952
Repair Kit for TMRTIPL-R
• Includes boot and hook
• Includes #42 Hook and Boot



UWT1200RK
Replacement Kit or 1200HP
• Includes: 1- 1200-1 Cap, 2- #52 Hooks & 1- #72 Hook



TMRTI963
UWT Replaceable Hook



TMRTI950
UWT Replaceable Head



TMRTI951
UWT Replaceable Boot



UWT1200-1
Replacement Cap for 1200HP



UWT9000-52
#52 Replacement Hook



UWT9000-72
#72 Replacement Hook



UWT9000-73
#73 Replacement Hook - Double



TMRTI261T
Soft Face Dead Blow Slimline Hammer
• Face Diameter 1-1/4", Head Length 4 3/16", Overall Length 10 5/8"
• Perfect for Wheel Weight Installation
• Weight 18 oz



TMRTI74
Adhesive Wheel Weight Remover
• Heavy Duty Nylon Chisel Style Remover
• Adhesive Wheel Weight Remover
• Also Removes Body Paint Pin Stripes



Counteract Balancing Beads
• Premium treated glass
• Made in North America
• Only balancing product on the market proven to increase fuel economy! Only balancing product with documentation to prove it
• TPMS Friendly, Extend Tire Life, Decrease Vibration, Balanced for the life of the tire, No Wheel Weights, Eco-Friendly.
• Counteract does not void any tire warranties and does not break down inside the tire. Trust the experts, we have been manufacturing the same product for 20 years. Do not be fooled by inferior copy products.

TMRWWBB-3OZ - 3oz Bags
TMRWWBB-3OZ-4 - 3oz Bags, 4 Bags
TMRWWBB-4OZ - 4oz Bag
TMRWWBB-5OZ - 5oz Bag
TMRWWBB-6OZ - 6oz Bag
TMRWWBB-6OZ-64 - 6oz Bag, Case of 64
TMRWWBB-8OZ - 8oz Bag
TMRWWBB-8OZ-52 - 8oz Bag, Case of 52
TMRWWBB-10OZ - 10oz Bag
TMRWWBB-10OZ-40 - 10oz Bag, Case of 40
TMRWWBB-12OZ - 12oz Bag
TMRWWBB-12OZ-36 - 12oz Bag, Case of 36
TMRWWBB-14OZ - 14oz Bag
TMRWWBB-16OZ - 16oz Bag

WHEEL LOCK KITS & WHEEL NUTS

Wheel Lock, Lug Nut & Hubcap Removal Kits



TMRTI1230

Dual Sided Socket

Lug Nut Removal Kit, 1/2" Drive

Kit Includes: T11240, T11250, T11260, T11270 and Extractor Punch



TMRTI4900

Deluxe Hubcap and Wheel Lock Removal Kit

- Safe removal and replacement of GM, Ford and Chrysler wire wheel hubcap locks on 1978-1997 vehicles
- Removes factory and most aftermarket mag wheel locking nuts

Kit Includes instructions and the following special order items:

TMRTI4200A

- 2 sided twist socket lug nut remover - 1 Pc
- * 400-3 Hubcap Lock Remover - 1 Pc
- * 400-4 Ford/Chrysler Cylinder - 1 Pc
- * 400-7 Extractor Punch - 1 Pc
- * 400-11 Socket Installing Driver - 1 Pc
- * 400-12 Small Dual Sided Socket - 1 Pc
- * 400-13 Large Dual Sided Socket - 1 Pc
- * 400-16 Large Chrysler Cylinder - 1 Pc
- * 400-18 GM Hubcap Lock Remover - 1 Pc

Part#	1-Piece Acorn Lug Nut	Thread Size	Hex	Height
TMRT1300	1-Piece Acorn Chrome Lug Nut	1/4"	13/16"	1.43"
TMRT1301	1-Piece Acorn Chrome Lug Nut	12mm - 1.25	13/16"	1.43"
TMRT1302	1-Piece Acorn Chrome Lug Nut	12mm - 1.25	13/16"	1.05"
TMRT1303	1-Piece Acorn Chrome Lug Nut	12mm - 1.25	13/16"	1.43"
TMRT1304	Short 1-Piece Acorn Chrome Lug Nut	12mm - 1.50	13/16"	1.05"

Part#	2-Piece Acorn Lug Nut	Thread Size	Hex	Height
TMRT1140	2-Piece Acorn Chrome Lug Nut	7/16"	13/16"	1.38"
TMRT1141	2-Piece Acorn Chrome Lug Nut	1/2"	13/16"	1.38"
TMRT1142	2-Piece Acorn Chrome Lug Nut	12mm - 1.25	13/16"	1.38"
TMRT1143	2-Piece Acorn Chrome Lug Nut	12mm - 1.50	13/16"	1.38"
TMRT1144	2-Piece Acorn Chrome Lug Nut	14mm - 1.50	13/16"	1.38"

Part#	Open-End Acorn Lug Nut	Thread Size	Hex	Height
TMRT181	Open-End Acorn Chrome Lug Nut	12mm - 1.25	13/16"	.63"
TMRT182	Open-End Acorn Chrome Lug Nut	1/2" - 20	13/16"	.63"
TMRT183	Open-End Acorn Chrome Lug Nut	7/16" - 20	3/4"	.55"
TMRT184	Open-End Acorn Chrome Lug Nut	1/2" - 20	3/4"	.55"
TMRT185	Open-End Acorn Chrome Lug Nut	12mm - 1.50	3/4"	.55"
TMRT186	Open-End Acorn Chrome Lug Nut	12mm - 1.50	13/16"	.63"
TMRT187	Open-End Acorn Chrome Lug Nut	12mm - 1.25	3/4"	.55"

Part#	Bulge Style Acorn Lug Nut	Thread Size	Hex	Height
TMRT1145	Bulge Style Acorn Chrome Lug Nut	7/16"	3/4"	1.38"
TMRT1146	Bulge Style Acorn Chrome Lug Nut	1/2"	3/4"	1.38"
TMRT1147	Bulge Style Acorn Chrome Lug Nut	12mm - 1.25	3/4"	1.38"
TMRT1148	Bulge Style Acorn Chrome Lug Nut	12mm - 1.50	3/4"	1.38"
TMRT1149	Bulge Style Acorn Chrome Lug Nut	14mm - 1.50	3/4"	1.38"
TMRT1150	Bulge Style Acorn Chrome Lug Nut	12mm - 1.75	3/4"	1.38"
TMRT1151	Long Bulge Style Acorn Chrome Lug Nut	1/2"	13/16"	1.75"
TMRT1152	Long Bulge Style Acorn Chrome Lug Nut	12mm - 1.50	13/16"	1.75"
TMRT1153	Long Bulge Style Acorn Chrome Lug Nut	12mm - 1.75	13/16"	1.75"
TMRT1154	Long Bulge Style Acorn Chrome Lug Nut	14mm - 1.50	13/16"	1.75"
TMRT1155	Long Bulge Style Acorn Chrome Lug Nut	14mm - 2.00	13/16"	1.75"
TMRT1156	Long Bulge Style Acorn Chrome Lug Nut	9/16"	13/16"	1.75"
TMRT1161	Long Bulge Style Acorn Chrome Lug Nut	1/2"	3/4"	1.75"
TMRT1162	Long Bulge Style Acorn Chrome Lug Nut	12mm - 1.50	3/4"	1.75"
TMRT1163	Long Bulge Style Acorn Chrome Lug Nut	14mm - 1.50	3/4"	1.75"
TMRT1164	Long Bulge Style Acorn Chrome Lug Nut	9/16" - 18	3/4"	1.75"
TMRT1165	Long Bulge Style Acorn Chrome Lug Nut	12mm - 1.75	3/4"	1.75"
TMRT1166	Long Bulge Style Acorn Chrome Lug Nut	14mm - 2.00	3/4"	1.75"
TMRT1171	XL Long Bulge Style Acorn Chrome Lug Nut	14mm - 1.50	3/4"	1.90"
TMRT1172	XL Long Bulge Style Acorn Chrome Lug Nut	9/16"	3/4"	1.90"
TMRT1173	XL Long Bulge Style Acorn Chrome Lug Nut	14mm - 2.00	3/4"	1.90"
TMRT1168	XX Long Bulge Style Acorn Chrome Lug Nut	14mm - 1.50	3/4"	2.32"
TMRT1169	XX Long Bulge Style Acorn Chrome Lug Nut	14mm - 2.00	3/4"	2.32"

8010 25th Court East, Suite 102 • Sarasota, FL 34243
800.888.7751 • Fax 888.351.3987