

KEY FEATURES:

- $2\frac{1}{2}$ " Slim sight line
- $1\frac{1}{8}$ ", $2\frac{7}{8}$ ", $3\frac{5}{8}$ ", 4", $5\frac{1}{4}$ ", $6\frac{5}{8}$ " and 8" mullion depths
- Custom depths available upon request
- Stick-built system
- Dry or wet glaze options
- Standard 1" infill
- $\frac{1}{4}$ " infill with adaptors

PERFORMANCE:

- A440-A3,C5,B7
- NAFS.AW-PG70



WINDSPEC INC.
MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS
ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS

1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7 Telephone (905) 738 -8311 Fax (905) 738 - 6188


TABLE OF CONTENTS


TYPICAL DETAILS	003
TYPICAL ANCHORING DETAILS	005
TYPICAL DOOR DETAILS	006
TYPICAL CORNER DETAILS	010
TYPICAL SSG DETAILS	013
535 VENT IN 5500 C.W. DETAILS	015
575 VENT IN 5500 C.W. DETAILS	016
TYPICAL FOOT ANCHOR ASSEMBLY	017
WIND LOAD CHARTS	018
PARTS LIST	023





5500 C.W. SERIES

TYPICAL DETAILS










DEPTH OF BACK UP PANEL



SELECTED


3



WINDSPEC INC.
MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS
ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS 1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7 Telephone (905) 738 -8311 Fax (905) 738 - 6188

5500 C.W. SERIES

TYPICAL DETAILS






WINDSPEC INC.
MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS
ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS 1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7 Telephone (905) 738 -8311 Fax (905) 738 - 6188

5500 C.W. SERIES

TYPICAL ANCHORING DETAILS






WINDSPEC INC.
MANUFACTURERS OF HIGH PERFORMANCE "WINDSPEC" WINDOWS
ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS 1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7 Telephone (905) 738 -8311 Fax (905) 738 - 6188

5500 C.W. SERIES

TYPICAL ANCHORING DETAILS

SECTION DETAIL




DIMENSIONS ARE SUBJECT TO ARCHITECT OR **ENGINEER SPECIFICATION**





WINDSPEC INC.
MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS 1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7 Telephone (905) 738 -8311 Fax (905) 738 - 6188


5500 C.W. SERIES

STANDARD DOOR DETAILS IN 5500 C.W.














WINDSPEC INC.
MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS
ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS 1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7 Telephone (905) 738 -8311 Fax (905) 738 - 6188


5500 C.W. SERIES

STANDARD DOOR DETAILS IN 5500 C.W.












WINDSPEC INC.

MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS 1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7 Telephone (905) 738 -8311 Fax (905) 738 - 6188


5500 C.W. SERIES STANDARD DOOR DETAILS IN 5500 C.W.






5500 C.W. SERIES

TYPICAL CORNER DETAILS








WINDSPEC INC.
MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS
ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS 1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7 Telephone (905) 738 -8311 Fax (905) 738 - 6188

5500 C.W. SERIES

TYPICAL CORNER DETAILS







WINDSPEC INC.
MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS
ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS 1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7 Telephone (905) 738 -8311 Fax (905) 738 - 6188

5500 C.W. SERIES

TYPICAL CORNER DETAILS











WINDSPEC INC.
MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS
ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS


1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7 Telephone (905) 738 -8311 Fax (905) 738 - 6188


5500 C.W. SERIES


TYPICAL SSG DETAILS



















WINDSPEC INC.
MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS
ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS 1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7 Telephone (905) 738 -8311 Fax (905) 738 - 6188


5500 C.W. SERIES

TYPICAL SSG DETAILS













WINDSPEC INC.
MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS
ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS 1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7 Telephone (905) 738 -8311 Fax (905) 738 - 6188



5500 C.W. SERIES


575 VENT IN 5500 C.W. DETAILS





WINDSPEC INC.
MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS
ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS 1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7 Telephone (905) 738 -8311 Fax (905) 738 - 6188

5500 C.W. SERIES TYPICAL FOOT ANCHOR ASSEMBLY



Series 5500 Anchor assembly

Windspec's anchor plate assembly has been designed to accommodate all of the various mullion sizes within the series 5500 family.

This anchor, used at the head and foot of the vertical mullions, allows for ease of erection of the curtain wall grid.

Once the frame has been positioned, the anchors can be fastened to the structure. The adjoining frame is then slid over to be connected to the first frame by means of a screw ported shear block. This shear block is attached to the vertical mullion.

This procedure is repeated until the openings are filled.

The anchor plate will also allow for the curtain wall to have limited vertical movement.




WINDSPEC IN

MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS 1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7 Telephone (905) 738 -8311 Fax (905) 738 - 6188

5500 C.W. SERIES


WIND LOAD CHARTS

SERIES 5500 SSG (2 1/2" x 4")




SERIES 5500 SSG (2 1/2" x4" & C3x6 lb/ft Steel Reinforcing)






SERIES 5500 SSG (2 1/2" x 5 1/4")



SERIES 5500 SSG (2 1/2" x 5 1/4" & C4x7.25 lb/ft Steel Reinforcing)

WIND LOAD LIMITATIONS





MODULE WIDTH (FT)

WINDSPEC INC.


MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS 1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7 Telephone (905) 738 -8311 Fax (905) 738 -6188

5500 C.W. SERIES


WIND LOAD CHARTS

SERIES 5500 (2 1/2" x 2 7/8" Back Bar)

WIND LOAD LIMITATIONS




SERIES 5500 (2 1/2" x 2 7/8" Back Bar & 1/8" Formed Steel Channel)




SERIES 5500 (2 1/2" x 3 5/8" Back Bar)

WIND LOAD LIMITATIONS



SERIES 5500 (2 1/2" x 3 5/8" Back Bar

WIND LOAD LIMITATIONS





WINDSPEC INC.


MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS 1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7 Telephone (905) 738 -8311 Fax (905) 738 -6188

5500 C.W. SERIES

WIND LOAD CHARTS


SERIES 5500 (2 1/2" x 4" Back Bar)

WIND LOAD LIMITATIONS




SERIES 5500 (2 1/2" x 4" Back Bar & 1/8" Formed Steel Channel)

WIND LOAD LIMITATIONS




SERIES 5500 (2 1/2" x 4" Back Bar & 1/4" Formed Steel Channel)

WIND LOAD LIMITATIONS



SERIES 5500 (HEAVY DUTY)

WIND LOAD LIMITATIONS






WINDSPEC INC.


MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS 1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7 Telephone (905) 738 -8311 Fax (905) 738 -6188

WIND LOAD CHARTS


SERIES 5500 (HEAVY DUTY) (2 1/2"x5 1/4" Back Bar & 1/8" Formed Steel Channel)




SERIES 5500 (HEAVY DUTY)(2 1/2"x5 1/4" Back Bar & 1/4" Formed Steel Channel)



SERIES 5500 (2 1/2" x 6 5/8" Back Bar)



SERIES 5500 (2 1/2" x 6 5/8" Back Bar & 1/4" Formed Steel





WINDSPEC INC.


MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS 1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7 Telephone (905) 738 -8311 Fax (905) 738 - 6188

5500 C.W. SERIES

WIND LOAD CHARTS

SERIES 5500 (2 1/2" x 8" Back Bar)


SERIES 5500 (2 1/2" x 8" Back Bar) & 1/4" Formed Steel Channel WIND LOAD LIMITATIONS



SERIES 5500 (2 1/2" x 8" Back Bar) & 1/8" Formed Steel Channel

WIND LOAD LIMITATIONS

MODULE WIDTH (FT)





WINDSPEC INC.

MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS 1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7 Telephone (905) 738 -8311 Fax (905) 738 - 6188

5500 C.W. SERIES

PARTS LIST

Part Number	Description	Profile
C-55000	$2\frac{1}{2} \times 1\frac{1}{8}$ " (63.5mmx28.6mm) mullion	
C-55001	$2\frac{1}{2} \times 2\frac{7}{8}$ " (63.5mmx73mm) mullion	
C-55002	$2\frac{1}{2} \times 3\frac{5}{8}$ " (63.5mmx92.1mm) mullion	
C-55014	2 ½ x 4" (63.5mmx101.6mm) mullion	NT.S.
C-55003	$2\frac{1}{2} \times 5\frac{1}{4}$ " (63.5mmx133.35mm) mullion (heavy duty)	
C-55010	$2\frac{1}{2} \times 5\frac{1}{4}$ " (63.5mmx133.35mm) mullion (standard duty)	
C-55015	$2\frac{1}{2} \times 6\frac{5}{8}$ " (63.5mm×142.9mm) mullion	
C-55020	2 ½ x 8" (63.5mmx203.2mm) mullion	
C-55042	$2\frac{1}{2} \times 2\frac{7}{8}$ " (63.5mmx73.0mm) SSG mullion or horizontal	hanstand



WINDSPEC INC.
MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS
ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS
1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7
Telephone (905) 738 -8311 Fax (905) 738 - 6188

PARTS LIST

Part Number	Description	Profile
C-55041	$2\frac{1}{2} \times 2\frac{7}{8}$ " (63.5mmx73.0mm) SSG vertical only	
C-55049	$2\frac{1}{2} \times 3\frac{5}{8}$ " (63.5mmx92.1mm) SSG mullion or horizontal	N.T.S.
C-55047	$2\frac{1}{2}$ x 4" (63.5mmx101.6mm) SSG mullion or horizontal	
C-55012	$2\frac{1}{2}$ x 4" (63.5mmx101.6mm) SSG vertical only	
C-55048	$2\frac{1}{2} \times 5\frac{1}{4}$ " (63.5mm×133.4mm) SSG mullion or horizontal	100 TZ 0000
C-55013	$2\frac{1}{2} \times 5\frac{1}{4}$ " (63.5mm×133.4mm) SSG vertical only	
C-55024	$2\frac{1}{2} \times 6\frac{5}{8}$ " (63.5mmx133.4mm) SSG mullion or horizontal	Marcoll on Text Brown
C-55044	2½ x 8" (63.5mmx203.2mm) SSG mullion or horizontal	T N.T.S.
C-55050	2½ x 10" (63.5mmx254mm) SSG mullion or horizontal	P. C. S. C.



WINDSPEC INC.
MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS
ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS
1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7
Telephone (905) 738 -8311 Fax (905) 738 - 6188

PARTS LIST

Part Number	Description	Profile
C-55004	$2\frac{1}{2}$ x $\frac{3}{4}$ " snap-on cap	
C-55005	2 ½" sloped glazing pressure plate	
C-55006	$2\frac{1}{2}$ " dry glaze pressure plate	h
C-55007	door adaptor for 2 piece door stop	
C-55008	$2\frac{1}{2}$ " wet glaze pressure plate	A.T.S.
C-55009	90° corner for C-55003 5 ½" mullion	
C-55016	90° corner for C-55014 4" mullion	N.T.S.
C-55054	90° corner snap-on cover	
C-55056	90° corner pressure plate	N.T.S.



WINDSPEC INC.
MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS
ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS
1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7
Telephone (905) 738 -8311 Fax (905) 738 - 6188

PARTS LIST

Part Number	Description	Profile
C-55011	single glazing adaptor	
C-55017	door adaptor for blade stop	
C-55018	flush door adaptor cover	
C-54008	flush door adaptor base	
C-10013	$1 \times 3 \times \frac{3}{16}$ " angle	
C-55039	foot anchor s/l	
R-55001	1 ½" pocket filler (PVC)	M.T.S.
R-55002	thermal break	//////////////////////////////////////
R-55003	glazing gasket	
R-55004	silicon gasket for SSG	M.T.S.
R-55005	$\frac{1}{4}$ " thermal break for SSG	N.T.S.
H-55001	backup assembly for intermediate anchor	N.T.S.



WINDSPEC INC.
MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS
ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS
1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7
Telephone (905) 738 -8311 Fax (905) 738 - 6188

5500 C.W. SERIES

PARTS LIST

Part Number	Description	Profile
H-55002	shear block 3 $\frac{5}{8}$ "	
H-55002-S	shear block 4"	
H-55003	shear block 5 ½"	
H-55004-S	shear block 6 \frac{5}{8}"	
H-55005	shear block 8"	M.T.S.
H-55007	corner plug	M.T.S.

