



About Tefcold

Founded in 1987 by a group of people with years of experience in the refrigeration industry, the objective of Tefcold was to develop, manufacture and distribute refrigerators and freezers of high quality for the global markets.

Our mission is to support our customers, and we have done this successfully for 25 years. We see ourselves as a reliable, solid supplier who is here to stay.

We believe that the best way to innovate is to listen to and cooperate with our customers, and we constantly aim to improve our product range as well as our services in order to be the supplier of choice in our line of business.

We believe in services making our products even better, and we understand that equipment can be urgently needed. You can always expect your orders to be handled immediately and with great care by our staff, and standard equipment can be delivered from our warehouses within a few days.

For several years Tefcold has been focusing on eco-friendly equipment in order to take active part in the reduction of the global energy consumption. The energy consumption of each of our products is constantly being reduced, and the up-to-date information can always be found on our website www.tefcold.dk along with all other technical info, spare parts lists, manuals etc.

The "green" products in our range are marked with this logo:



We hope you will enjoy our catalogue and look forward to cooperating with you.



Tefcold offers a wide selection of wine coolers and –dispensers for storage, display and serving of wine.

Our classic CPV/CPP1380 model is available in two different colours with solid or glass door.

The exclusive TFW range has a new, improved design. This range includes practical, wooden slide-out shelves for an easier loading of wine bottles, and can be offered with black or stainless steel door frame. This range also offers cabinets with two temperature zones.

Kindly note our new CPV28 wine cooler, which is an elegant substitute for the popular CPV27.









Optional presentationshelf

TFW365-2S

- · 2 temperature zones
- Internal LED light
- 15 wooden drawing shelves
- · Tinted glass door for protection of wine
- Black exterior
- Stainless steel door frame
- Stainless steel handle
- Adjustable feet
- Reversible door
- Electronic thermostat
- · Lock fitted as standard
- Charcoal filter included



TFW80S

- 1 temperature zone
- Internal LED light
- 6 wooden drawing shelves
- Tinted glass door for protection of wine
- Black exterior
- Stainless steel door frame
- Stainless steel handle
- Adjustable feet
- Reversible door
- Electronic thermostat
- · Charcoal filter included



TFW160S

- 1 temperature zone
- Internal LED light
- 4 wooden drawing shelves
- Tinted glass door for protection of wine
- Black exterior
- Stainless steel door frame
- Stainless steel handle
- Adjustable feet
- Reversible door
- · Electronic thermostat
- · Charcoal filter included

| Model | TFW80S | TFW160S | TFW160-2S | TFW365-2S | TFW375S |
|-----------------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
| Climate Class | N | N | N | N | N |
| Temperature Range, °C | 5-18 | 5-18 | 5-10 /10-18 | 5-10 /10-18 | 5-18 |
| Gross Volume, I | 80 | 155 | 155 | 380 | 380 |
| Net Volume, I | 57 | 141 | 131 | 360 | 370 |
| Winebottles, 750 ml | 18 | 45 | 38 | 155 | 168 |
| External Dimensions, WxDxH | 295x570x860 | 595x570x820 | 595x570x820 | 595x680x1800 | 595x680x1800 |
| Internal Dimensions, WxDxH | 227x492x658 | 520x445x605 | 520x445x605 | 510x540x1540 | 510x540x1540 |
| Doors | 1 hinged glass |
| Shelves/Baskets | 6, wooden | 4, wooden | 4, wooden | 15, wooden | 16, wooden |
| Outer Body | Black | Black | Black | Black | Black |
| nterior | ABS | ABS | ABS | ABS | ABS |
| Castors/Feet | 4 adjustable feet |
| Lock | N | N | N | Υ | Υ |
| Voltage/Frequency, V/Hz | 220-240/50 | 220-240/50 | 220-240/50 | 220-240/50 | 220-240/50 |
| nput Power, W | 75 | 100 | 100 | 160 | 160 |
| Energy Consumption, kWh/24h | See www.tefcold.dk |
| Gross Weight, kg | 34 | 54 | 54 | 118 | 118 |
| Net Weight, kg | 30 | 50 | 50 | 112 | 112 |
| Noise Level dbA | 40 | 40 | 40 | 40 | 40 |
| Type of Cooling | Fan assisted |
| Type of Defrost | Automatic | Automatic | Automatic | Automatic | Automatic |
| Controller | Digital | Digital | Digital | Digital | Digital |
| Thermometer | Υ | Υ | Υ | Υ | Υ |
| Refrigerant | R600a | R600a | R600a | R600a | R600a |
| Charge, g | 25 | 35 | 35 | 60 | 60 |
| Internal Light | LED | LED | LED | LED | LED |









Optional presentationshelf



Lock fitted as standard

TFW365-2

- 2 temperature zones
- Internal LED light
- 15 wooden drawing shelves
- Tinted glass door for protection of wine
- Black exterior
- Integrated handle
- Adjustable feet
- Reversible door
- Electronic thermostat
- · Lock fitted as standard
- · Charcoal filter included





- 1 temperature zone
- Internal LED light
- 16 wooden drawing shelves
- Tinted glass door for protection of wine
- Black exterior
- Integrated handle
- Adjustable feet
- Reversible door
- Electronic thermostat
- Lock fitted as standard
- Charcoal filter included



Slide out shelves

| Model | TFW365-2 | TFW375 |
|-----------------------------|--------------------|--------------------|
| Climate Class | N | N |
| Temperature Range, °C | 5-10 /10-18 | 5-18 |
| Gross Volume, I | 380 | 380 |
| Net Volume, I | 360 | 370 |
| Winebottles, 750 ml | 155 | 168 |
| External Dimensions, WxDxH | 595x680x1800 | 595x680x1800 |
| Internal Dimensions, WxDxH | 510x540x1540 | 510x540x1540 |
| Doors | 1 hinged glass | 1 hinged glass |
| Shelves/Baskets | 15, wooden | 16, wooden |
| Outer Body | Black | Black |
| Interior | ABS | ABS |
| Castors/Feet | 4 adjustable feet | 4 adjustable feet |
| Lock | Υ | Υ |
| Voltage/Frequency, V/Hz | 220-240/50 | 220-240/50 |
| Input Power, W | 160 | 160 |
| Energy Consumption, kWh/24h | See www.tefcold.dk | See www.tefcold.dk |
| Gross Weight, kg | 118 | 118 |
| Net Weight, kg | 112 | 112 |
| Noise Level dbA | 40 | 40 |
| Type of Cooling | Fan assisted | Fan assisted |
| Type of Defrost | Automatic | Automatic |
| Controller | Digital | Digital |
| Thermometer | Υ | Υ |
| Refrigerant | R600a | R600a |
| Charge, g | 60 | 60 |
| Internal Light | LED | LED |
| | | |







- · Interior light
- Tinted glass door for protection af wine
- 11 chromium wine shelves
- · Digital temperature display
- Lock
- · Adjustable feet
- Black exterior
- · Reversible door



SC85

- · Interior light
- Tinted glass door for protection af wine
- 4 chromium wine shelves
- Adjustable feet
- Black exterior
- · Reversible door



DKS95-3 dispenser

- For Bag-in-Box wine, 3 x 10 l.
- Stainless steel interior
- Stainless steel shelves inside
- 3 taps for serving in wine glass or decanter
- Exterior in color Bordeaux
- CFC-free
- Adjustable rubber feet
- Reversible door
- Stainless steel drip tray

| Model | CPV28 | DKS95-2 | DKS95-3 | SC85 |
|-----------------------------|--------------------|--------------------|--------------------|--------------------|
| Climate Class | Т | N | N | N |
| Temperature Range, °C | 7-18 | 5 to 18 | 5 to 18 | 2 to 10 |
| Gross Volume, I | 215 | 118 | 95 | 92 |
| Net Volume, I | 210 | 112 | 90 | 85 |
| Winebottles, 750 ml | 65 | 2 BIB | 3 BIB | 22 |
| External Dimensions, WxDxH | 544x600x1250 | 392x595x1120 | 350x455x1145 | 550x550x770 |
| Internal Dimensions, WxDxH | - | 295x494x805 | 255x415x825 | 410x415x630 |
| Doors | 1 hinged glass | 1 hinged | 1 hinged | 1 hinged glass |
| Shelves/Baskets | 11, wire | 2 | 3 | 4 wire |
| Outer Body | Black | Bordeaux | Bordeaux | Black |
| nterior | ABS | SS304 | SS304 | ABS |
| Castors/Feet | 4 adjustable feet | 4 adjustable feet | 4 adjustable feet | 4 adjustable feet |
| _ock | Υ | N | N | Υ |
| /oltage/Frequency, V/Hz | 220-240/50 | 220-240/50 | 220-240/50 | 220-240/50 |
| nput Power, W | 86 | 80 | 80 | 75 |
| Energy Consumption, kWh/24h | See www.tefcold.dk | See www.tefcold.dk | See www.tefcold.dk | See www.tefcold.dl |
| Gross Weight, kg | 70 | 55 | 39,5 | 35 |
| Net Weight, kg | 64,5 | 50 | 36 | 33 |
| Noise Level dbA | 40 | 40 | 40 | 40 |
| Type of Cooling | Static | Static | Static | Static |
| Type of Defrost | Automatic | Automatic | Automatic | Automatic |
| Controller | Digital | Mechanical | Mechanical | Mechanical |
| Thermometer | Υ | N | N | N |
| Refrigerant | R600a | R134a | R134a | R134a |
| Charge, g | 63 | 80 | 56 | 80 |
| nternal Light | 10W Bulb | N | N | 8 W neon |





CPV1380M

- 6 adjustable wooden shelves (Steel front as option)
- · Reversible Glass door
- · Brown exterior
- Adjustable feet
- Easily replaceable door gasket
- Temperature display
- Lock fitted as standard
- Available in colour bordeaux CPP1380BX



CPP1380M

- 6 adjustable wooden shelves (Steel front as option)
- Reversible Solid door
- Brown exterior
- Adjustable feet
- Easily replaceable door gasket
- Temperature display
- Lock fitted as standard
- Available in colour bordeaux CPP1380BX



CPP1380BX

- 6 adjustable wooden shelves (Steel front as option)
- Reversible Solid door
- Bordeaux exterior
- Adjustable feet
- Easily replaceable door gasket
- Temperature display
- Lock fitted as standard
- Available in colour brown CPP1380M

| Model | CPP1380BX | CPP1380M | CPV1380BX | CPV1380M |
|-----------------------------|--------------------|--------------------|--------------------|-------------------|
| Climate Class | N | N | N | N |
| Temperature Range, °C | 6 to 18 | 6 to 18 | 6 to 18 | 6 to 18 |
| Gross Volume, I | 372 | 372 | 372 | 372 |
| Net Volume, I | 350 | 350 | 350 | 350 |
| Winebottles, 750 ml | 118 | 118 | 118 | 118 |
| External Dimensions, WxDxH | 595x640x1840 | 595x640x1840 | 595x640x1840 | 595x640x1840 |
| nternal Dimensions, WxDxH | 505x462x1555 | 505x462x1555 | 505x462x1555 | 505x462x1555 |
| Doors | 1 solid | 1 solid | 1 hinged glass | 1 hinged glass |
| Shelves/Baskets | 5, wooden 495x390 | 5, wooden 495x390 | 5, wooden 495x390 | 5, wooden 495x390 |
| Outer Body | Bordeaux | Brown | Bordeaux | Brown |
| nterior | Brown, ABS | Brown, ABS | Brown, ABS | Brown, ABS |
| Castors/Feet | 2 adjustable feet | 2 adjustable feet | 2 adjustable feet | 2 adjustable feet |
| _ock | Υ | Υ | Υ | Υ |
| /oltage/Frequency, V/Hz | 220-240/50 | 220-240/50 | 220-240/50 | 220-240/50 |
| nput Power, W | 140 | 140 | 180 | 180 |
| Energy Consumption, kWh/24h | See www.tefcold.dk | See www.tefcold.dk | See www.tefcold.dk | See www.tefcold.d |
| Gross Weight, kg | 81 | 81 | 94 | 94 |
| Net Weight, kg | 75 | 75 | 86 | 86 |
| Noise Level dbA | 42 | 42 | 42 | 42 |
| Type of Cooling | Static | Static | Static | Static |
| Type of Defrost | Automatic | Automatic | Automatic | Automatic |
| Controller | Mechanical | Mechanical | Mechanical | Mechanical |
| Thermometer | N | N | N | N |
| Refrigerant | R134a | R134a | R134a | R134a |
| Charge, g | 200 | 200 | 200 | 200 |
| nternal Light | N | N | 15 W Neon | 15 W Neon |

