





World-class Quality, Competitive Price, Immediate Delivery





SV-68 Rotary vacuum Pump Oil is equivalent of:-							
R4	R7		Ultragrade 19		LVO 100	LVO 110	
LVO 120	LVO 130		Molycoat L-0610		VM 100	KV 100	
CVC 70/19	N62		Adixen A120		MD 502	MD 504	
INLAND 19		MR 200 Mo		bil DTE Oil	VM 68		
Alcatel Adixen A 200					Alcatel Adixen A 120		



Description:

Rotary vacuum pump oil SV-68 is mineral vacuum oil that has been double distilled through molecular distillation process. Because of this process, SV-68 delivers fast vacuum in a short span of time. Furthermore, SV-68 comes at a very competitive price.



Features and Benefits:

- 1. SV-68 is prepared from high quality mineral base stock.
- **2. Double distilled through molecular distillation process** Molecular distillation ensures lower vacuum time cutting down the cycle time considerably.
- 3. Excellent Vacuum Level- Ultimate vacuum of 1×10⁻³ Torr.
- **4. High viscosity index** This ensures lesser variations in viscosities at different operating temperatures.
- **5. Low vapor pressure** Therefore minimum back streaming takes place and there is reduction in pump down time.
- **6. Free of artificial additives** Additives like rust inhibitors/anti corrosion etc. if present in vacuum oil separate from the base fluid under high temperatures and stick to the pump interiors as gummy substances. Since it is free of these artificial additives, unlike most of the so-called vacuum oils, SV-68 will never turn to gel form and never harm the pump interiors.
- 7. Provides excellent lubrication to the pump.
- **8. High Thermal Stability** <u>SV-68</u> works excellently even in extreme operating temperatures.
- 9. Conforms to DIN-51506 VD-L and ISO DIS-6521 specifications for vacuum pump oils.
- 10. Suitable for rotary/mechanical vacuum pumps of all makes and models around the world.
- 11. Comes in packing of 5lt., 20 lt. and 210 lt.



Supervac Industries' Recommendation:

In order to prolong your Rotary pump's life we recommend timely change of the pump oil. This will prevent impurities inside the pump from accumulating and damaging it.





Specifications:

Property	Value		
Ultimate Vacuum	1×10 ⁻³ Torr		
Vapor Pressure at 25°C	8×10 ⁻⁴ Torr		
Resistance to Oxidation	Excellent		
Distillation	Double Distilled Organic Oil		
(Carbon) (Sulfur) & other Impurities	Nil		
Flash Point	245°C		
Viscosity at 40°C	68cst		
Appearance	Pale Yellow		
Packaging	(20 ltrs.)(210 ltrs.)		



Shipping Constraints: None

Supervac products are supplied to satisfied customers in 20 different countries all over the world.



SV-68 Rotary vacuum Pump Oil is equivalent of:-							
R4	R7		Ultragrade 19		LVO 100	LVO 110	
LVO 120	LVO 130		Molycoat L-0610		VM 100	KV 100	
CVC 70/19	N62		Adixen A120		MD 502	MD 504	
INLAND 19		MR 200 Mo		bil DTE Oil	VM 68		
Alcatel Adixen A 200				Alcatel Adixen A 120			



Contact Us:-

Supervac Industries

B-21, Flatted Factory Complex, Jhandewalan, New Delhi-110055 (India)

Phone:	Mobile:
--------	---------

+91-11-23537331/ 43554966/ 43564967 +91-9810144936

Email:

<u>info@supervacoils.com</u> sales@supervacoils.com Blogs:

http://supervacindustries.blogspot.in/

http://supervacoils.com/blog/

Website:

http://www.supervacoils.com





The Brand Trusted By Engineers Worldwide



Supervac™ manufactures and supplies excellent quality high-tech consumables to various industries all over the world. Our products include- An entire range of vacuum oils (Rotary Pump Oils, Diffusion Pump Oils and Vacuum Booster Pump Oils), Graphite Foil, Ceramic Evaporation Boats, Silicone Grease, Graphite Suspension, Boron Nitride Powder (Various Grades), Boron Nitride Suspension (Mould Release Agents/ Coating Lubricants).

Supervac's USP: World-class Quality, Competitive Price, Immediate Delivery.

