

PRODUCT CATALOG

The logo for MK Products, featuring the letters 'M', 'K', and 'K' in a stylized, metallic, 3D font. The letters are set against a background of a weathered American flag with a metallic texture and rivets.

**BUILDING THE WORLD
MADE IN AMERICA**



FOR CURRENT PRICING GO TO WWW.MKPRODUCTS.COM



To Our Valued Customers,

Thank you for your continued support in MK Products! MK Products is in its 48th year of manufacturing its Push-Pull GMAW products and 20 years of Orbital GTAW products. This new catalog format is a combination of all our printed literature into this one full product color catalog. This now means one source for all our product information and specifications. We hope you find this new approach easy to use and helpful.

Our world-class **Cobra® Welding Systems** are distributed throughout more than 40 countries. For aluminum **GMAW**, the **Cobramatic®** name is unsurpassed. Our products and services are on display 24-hours a day, 7-days a week at our virtual showroom located at www.mkproducts.com. Our field sales force and distributors are always eager to demonstrate product capabilities and provide solutions for all your welding needs.

The **Cobramatic® Pro Series** Push-Pull Wire Feed cabinets accept our full line of welding guns to meet your toughest welding challenges. **Cobra® MX**...an updated version of our original gooseneck gun is back and better than ever in a small, lightweight design that is perfect for welding aluminum. If you want to go even smaller, then the **Cobra® SX** is the smallest Push-Pull gooseneck gun in the world.

MK continues to offer the **Python®** gooseneck gun for high performance and power...as well as the **Prince® XL** for versatile pistol grip performance. Check out our complete line of **Spool Guns** - we have the "Top of the line" full size **PXL Spool Gun** to the smallest **MiniSpool™** gun.

"**Orbital Welding Made Easy™**" best describes our line of patented GTAW fusion tube welding products. **CobraTig® 150 SM**...perfect for portable contractor use in the field. **Advanced Color Logic®**...patented on-screen visual interface is ideal for manufacturing work cell applications where tough quality assurance standards are maintained. MK **Orbital™** weldheads are available for many special applications. **MiniMicro™**...is our smallest weldhead for Ultra High Purity welding applications. **CopperHead®**...our most popular and economical for sanitary, mid-range tube sizes. **DiamondBack®**...is our largest for tubes and pipe sizes up to 6-inch O.D.

For welding or positioning, our precision rotary tables turn heads with every revolution. The **AirCrafter™ 25** and the **CobraTurn Digital Turntable** positioners are available in 5" or 10" tabletop models or a 4" diameter 3-jaw chuck. Both models provide 90-degree tilt for vertical or horizontal positions. The CobraTurn provides hi/lo speed range and the T-25 comes standard with a variable foot control.

Whether you are a new customer or a loyal MK user, we value your business and we look forward to providing you with the best welding products and services available.

Product Applications

Understanding the product icons



Push-Pull Wire Feed: Proven technology that provides smooth wire feeding for the GMA (MIG) Welding Process in gun lengths up to 50 feet.



Accessories and Consumables: A broad selection of contact tips, barrels, gas cups that further expands the flexibility and usability of the MK Products line.




Spool Guns: Include a patented spool brake and wire leveling arm, multi-turn speed control knob, and simple "one-hand" wire spool loading.




Orbital Equipment: Orbital-GTA (TIG) Welding systems designed for autogenous welds in the sanitary, ultra-high purity and high-pressure welds.



Positioners: Table-top positioners for manual or automatic welding. Designed for rotating welding jobs, they can also be used for non-welding applications.



Water Cooled: Guns that require a re-circulating radiator cooling system, because they use a smaller diameter copper cable compared to Air Cooled guns. Coolant flow rates should be a minimum of 10 GPH between 35 and 45PSI.



Air Cooled: These welding guns use the ambient air and shielding gas to dissipate excess heat. They have lighter and more flexible gun cables and the system's simpler design makes them easier to operate, assemble, maintain and transport.

For a complete price list of all MK available parts, visit www.mkproducts.com

~	Terms and Conditions of Sale	4
	Cobramatic Push-Pull Systems	5
	Accessories and Consumables	22
	Spool Guns	29
	Orbital Equipment	33
	Positioners	47
~	Limited Warranty	60
~	Index	63



In Memoriam

**Mike Kensrue
1921-2009**

MK Products pays tribute to founder Mike Kensrue, who passed away in November 2009. An inventor at heart, his tireless innovation shaped the welding industry around the world. MK Products is proud to celebrate the legacy of such a ground-breaking pioneer.

Supersedes All Previous Terms and Conditions of Sale

PRICING

All shipments are priced from published lists or written quotations. Prices do not include taxes.

Prices include standard domestic packaging. For shipments that may be exported, please contact your freight forwarder for any special packaging or documentation.

PRINTED PRICES

Check all prices before ordering. MK Products reserves the right to make changes to this price list at any time. The latest revisions to this price list are posted on our web site at www.mkproducts.com. These prices supersede all previously published price lists.

INVOICE TERMS AND DISCOUNTS

Terms are NET 30 Days based on prior credit approval.

Credit card purchases using Visa, MasterCard, Discover and American Express are accepted.

PAST DUE ACCOUNTS

Accounts not paid within 30 days are past due and subject to a finance charge of 1 1/2% per month (annual percentage rate of 18%).

TELEPHONE ORDERS

Telephone orders are confirmed and are acknowledged immediately. If changes are requested on any order placed, we cannot guarantee these changes without additional expense to the purchaser.

LABOR RATE

All labor is billed at \$90.00 per hour.

REPAIRS/WARRANTY REPAIR

All repairs, Standard or Warranty, will be performed under the MK Products Repair & Warranty Repair Policy. Full terms and conditions of this policy are available by contacting MK Products via phone, fax or e-mail.

EDUCATIONAL DISCOUNT

An educational discount off list price is available on most equipment sold directly by MK Products to a non-profit educational institution. This discount is not to be combined with any other special offer.

Equipment not eligible for discount:

- Special product items, used or reconditioned equipment
- Replacement and consumable parts

This Educational Discount Policy supersedes all previous publications.

TRANSFER OF TITLE

All merchandise is sold F.O.B. MK Products Inc., Irvine, California. Title to the merchandise is transferred to the purchaser at the time the carrier accepts shipment. The purchaser must file any claims for loss or damage in transit with the carrier. Upon request, MK Products Inc., will issue tracers on any shipment considered "lost" by the purchaser.

MINIMUM BILLING

Minimum billing on all domestic orders is \$25.00 USD NET.

Minimum billing on all export orders is \$50.00 USD NET.

CANCELLATION OF ORDERS

Except in the case of non-standard items, orders for standard items can be canceled without charge, provided notice is received at MK Products, Irvine, California, at least one week before scheduled delivery to the carrier.

In the case of non-standard items, the purchaser will be liable for full payment at the contract price for all finished units available prior to cancellation. Also, for all non-standard materials and components in semi-finished condition, the purchaser will be liable for our cost plus 15%.

ORDER HANDLING

MK Products will make every effort to ship all sales orders within 1~2 working days for merchandise that is in stock.

For **PRIORITY** shipments, please have your purchase order in by **12:00pm Pacific Time** to qualify. Your priority order must ship by **NEXT DAY** delivery service. We will make every reasonable effort to ship priorities.

MK PRODUCTS RETURN POLICY

NEW / UNUSED or DEFECTIVE

You have up to 30 calendar days from invoice date to request a return of new/unused or defective items. If the item(s) are sent back unused in the original packaging including any accessories or manuals that shipped with the product and follow the return procedures, MK Products will offer you a full refund, less shipping costs (unless the item is defective, which will receive full credit). You will be responsible for shipping the item(s) back to MK Products, including any shipping fees.

OPENED / USED

You have up to 15 calendar days from invoice date to request a return of opened/used items. These items will be subject to a 30% restocking fee and all shipping costs. No exceptions.

RMA(Return Material Authorization) All Returns MUST be accompanied by a valid RMA number

Prior to returning item(s), contact MK Products at 1-800-787-9707 or e-mail to sales@mkprod.com, to obtain an RMA number, along with complete instructions. Please have your order number ready along with the part number and quantity of item(s) being returned. Item(s) must be returned to MK Products within 15 calendar days of the issuance of the RMA. RMA number must be posted on the address label of the package. Packages without RMA will not be accepted by MK Products. If applicable, MK Products will issue credit after the item(s) has been received and inspected.

NOTE: MK Products recommends that you: (1) use a carrier that offers shipment tracking for all returns and (2) either insure your package for safe return to MK Products or declare the full value of the shipment so that you are completely protected if the shipment is **lost or damaged in transit**.

Push - Pull Technology



Cobramatic® Pro Series	6
Python Series	8
Python® LX Series	14
Cobra® MX Series	16
Cobra SX Series	18
Prince® XL Series	20



Cobramatic Pro Series

Push-Pull Wire Feed System



MK Products introduces the NEW Cobramatic Pro Series Wire Feed Cabinet. It has the same dedicated function and performance as expected from a Cobramatic, but with a stylish and rugged design. The Pro Series cabinet utilizes many enhancements from the original, without sacrificing integrity and durability.

- Structural design allows for smaller compact size providing greater accessibility to tighter, more confined spaces (i.e., it fits through ship portholes).
- Half the weight yet twice as durable. Rugged enough for all weather environments.
- Visible in the brightest or darkest shops: a bright front panel LED displays Wire Feed Speed and Welding Arc Voltage.
- Advanced connectivity allows for universal input power from ALL welding power supplies.
- Offers classic MK or EURO style gun connections, consult factory for available guns.
- Wire type and diameter:
 .030" - 1/16" Aluminum (0.8 mm - 1.6 mm)
 .030" - .045" solid and hard wire* (0.8 mm - 1.1 mm)
 *Steel, stainless steel and flux core steel wires

Optional Kits

- 8 ft interface cable for Miller, 14 pin, 115VAC (005-0316)
- 8 ft interface cable for Lincoln, 14 pin, 115VAC (005-0608)
- 25 ft interface cable for Miller, 14 pin, 115VAC (005-0658)
- 25 ft interface cable for Lincoln, 14 pin, 115VAC (005-0659)
- 50 ft interface cable for Miller, 14 pin, 115VAC (005-0658-50)
- 50 ft interface cable for Lincoln, 14 pin, 115VAC (005-0659-50)
- 8 ft interface cable for Thermal Arc, 19 pin, 115VAC (005-0630)
- 8 ft interface cable for ESAB 460/450 (005-0705)

Installation available upon request, \$25.00 labor charge. Allow 2-3 days.



**STRUCTURAL DESIGN...COMPACT SIZE...
 FOR TIGHTER, MORE CONFINED SPACES**

MODEL NUMBER	POWER INPUT	WIRE SPOOL CAPACITY
150-007-M	115 VAC, 50/60 Hz	12" Standard (Insulated or Non-insulated)

Cobramatic Pro Series: Connects to virtually all power supplies



**Cobra® SX
325-8XX**



**Python LX
260-8XX
261-8XX**



**Cobra MX
262-8XX
263-8XX
266-8XX
267-8XX**

**MK Guns:
15 ft., 25 ft., 35 ft. and 50 ft. lengths
Air or Water Cooled**



**Python®
234-8XX
235-8XX**



**Prince® XL
317-7XX
318-7XX**



**Cobramatic® Pro Series
Push-Pull Wire Feeder
150-007-M**

**Connects to virtually
all power supplies!**



**V350 PRO
120VAC Output
14 Pin**



**XMT 304
120VAC Output
14 Pin**



**OTC DP400
208/230VAC Output
10 Pin**



**Ultra Flex 350
120VAC Output
19 & 14 Pin**



**SVI 450i
120VAC Output
19 Pin**

Other models apply - call factory for details



Python®

Advanced Gooseneck




Power and performance is the best way to describe a gun so advanced that even the competition is on edge. Taking a lesson from both the Cobra® gooseneck and the Prince® XL, the Python adds its own unique set of features with time proven design to bring together the most advanced welding gun available.

- Optional Ultra Flex power cable offers more durability and less strain when welding.
 - Air Cooled models can use the Flex Barrel for hard to reach welds.
 - Plug-in direct compatibility with MK, Lincoln, Miller, Fronius, ESAB and Euro systems.
 - Convenient "forward trigger" location.
 - "Fingertip" wire speed adjustment.
 - EZ-Lock® barrel can easily rotate 360° to provide the perfect angle for all jobs.
 - Available in both Water and Air Cooled models.
 - Provides hours of high speed continuous wire feed without welder fatigue.
 - For aluminum, stainless, steel and flux cored wires.
 - Wire feed speed 800 IPM.
 - Wire type and diameter:
 - .030" - .045" solid and hard wire (0.8 mm - 1.1 mm)
 - .030" - 1/16" aluminum and cored wire (0.8 mm - 1.6 mm)
- See pgs 22-28 for barrels, contact tips and gas cups.

Duty Cycle 60%

Rated Output determined by the gun having an Air Cooled (A/C) or Water Cooled (W/C) barrel.



Cobramatic® Compatibility

AIR COOLED	
LENGTH	MODEL NUMBER
15 ft (4.6 m)	234-815
25 ft (7.6 m)	234-825
35 ft (10.7 m)	234-835
50 ft (15.2 m)	234-850

WATER COOLED	
LENGTH	MODEL NUMBER
15 ft (4.6 m)	235-815
25 ft (7.6 m)	235-825
35 ft (10.7 m)	235-835
50 ft (15.2 m)	235-850



For best performance, use only Cobra® Coolant. Failure to use Cobra Coolant will void warranty.

- 1 Gallon (3.78L)
P/N 931-0060
- 1 Case (4 Gallons, 1 Gal ea.)
P/N 931-0060-4
- 5 Gallon (18.92L)
P/N 931-0060-5GAL

GUN LEAD ASSEMBLY COMPONENTS

LENGTH	GAS HOSE	CONTROL CABLE	POWER CABLE (A/C)	POWER CABLE (W/C)	WATER HOSE
15 ft (4.6 m)	552-0242-15	005-0690	843-0630-15	005-0387-15	552-0243-15
25 ft (7.6 m)	552-0242-25	005-0691	843-0630-25	005-0387-25	552-0243-25
35 ft (10.7 m)	552-0242-35	005-0740	843-0630-35	005-0387-35	552-0243-35
50 ft (15.2 m)	552-0242-50	005-0692	843-0630-50	005-0387-50	552-0243-50

STANDARD ON ALL PYTHON MODELS

LENGTH	SNAKE SKIN
15 ft (4.6 m)	931-0110
25 ft (7.6 m)	931-0122
35 ft (10.7 m)	931-0132
50 ft (15.2 m)	931-0123

OPTIONAL LEAD ASSEMBLY COMPONENTS

LENGTH	ULTRA FLEX POWER CABLE*
15 ft (4.6 m)	843-0580-15
25 ft (7.6 m)	843-0580-25
35 ft (10.7 m)	843-0580-35
50 ft (15.2 m)	843-0580-50

ALUMINUM WELDING ONLY (MK CONNECTION)

LENGTH	CONDUIT ASSEMBLY
15 ft (4.6 m)	615-0601-15
25 ft (7.6 m)	615-0601-25
35 ft (10.7 m)	615-0601-35
50 ft (15.2 m)	615-0601-50

HARD WIRE WELDING* ONLY

LENGTH	FLAT SPIRAL STEEL CONDUIT ASSEMBLY
15 ft (4.6 m)	615-0208
25 ft (7.6 m)	615-0216
35 ft (10.7 m)	615-0219
50 ft (15.2 m)	615-0218

*Air Cooled models only

*Steel, stainless steel and flux core steel wires
See accessories and consumables for liners and contact tips (pgs 26-27).

Python® Compatibility

All Cobramatic® and Cobramatic compatible guns are available in lengths of 15 ft, 25 ft, 35 ft, and 50 ft.

Lincoln Compatible guns used with Lincoln Power Feed 25M (model K2536-4) require a kit for adaptability. Call factory for details.



LINCOLN, 7 PIN COMPATIBILITY

AIR COOLED	
LENGTH	MODEL NUMBER
15 ft (4.6 m)	232-815
25 ft (7.6 m)	232-825
35 ft (10.7 m)	232-835
50 ft (15.2 m)	232-850
WATER COOLED	
15 ft (4.6 m)	293-815
25 ft (7.6 m)	293-825
35 ft (10.7 m)	293-835
50 ft (15.2 m)	293-850

MILLER, 14 PIN COMPATIBILITY

AIR COOLED	
LENGTH	MODEL NUMBER
15 ft (4.6 m)	291-815
25 ft (7.6 m)	291-825
35 ft (10.7 m)	291-835
50 ft (15.2 m)	291-850
WATER COOLED	
15 ft (4.6 m)	292-815
25 ft (7.6 m)	292-825
35 ft (10.7 m)	292-835
50 ft (15.2 m)	292-850

FRONIUS, 9 PIN COMPATIBILITY

AIR COOLED	
LENGTH	MODEL NUMBER
15 ft (4.6 m)	289-815
25 ft (7.6 m)	289-825
35 ft (10.7 m)	289-835
50 ft (15.2 m)	289-850
WATER COOLED	
15 ft (4.6 m)	290-815
25 ft (7.6 m)	290-825
35 ft (10.7 m)	290-835
50 ft (15.2 m)	290-850

EURO, 7 PIN COMPATIBILITY

AIR COOLED	
LENGTH	MODEL NUMBER
15 ft (4.6 m)	296-815
25 ft (7.6 m)	296-825
35 ft (10.7 m)	296-835
50 ft (15.2 m)	296-850
WATER COOLED	
15 ft (4.6 m)	297-815
25 ft (7.6 m)	297-825
35 ft (10.7 m)	297-835
50 ft (15.2 m)	297-850

MK Products compatible guns have interchangeable fittings, so you can match as needed for your cooler. Both fittings require a hose retainer. Call factory for pricing.



431-1898
5/16" Hose Retainer



431-1910
Quick Connect Fitting



431-1893* Nipple
753-3379* Left-Hand Threaded Fitting
**Must be ordered together*

GUN LEAD ASSEMBLY COMPONENTS - PYTHON COMPATIBILITY MODELS

PYTHON COMPATIBLE MODELS

LENGTH	GAS HOSE	POWER CABLE	
		(A/C)	(W/C)
15 ft (4.6 m)	552-0241-15	843-0640-15	005-0388-15
25 ft (7.6 m)	552-0241-25	843-0640-25	005-0388-25
35 ft (10.7 m)	552-0241-35	843-0640-35	005-0388-35
50 ft (15.2 m)	552-0241-50	843-0640-50	005-0388-50

PYTHON COMPATIBLE MODELS - CONTROL CABLES

LENGTH	PYTHON COMPATIBLE MODELS - CONTROL CABLES			
	(LINCOLN, 7 PIN)	(EURO, 7 PIN)	(MILLER, 14 PIN)	(FRONIUS, 9 PIN)
15 ft (4.6 m)		005-0690	005-0380-15	005-0381-15
25 ft (7.6 m)		005-0691	005-0380-25	005-0381-25
35 ft (10.7 m)		005-0740	005-0380-35	005-0381-35
50 ft (15.2 m)		005-0692	005-0380-50	005-0381-50

PYTHON COMPATIBILITY WATER HOSE - BLUE

LENGTH	PYTHON COMPATIBILITY WATER HOSE - BLUE			
	(LINCOLN, 7 PIN)	(EURO, 7 PIN)	(MILLER, 14 PIN)	(FRONIUS, 9 PIN)
15 ft (4.6 m)		552-0239-15		552-0238-15
25 ft (7.6 m)		552-0239-25		552-0238-25
35 ft (10.7 m)		552-0239-35		552-0238-35
50 ft (15.2 m)		552-0239-50		552-0238-50

PYTHON COMPATIBILITY WATER HOSE - RED

PYTHON COMPATIBILITY WATER HOSE - RED			
(LINCOLN, 7 PIN)	(EURO, 7 PIN)	(MILLER, 14 PIN)	(FRONIUS, 9 PIN)
	552-0209*		552-0211*

*Used for all lead assembly lengths

OPTIONAL LEAD ASSEMBLY COMPONENTS

LENGTH	ULTRA FLEX POWER CABLE*
15 ft (4.6 m)	843-0715-15
25 ft (7.6 m)	843-0715-25
35 ft (10.7 m)	843-0715-35
50 ft (15.2 m)	843-0715-50

ALUMINUM WELDING ONLY (COMPATIBLE GUNS)

LENGTH	CONDUIT ASSEMBLY
15 ft (4.6 m)	615-0620-15
25 ft (7.6 m)	615-0620-25
35 ft (10.7 m)	615-0620-35
50 ft (15.2 m)	615-0620-50

HARD WIRE WELDING* ONLY

LENGTH	FLAT SPIRAL STEEL CONDUIT ASSEMBLY
15 ft (4.6 m)	615-0621-15
25 ft (7.6 m)	615-0621-25
35 ft (10.7 m)	615-0621-35
50 ft (15.2 m)	615-0621-50

*Air Cooled models only

*Steel, stainless steel and flux core steel wires
See accessories and consumables for liners and contact tips (pgs 26-27).

PYTHON®

Lincoln Compatible

**BEST ALUMINUM PUSH-PULL WELDING GUN
IN THE WORLD**

Available:

7 Pin Amphenol

12 Pin Amphenol



Air Cooled
232-XXX



Water Cooled
293-XXX

Compatible with:

Power Mig 300

Power Mig 350

C-300

25M Feeder

SALES@MKPRODUCTS.COM
WWW.MKPRODUCTS.COM



16882 ARMSTRONG AVE.
IRVINE, CA 92606
(800) 787-9707

PYTHON®

Miller Compatible

**BEST ALUMINUM PUSH-PULL WELDING GUN
IN THE WORLD**



Air Cooled
291-XXX



Water Cooled
292-XXX

Compatible with:
MM 252
MM350
350P
XR CONTROL WIRE FEEDER
XRS-XRD
ALUMA FEED

SALES@MKPRODUCTS.COM
WWW.MKPRODUCTS.COM



16882 ARMSTRONG AVE.
IRVINE, CA 92606
(800) 787-9707

PYTHON®

Fronius Compatible

BEST ALUMINUM PUSH-PULL WELDING GUN
IN THE WORLD



Air Cooled
289-XXX



Water Cooled
290-XXX

Compatible with:
TPS2700
TPS3200
TPS4000

SALES@MKPRODUCTS.COM
WWW.MKPRODUCTS.COM



16882 ARMSTRONG AVE.
IRVINE, CA 92606
(800) 787-9707



For best performance, use only Cobra® Coolant. Failure to use Cobra Coolant will void warranty.

SUBMERGED IN YOUR WORK?

Don't forget to protect your
MK Cobra Welding
System by

KEEPING IT
COOL

ALUMINUM PROTECTION

Formulated especially for use in systems where aluminum parts are used.

May also be used in any system where high frequency current is not present.

Contains additives to inhibit algae growth and protection from freezing.

PART No. 931-0060

1 Gallon (3.78 Liters)

PART No. 931-0060-4

1 Case (4 Gallons, 1 Gal Ea.)

PART No. 931-0060-5GAL

5 Gallons (18.93 Liters)

Improved Gun Performance

For use with all

Water Cooled

MK Guns and

Orbital Welding Equipment



www.mkproducts.com

sales@mkproducts.com

800-787-9707





Python® LX

Advanced Gooseneck




The NEW Python LX combines the robust engineering of the Python and the stylish design of the Cobra® MX. When connected with the Cobramatic® wire feed cabinet, you get the best push-pull wire feed equipment for welding aluminum. Completely and fully synergic, the one-knob control in the Python LX returns precise and repeatable weld settings from 15 to 50 feet away.

- Optional Ultra Flex power cable offers more durability and less strain when welding.
- Air Cooled models can use the Flex Barrel for hard to reach welds.
- Plug-in direct compatibility with MK, Lincoln, Miller, Fronius, ESAB and Euro systems.
- Compatible with different generations of Cobramatic cabinets.
- Fingertip speed control protected in handle.
- Mechanical gas valve integrated with trigger function (bypass for full auto control).
- Uses the legendary Cobra rear trigger configuration.
- Patented EZ-Lock® rotatable and tapered barrel design.
- 12" and 18" straight/curved Air and Water Cooled barrel options.
- Wire feed speed 800 IPM.
- Wire type and diameter:
 - .030" - .045" solid and hard wire (0.8 mm - 1.1 mm)
 - .030" - 1/16" aluminum and cored wire (0.8 mm - 1.6 mm)

See pgs 22-28 for barrels, contact tips and gas cups.

Duty Cycle 60%

Rated Output determined by the gun having an Air Cooled (A/C) or Water Cooled (W/C) barrel.



Cobramatic Compatibility

AIR COOLED	
LENGTH	MODEL NUMBER
15 ft (4.6 m)	260-815
25 ft (7.6 m)	260-825
35 ft (10.7 m)	260-835
50 ft (15.2 m)	260-850

WATER COOLED	
LENGTH	MODEL NUMBER
15 ft (4.6 m)	261-815
25 ft (7.6 m)	261-825
35 ft (10.7 m)	261-835
50 ft (15.2 m)	261-850



For best performance, use only Cobra® Coolant. Failure to use Cobra Coolant will void warranty.

1 Gallon (3.78L)

P/N 931-0060

1 Case (4 Gallons, 1 Gal ea.)

P/N 931-0060-4

5 Gallon (18.92L)

P/N 931-0060-5GAL

GUN LEAD ASSEMBLY COMPONENTS

LENGTH	GAS HOSE	CONTROL CABLE	POWER CABLE (A/C)	POWER CABLE (W/C)	WATER HOSE
15 ft (4.6 m)	552-0242-15	005-0690	843-0630-15	005-0387-15	552-0243-15
25 ft (7.6 m)	552-0242-25	005-0691	843-0630-25	005-0387-25	552-0243-25
35 ft (10.7 m)	552-0242-35	005-0740	843-0630-35	005-0387-35	552-0243-35
50 ft (15.2 m)	552-0242-50	005-0692	843-0630-50	005-0387-50	552-0243-50

STANDARD ON ALL PYTHON LX MODELS

LENGTH	SNAKE SKIN
15 ft (4.6 m)	931-0110
25 ft (7.6 m)	931-0122
35 ft (10.7 m)	931-0132
50 ft (15.2 m)	931-0123

OPTIONAL LEAD ASSEMBLY COMPONENTS

LENGTH	ULTRA FLEX POWER CABLE*
15 ft (4.6 m)	843-0580-15
25 ft (7.6 m)	843-0580-25
35 ft (10.7 m)	843-0580-35
50 ft (15.2 m)	843-0580-50

ALUMINUM WELDING ONLY (MK CONNECTION)

LENGTH	CONDUIT ASSEMBLY
15 ft (4.6 m)	615-0601-15
25 ft (7.6 m)	615-0601-25
35 ft (10.7 m)	615-0601-35
50 ft (15.2 m)	615-0601-50

HARD WIRE WELDING* ONLY

LENGTH	FLAT SPIRAL STEEL CONDUIT ASSEMBLY
15 ft (4.6 m)	615-0208
25 ft (7.6 m)	615-0216
35 ft (10.7 m)	615-0219
50 ft (15.2 m)	615-0218

*Air Cooled models only

*Steel, stainless steel and flux core steel wires

See accessories and consumables for liners and contact tips (pgs 26-27).

Python® LX Compatibility

All Cobramatic® and Cobramatic compatible guns are available in lengths of 15 ft, 25 ft, 35 ft, and 50 ft. Lincoln Compatible guns used with Lincoln Power Feed 25M (model K2536-4) require a kit for adaptability. Call factory for details.



LINCOLN, 7 PIN COMPATIBILITY

AIR COOLED	
LENGTH	MODEL NUMBER
15 ft (4.6 m)	270-815
25 ft (7.6 m)	270-825
35 ft (10.7 m)	270-835
50 ft (15.2 m)	270-850
WATER COOLED	
15 ft (4.6 m)	271-815
25 ft (7.6 m)	271-825
35 ft (10.7 m)	271-835
50 ft (15.2 m)	271-850

MILLER, 14 PIN COMPATIBILITY

AIR COOLED	
LENGTH	MODEL NUMBER
15 ft (4.6 m)	272-815
25 ft (7.6 m)	272-825
35 ft (10.7 m)	272-835
50 ft (15.2 m)	272-850
WATER COOLED	
15 ft (4.6 m)	273-815
25 ft (7.6 m)	273-825
35 ft (10.7 m)	273-835
50 ft (15.2 m)	273-850

FRONIUS, 9 PIN COMPATIBILITY

AIR COOLED	
LENGTH	MODEL NUMBER
15 ft (4.6 m)	274-815
25 ft (7.6 m)	274-825
35 ft (10.7 m)	274-835
50 ft (15.2 m)	274-850
WATER COOLED	
15 ft (4.6 m)	275-815
25 ft (7.6 m)	275-825
35 ft (10.7 m)	275-835
50 ft (15.2 m)	275-850

EURO, 7 PIN COMPATIBILITY

AIR COOLED	
LENGTH	MODEL NUMBER
15 ft (4.6 m)	294-815
25 ft (7.6 m)	294-825
35 ft (10.7 m)	294-835
50 ft (15.2 m)	294-850
WATER COOLED	
15 ft (4.6 m)	295-815
25 ft (7.6 m)	295-825
35 ft (10.7 m)	295-835
50 ft (15.2 m)	295-850

MK Products compatible guns have interchangeable fittings, so you can match as needed for your cooler. Both fittings require a hose retainer. Call factory for pricing.



431-1898
5/16" Hose Retainer



431-1910
Quick Connect Fitting



431-1893* Nipple
753-3379* Left-Hand Threaded Fitting
**Must be ordered together*

GUN LEAD ASSEMBLY COMPONENTS - LX AND MX COMPATIBILITY MODELS

LX AND MX COMPATIBLE MODELS

LENGTH	GAS HOSE	POWER CABLE	
		(A/C)	(W/C)
15 ft (4.6 m)	552-0241-15	843-0640-15	005-0388-15
25 ft (7.6 m)	552-0241-25	843-0640-25	005-0388-25
35 ft (10.7 m)	552-0241-35	843-0640-35	005-0388-35
50 ft (15.2 m)	552-0241-50	843-0640-50	005-0388-50

LX AND MX COMPATIBLE MODELS - CONTROL CABLES

LENGTH	(LINCOLN, 7 PIN)	(EURO, 7 PIN)	(MILLER, 14 PIN)	(FRONIUS, 9 PIN)
15 ft (4.6 m)		005-0690	005-0380-15	005-0381-15
25 ft (7.6 m)		005-0691	005-0380-25	005-0381-25
35 ft (10.7 m)		005-0740	005-0380-35	005-0381-35
50 ft (15.2 m)		005-0692	005-0380-50	005-0381-50

LX AND MX COMPATIBILITY WATER HOSE - BLUE

LENGTH	(LINCOLN, 7 PIN)	(EURO, 7 PIN)	(MILLER, 14 PIN)	(FRONIUS, 9 PIN)
15 ft (4.6 m)		552-0239-15		552-0238-15
25 ft (7.6 m)		552-0239-25		552-0238-25
35 ft (10.7 m)		552-0239-35		552-0238-35
50 ft (15.2 m)		552-0239-50		552-0238-50

LX AND MX COMPATIBILITY WATER HOSE - RED

(LINCOLN, 7 PIN)	(EURO, 7 PIN)	(MILLER, 14 PIN)	(FRONIUS, 9 PIN)
	552-0209*		552-0211*

* Used for all lead assembly lengths

OPTIONAL LEAD ASSEMBLY COMPONENTS

LENGTH	ULTRA FLEX POWER CABLE*
15 ft (4.6 m)	843-0715-15
25 ft (7.6 m)	843-0715-25
35 ft (10.7 m)	843-0715-35
50 ft (15.2 m)	843-0715-50

ALUMINUM WELDING ONLY (COMPATIBLE GUNS)

LENGTH	CONDUIT ASSEMBLY
15 ft (4.6 m)	615-0620-15
25 ft (7.6 m)	615-0620-25
35 ft (10.7 m)	615-0620-35
50 ft (15.2 m)	615-0620-50

HARD WIRE WELDING* ONLY

LENGTH	FLAT SPIRAL STEEL CONDUIT ASSEMBLY
15 ft (4.6 m)	615-0621-15
25 ft (7.6 m)	615-0621-25
35 ft (10.7 m)	615-0621-35
50 ft (15.2 m)	615-0621-50

*Air Cooled models only

*Steel, stainless steel and flux core steel wires
See accessories and consumables for liners and contact tips (pgs 26-27).



Cobra® MX

Push-Pull Gooseneck Gun

Familiar with Cobra Gold? Cobra MX is a direct replacement with a gas valve in the gun and with all of MK Products' latest features and manufacturing techniques. This gun features our famous push-pull gooseneck design and weighs only 2 lb 5 oz. The Patented Cobra MX is ready to fit all your aluminum and hard wire welding needs.



- Optional Ultra Flex power cable offers more durability and less strain when welding.
- Plug-in direct compatibility with MK, Lincoln, Miller, Fronius, ESAB and Euro systems.
- Cobra fix mount barrel with high temp barrel insulator.
- Protected fingertip speed control in the handle.
- Uses the original Cobra rear trigger location.
- Covered wire feed mechanism.
- Covered lever wire release in the handle.
- Wire feed speed 800 IPM.
- Wire type and diameter:
 - .030" - .045" solid and hard wire (0.6 mm - 1.1 mm)
 - .030" - 1/16" aluminum and cored wire (0.8 mm - 1.6 mm)

See pgs 22-28 for barrels, contact tips and gas cups.

Cobramatic® Compatibility

CLASSIC CUP, 1/4" TIP


AIR COOLED	
LENGTH	MODEL NUMBER
15 ft (4.6 m)	266-815
25 ft (7.6 m)	266-825
35 ft (10.7 m)	266-835
50 ft (15.2 m)	266-850
WATER COOLED	
15 ft (4.6 m)	262-815
25 ft (7.6 m)	262-825
35 ft (10.7 m)	262-835
50 ft (15.2 m)	262-850

MAX CUP, 3/8" TIP

AIR COOLED	
LENGTH	MODEL NUMBER
15 ft (4.6 m)	267-815
25 ft (7.6 m)	267-825
35 ft (10.7 m)	267-835
50 ft (15.2 m)	267-850
WATER COOLED	
15 ft (4.6 m)	263-815
25 ft (7.6 m)	263-825
35 ft (10.7 m)	263-835
50 ft (15.2 m)	263-850

Rated Output determined by the gun having an Air Cooled (A/C) or Water Cooled (W/C) barrel.

Duty Cycle 60%



For best performance, use only Cobra® Coolant. Failure to use Cobra Coolant will void warranty.

1 Gallon (3.78L)

P/N 931-0060

1 Case (4 Gallons, 1 Gal ea.)

P/N 931-0060-4

5 Gallon (18.92L)

P/N 931-0060-5GAL

GUN LEAD ASSEMBLY COMPONENTS

LENGTH	GAS HOSE	CONTROL CABLE	POWER CABLE (A/C)	POWER CABLE (W/C)	WATER HOSE
15 ft (4.6 m)	552-0242-15	005-0690	843-0630-15	005-0387-15	552-0243-15
25 ft (7.6 m)	552-0242-25	005-0691	843-0630-25	005-0387-25	552-0243-25
35 ft (10.7 m)	552-0242-35	005-0740	843-0630-35	005-0387-35	552-0243-35
50 ft (15.2 m)	552-0242-50	005-0692	843-0630-50	005-0387-50	552-0243-50

STANDARD ON ALL COBRA MX MODELS

LENGTH	SNAKE SKIN
15 ft (4.6 m)	931-0110
25 ft (7.6 m)	931-0122
35 ft (10.7 m)	931-0132
50 ft (15.2 m)	931-0123

OPTIONAL LEAD ASSEMBLY COMPONENTS

LENGTH	ULTRA FLEX POWER CABLE*
15 ft (4.6 m)	843-0580-15
25 ft (7.6 m)	843-0580-25
35 ft (10.7 m)	843-0580-35
50 ft (15.2 m)	843-0580-50

ALUMINUM WELDING ONLY (MK CONNECTION)

LENGTH	CONDUIT ASSEMBLY
15 ft (4.6 m)	615-0601-15
25 ft (7.6 m)	615-0601-25
35 ft (10.7 m)	615-0601-35
50 ft (15.2 m)	615-0601-50

HARD WIRE WELDING* ONLY

LENGTH	FLAT SPIRAL STEEL CONDUIT ASSEMBLY
15 ft (4.6 m)	615-0208
25 ft (7.6 m)	615-0216
35 ft (10.7 m)	615-0219
50 ft (15.2 m)	615-0218

*Air Cooled models only

*Steel, stainless steel and flux core steel wires

See accessories and consumables for liners and contact tips (pgs 26-27).

Cobra® MX Compatibility

All Cobramatic® and Cobramatic compatible guns are available in lengths of 15 ft, 25 ft, 35 ft, and 50 ft.

Lincoln Compatible guns used with Lincoln Power Feed 25M (model K2536-4) require a kit for adaptability. Call factory for details.



LINCOLN, 7 PIN COMPATIBILITY

CLASSIC CUP, 1/4" TIP

AIR COOLED	
LENGTH	MODEL NUMBER
15 ft (4.6 m)	276-815
25 ft (7.6 m)	276-825
35 ft (10.7 m)	276-835
50 ft (15.2 m)	276-850
WATER COOLED	
15 ft (4.6 m)	278-815
25 ft (7.6 m)	278-825
35 ft (10.7 m)	278-835
50 ft (15.2 m)	278-850

MILLER, 14 PIN COMPATIBILITY

CLASSIC CUP, 1/4" TIP

AIR COOLED	
LENGTH	MODEL NUMBER
15 ft (4.6 m)	280-815
25 ft (7.6 m)	280-825
35 ft (10.7 m)	280-835
50 ft (15.2 m)	280-850
WATER COOLED	
15 ft (4.6 m)	282-815
25 ft (7.6 m)	282-825
35 ft (10.7 m)	282-835
50 ft (15.2 m)	282-850

FRONIUS, 9 PIN COMPATIBILITY

CLASSIC CUP, 1/4" TIP

AIR COOLED	
LENGTH	MODEL NUMBER
15 ft (4.6 m)	284-815
25 ft (7.6 m)	284-825
35 ft (10.7 m)	284-835
50 ft (15.2 m)	284-850
WATER COOLED	
15 ft (4.6 m)	286-815
25 ft (7.6 m)	286-825
35 ft (10.7 m)	286-835
50 ft (15.2 m)	286-850

EURO, 7 PIN COMPATIBILITY

CLASSIC CUP, 1/4" TIP

AIR COOLED	
LENGTH	MODEL NUMBER
15 ft (4.6 m)	298-815
25 ft (7.6 m)	298-825
35 ft (10.7 m)	298-835
50 ft (15.2 m)	298-850
WATER COOLED	
15 ft (4.6 m)	299-815
25 ft (7.6 m)	299-825
35 ft (10.7 m)	299-835
50 ft (15.2 m)	299-850

MAX CUP, 3/8" TIP

AIR COOLED	
LENGTH	MODEL NUMBER
15 ft (4.6 m)	277-815
25 ft (7.6 m)	277-825
35 ft (10.7 m)	277-835
50 ft (15.2 m)	277-850
WATER COOLED	
15 ft (4.6 m)	279-815
25 ft (7.6 m)	279-825
35 ft (10.7 m)	279-835
50 ft (15.2 m)	279-850

MAX CUP, 3/8" TIP

AIR COOLED	
LENGTH	MODEL NUMBER
15 ft (4.6 m)	281-815
25 ft (7.6 m)	281-825
35 ft (10.7 m)	281-835
50 ft (15.2 m)	281-850
WATER COOLED	
15 ft (4.6 m)	283-815
25 ft (7.6 m)	283-825
35 ft (10.7 m)	283-835
50 ft (15.2 m)	283-850

MAX CUP, 3/8" TIP

AIR COOLED	
LENGTH	MODEL NUMBER
15 ft (4.6 m)	285-815
25 ft (7.6 m)	285-825
35 ft (10.7 m)	285-835
50 ft (15.2 m)	285-850
WATER COOLED	
15 ft (4.6 m)	287-815
25 ft (7.6 m)	287-825
35 ft (10.7 m)	287-835
50 ft (15.2 m)	287-850

MAX CUP, 3/8" TIP

AIR COOLED	
LENGTH	MODEL NUMBER
15 ft (4.6 m)	300-815
25 ft (7.6 m)	300-825
35 ft (10.7 m)	300-835
50 ft (15.2 m)	300-850
WATER COOLED	
15 ft (4.6 m)	301-815
25 ft (7.6 m)	301-825
35 ft (10.7 m)	301-835
50 ft (15.2 m)	301-850

SEE PYTHON LX COMPATIBILITY SECTION FOR COMPLETE GUN LEAD ASSEMBLY COMPONENTS

OPTIONAL LEAD ASSEMBLY COMPONENTS

LENGTH	ULTRA FLEX POWER CABLE*
15 ft (4.6 m)	843-0715-15
25 ft (7.6 m)	843-0715-25
35 ft (10.7 m)	843-0715-35
50 ft (15.2 m)	843-0715-50

ALUMINUM WELDING ONLY (COMPATIBLE GUNS)

LENGTH	CONDUIT ASSEMBLY
15 ft (4.6 m)	615-0620-15
25 ft (7.6 m)	615-0620-25
35 ft (10.7 m)	615-0620-35
50 ft (15.2 m)	615-0620-50

HARD WIRE WELDING* ONLY

LENGTH	FLAT SPIRAL STEEL CONDUIT ASSEMBLY
15 ft (4.6 m)	615-0621-15
25 ft (7.6 m)	615-0621-25
35 ft (10.7 m)	615-0621-35
50 ft (15.2 m)	615-0621-50

*Air Cooled models only

*Steel, stainless steel and flux core steel wires

See accessories and consumables for liners and contact tips (pgs 26-27).



Cobra® SX

Push-Pull Gooseneck Gun




With a striking resemblance to the original Cobra gooseneck gun, the Cobra SX is easy to use, easy to maintain, and utilizes the original Cobra consumables. The ergonomic left/right handed speed control is perfect for every welder.

- Optional Ultra Flex power cable offers more durability and less strain when welding.
- Plug-in direct compatibility with MK, Lincoln, Miller, or Fronius.
- Cobra fix mount barrel with high temp barrel insulator.
- MK Products' lightest, smallest push-pull gooseneck: **less than 2 lbs!**
- Feeds stainless and other hard wire materials.
- Air Cooled to reduce unnecessary cable weight and components.
- Handles more heat without the need for water cooling: no need for coolant recirculators.
- Original Cobra rear trigger location.
- Thumb pressure wire release in the handle.
- Perfect for all aluminum welding.
- Wire feed speed 800 IPM.
- Wire type and diameter:
 - .023" - .035" solid and hard wire (0.6 mm - 0.9 mm)
 - .030" - .035" all wires (0.8 mm - 0.9 mm), with 3/64" Aluminum 4000 series and softer alloys capability

See pgs 22-28 for barrels, contact tips and gas cups.

Duty Cycle 60%



Rated Output determined by the gun having an Air Cooled (A/C) barrel.

Cobramatic® Compatibility

AIR COOLED	
LENGTH	MODEL NUMBER
15 ft (4.6 m)	325-815
25 ft (7.6 m)	325-825
35 ft (10.7 m)	325-835
50 ft (15.2 m)	325-850

GUN LEAD ASSEMBLY COMPONENTS			
LENGTH	GAS HOSE	CONTROL CABLE	POWER CABLE
15 ft (4.6 m)	552-0242-15	005-0690	843-0630-15
25 ft (7.6 m)	552-0242-25	005-0691	843-0630-25
35 ft (10.7 m)	552-0242-35	005-0740	843-0630-35
50 ft (15.2 m)	552-0242-50	005-0692	843-0630-50

STANDARD ON ALL COBRA SX MODELS	
LENGTH	SNAKE SKIN
15 ft (4.6 m)	931-0110
25 ft (7.6 m)	931-0122
35 ft (10.7 m)	931-0132
50 ft (15.2 m)	931-0123

OPTIONAL LEAD ASSEMBLY COMPONENTS	
LENGTH	ULTRA FLEX POWER CABLE*
15 ft (4.6 m)	843-0580-15
25 ft (7.6 m)	843-0580-25
35 ft (10.7 m)	843-0580-35
50 ft (15.2 m)	843-0580-50

ALUMINUM WELDING ONLY (MK CONNECTION)	
LENGTH	CONDUIT ASSEMBLY
15 ft (4.6 m)	615-0601-15
25 ft (7.6 m)	615-0601-25
35 ft (10.7 m)	615-0601-35
50 ft (15.2 m)	615-0601-50

HARD WIRE WELDING* ONLY	
LENGTH	FLAT SPIRAL STEEL CONDUIT ASSEMBLY
15 ft (4.6 m)	615-0208
25 ft (7.6 m)	615-0216
35 ft (10.7 m)	615-0219
50 ft (15.2 m)	615-0218

*Air Cooled models only

*Steel, stainless steel and flux core steel wires
See accessories and consumables for liners and contact tips (pgs 26-27).

Cobra® SX Compatibility

All Cobramatic® and Cobramatic compatible guns are available in lengths of 15 ft, 25 ft, 35 ft, and 50 ft.

Lincoln Compatible guns used with Lincoln Power Feed 25M (model K2536-4) require a kit for adaptability. Call factory for details.



LINCOLN, 7 PIN COMPATIBILITY

LENGTH	MODEL NUMBER
15 ft (4.6 m)	327-815
25 ft (7.6 m)	327-825
35 ft (10.7 m)	327-835
50 ft (15.2 m)	327-850

MILLER, 14 PIN COMPATIBILITY

LENGTH	MODEL NUMBER
15 ft (4.6 m)	326-815
25 ft (7.6 m)	326-825
35 ft (10.7 m)	326-835
50 ft (15.2 m)	326-850

FRONIUS, 9 PIN COMPATIBILITY

LENGTH	MODEL NUMBER
15 ft (4.6 m)	328-815
25 ft (7.6 m)	328-825
35 ft (10.7 m)	328-835
50 ft (15.2 m)	328-850

GUN LEAD ASSEMBLY COMPONENTS - COBRA SX COMPATIBILITY MODELS

COBRA SX COMPATIBLE MODELS

LENGTH	GAS HOSE	POWER CABLE
15 ft (4.6 m)	552-0241-15	843-0640-15
25 ft (7.6 m)	552-0241-25	843-0640-25
35 ft (10.7 m)	552-0241-35	843-0640-35
50 ft (15.2 m)	552-0241-50	843-0640-50

COBRA SX COMPATIBLE MODELS - CONTROL CABLES

LENGTH	(LINCOLN, 7 PIN)	(MILLER, 14 PIN)	(FRONIUS, 9 PIN)
15 ft (4.6 m)	005-0690	005-0380-15	005-0381-15
25 ft (7.6 m)	005-0691	005-0380-25	005-0381-25
35 ft (10.7 m)	005-0740	005-0380-35	005-0381-35
50 ft (15.2 m)	005-0692	005-0380-50	005-0381-50

ALUMINUM WELDING ONLY (COMPATIBLE GUNS)

LENGTH	CONDUIT ASSEMBLY
15 ft (4.6 m)	615-0620-15
25 ft (7.6 m)	615-0620-25
35 ft (10.7 m)	615-0620-35
50 ft (15.2 m)	615-0620-50

HARD WIRE WELDING* ONLY

LENGTH	FLAT SPIRAL STEEL CONDUIT ASSEMBLY
15 ft (4.6 m)	615-0621-15
25 ft (7.6 m)	615-0621-25
35 ft (10.7 m)	615-0621-35
50 ft (15.2 m)	615-0621-50

*Steel, stainless steel and flux core steel wires
See accessories and consumables for liners and contact tips (pgs 26-27).

OPTIONAL LEAD ASSEMBLY COMPONENTS

LENGTH	ULTRA FLEX POWER CABLE*
15 ft (4.6 m)	843-0715-15
25 ft (7.6 m)	843-0715-25
35 ft (10.7 m)	843-0715-35
50 ft (15.2 m)	843-0715-50

*Air Cooled models only



Prince® XL

Push-Pull Pistol Grip Gun



The Prince XL brings together every aspect of precision and dependability. High heat and heavy duty applications will benefit from the Water Cooled and lightweight pistol grip design.


- Optional Ultra Flex power cable offers more durability and less strain when welding.
- Air Cooled models can use the Flex Barrel for hard to reach welds.
- Plug-in direct compatibility with MK, Lincoln, Miller, Fronius, ESAB and Euro systems.
- Ingenious 3¾ turn pot easily adjustable and hidden in the base of the handle for added protection.
- EZ-Lock® barrel can easily rotate 360° to provide the perfect angle for all jobs when using curved barrels.
- Patented Water Cooling right to the end of the gas cup.
- Available with straight or curved barrels in 6", 12" and 18".
- Wire feed speed 800 IPM.
- Wire type and diameter:
 - .030" - .045" solid and hard wire (0.8 mm - 1.1 mm)
 - .030" - 1/16" aluminum and cored wire (0.8 mm - 1.6 mm)

See pgs 22-28 for barrels, contact tips and gas cups.

The Prince XL can be used with MK's new Flex Barrel, which is designed for hard to reach welds. Air Cooled models only. (See page 18)



Duty Cycle 60%



Rated Output determined by the gun having an Air Cooled (A/C) or Water Cooled (W/C) barrel.

Cobramatic® Compatibility

AIR COOLED	
LENGTH	MODEL NUMBER
15 ft (4.6 m)	317-715
25 ft (7.6 m)	317-725
35 ft (10.7 m)	317-735
50 ft (15.2 m)	317-750

WATER COOLED	
LENGTH	MODEL NUMBER
15 ft (4.6 m)	318-715
25 ft (7.6 m)	318-725
35 ft (10.7 m)	318-735
50 ft (15.2 m)	318-750



For best performance, use only Cobra® Coolant. Failure to use Cobra Coolant will void warranty.

- 1 Gallon (3.78L)
P/N 931-0060
- 1 Case (4 Gallons, 1 Gal ea.)
P/N 931-0060-4
- 5 Gallon (18.92L)
P/N 931-0060-5GAL

GUN LEAD ASSEMBLY COMPONENTS - STANDARD ON ALL PRINCE XL MODELS

LENGTH	GAS HOSE	CONTROL CABLE	POWER CABLE (A/C)	POWER CABLE (W/C)	WATER HOSE	SNAKE SKIN
15 ft (4.6 m)	552-0242-15	005-0268	843-0487	005-0387-15	552-0243-15	931-0110
25 ft (7.6 m)	552-0242-25	005-0269	843-0484	005-0387-25	552-0243-25	931-0122
35 ft (10.7 m)	552-0242-35	005-0307	843-0488	005-0387-35	552-0243-35	931-0132
50 ft (15.2 m)	552-0242-50	005-0272	843-0485	005-0387-50	552-0243-50	931-0123

OPTIONAL LEAD ASSEMBLY COMPONENTS

LENGTH	ULTRA FLEX POWER CABLE*
15 ft (4.6 m)	843-0707-15
25 ft (7.6 m)	843-0707-25
35 ft (10.7 m)	843-0707-35
50 ft (15.2 m)	843-0707-50

ALUMINUM WELDING ONLY (MK CONNECTION)

LENGTH	CONDUIT ASSEMBLY
15 ft (4.6 m)	615-0601-15
25 ft (7.6 m)	615-0601-25
35 ft (10.7 m)	615-0601-35
50 ft (15.2 m)	615-0601-50

HARD WIRE WELDING* ONLY

LENGTH	FLAT SPIRAL STEEL CONDUIT ASSEMBLY
15 ft (4.6 m)	615-0208
25 ft (7.6 m)	615-0216
35 ft (10.7 m)	615-0219
50 ft (15.2 m)	615-0218

*Air Cooled models only

*Steel, stainless steel and flux core steel wires

See accessories and consumables for liners and contact tips (pgs 26-27).

Prince® XL Compatibility

All Cobramatic® and Cobramatic compatible guns are available in lengths of 15 ft, 25 ft, 35 ft, and 50 ft.

Lincoln Compatible guns used with Lincoln Power Feed 25M (model K2536-4) require a kit for adaptability. Call factory for details.



LINCOLN, 7 PIN COMPATIBILITY

AIR COOLED	
LENGTH	MODEL NUMBER
15 ft (4.6 m)	310-715
25 ft (7.6 m)	310-725
35 ft (10.7 m)	310-735
50 ft (15.2 m)	310-750
WATER COOLED	
15 ft (4.6 m)	311-715
25 ft (7.6 m)	311-725
35 ft (10.7 m)	311-735
50 ft (15.2 m)	311-750

MILLER, 14 PIN COMPATIBILITY

AIR COOLED	
LENGTH	MODEL NUMBER
15 ft (4.6 m)	332-715
25 ft (7.6 m)	332-725
35 ft (10.7 m)	332-735
50 ft (15.2 m)	332-750
WATER COOLED	
15 ft (4.6 m)	333-715
25 ft (7.6 m)	333-725
35 ft (10.7 m)	333-735
50 ft (15.2 m)	333-750

FRONIUS, 9 PIN COMPATIBILITY

AIR COOLED	
LENGTH	MODEL NUMBER
15 ft (4.6 m)	330-715
25 ft (7.6 m)	330-725
35 ft (10.7 m)	330-735
50 ft (15.2 m)	330-750
WATER COOLED	
15 ft (4.6 m)	331-715
25 ft (7.6 m)	331-725
35 ft (10.7 m)	331-735
50 ft (15.2 m)	331-750

EURO, 7 PIN COMPATIBILITY

AIR COOLED	
LENGTH	MODEL NUMBER
15 ft (4.6 m)	334-715
25 ft (7.6 m)	334-725
35 ft (10.7 m)	334-735
50 ft (15.2 m)	334-750
WATER COOLED	
15 ft (4.6 m)	335-715
25 ft (7.6 m)	335-725
35 ft (10.7 m)	335-735
50 ft (15.2 m)	335-750

MK Products compatible guns have interchangeable fittings, so you can match as needed for your cooler. Both fittings require a hose retainer. Call factory for pricing.



431-1898
5/16" Hose Retainer



431-1910
Quick Connect Fitting



431-1893* Nipple
753-3379* Left-Hand Threaded Fitting
**Must be ordered together*

GUN LEAD ASSEMBLY COMPONENTS - PRINCE XL COMPATIBILITY MODELS

PRINCE XL COMPATIBLE MODELS

LENGTH	GAS HOSE	POWER CABLE	
		(A/C)	(W/C)
15 ft (4.6 m)	552-0241-15	843-0619	005-0388-15
25 ft (7.6 m)	552-0241-25	843-0620	005-0388-25
35 ft (10.7 m)	552-0241-35	843-0622	005-0388-35
50 ft (15.2 m)	552-0241-50	843-0621	005-0388-50

PRINCE XL COMPATIBLE MODELS - CONTROL CABLES

LENGTH	(LINCOLN, 7 PIN)	(EURO, 7 PIN)	(MILLER, 14 PIN)	(FRONIUS, 9 PIN)
15 ft (4.6 m)		005-0268	005-0405-15	005-0406-15
25 ft (7.6 m)		005-0269	005-0405-25	005-0406-25
35 ft (10.7 m)		005-0307	005-0405-35	005-0406-35
50 ft (15.2 m)		005-0272	005-0405-50	005-0406-50

PRINCE XL COMPATIBILITY WATER HOSE - BLUE

LENGTH	(LINCOLN, 7 PIN)	(EURO, 7 PIN)	(MILLER, 14 PIN)	(FRONIUS, 9 PIN)
15 ft (4.6 m)		552-0239-15		552-0238-15
25 ft (7.6 m)		552-0239-25		552-0238-25
35 ft (10.7 m)		552-0239-35		552-0238-35
50 ft (15.2 m)		552-0239-50		552-0238-50

PRINCE XL COMPATIBILITY WATER HOSE - RED

(LINCOLN, 7 PIN)	(EURO, 7 PIN)	(MILLER, 14 PIN)	(FRONIUS, 9 PIN)
	552-0209*		552-0211*

*Used for all lead assembly lengths

OPTIONAL LEAD ASSEMBLY COMPONENTS

LENGTH	ULTRA FLEX POWER CABLE*
15 ft (4.6 m)	843-0687-15
25 ft (7.6 m)	843-0687-25
35 ft (10.7 m)	843-0687-35
50 ft (15.2 m)	843-0681-50

ALUMINUM WELDING ONLY (COMPATIBLE GUNS)

LENGTH	CONDUIT ASSEMBLY
15 ft (4.6 m)	615-0620-15
25 ft (7.6 m)	615-0620-25
35 ft (10.7 m)	615-0620-35
50 ft (15.2 m)	615-0620-50

HARD WIRE WELDING* ONLY

LENGTH	FLAT SPIRAL STEEL CONDUIT ASSEMBLY
15 ft (4.6 m)	615-0621-15
25 ft (7.6 m)	615-0621-25
35 ft (10.7 m)	615-0621-35
50 ft (15.2 m)	615-0621-50

*Air Cooled models only

*Steel, stainless steel and flux core steel wires
See accessories and consumables for liners and contact tips (pgs 26-27).



Barrels

For Python®, Python LX, and Prince® XL guns (Barrel images not to scale)

6 Inch

Straight



003-2330 (Air Only)
003-2151 (Air/Water)



003-2380
300A, WC



003-2315
400A, WC

45 Degree, Curved



003-2331 (Air Only)
003-2152 (Air/Water)



003-2381
300A, WC



003-2316
400A, WC



003-2467
400A, WC
(4" Radius:
For hard wires)

60 Degree, Curved (Python Only)



003-2272 (Air Only)
003-2147 (Air/Water)



003-2382
300A, WC



003-2317
400A, WC

12 Inch

Straight



003-2332 (Air Only)
003-2156 (Air/Water)



003-2318
400A, WC

45 Degree, Curved



003-2333 (Air Only)
003-2158 (Air/Water)



003-2319
400A, WC

18 Inch

Straight



003-2334 (Air Only)
003-2157 (Air/Water)



003-2320
400A, WC

45 Degree, Curved



003-2335 (Air Only)
003-2159 (Air/Water)



003-2321
400A, WC



MK PRODUCTS FLEX BARREL

Designed for hard to reach welds



Python® LX



Prince® XL

Part Numbers

003-2495-12 Flex Barrel Assembly, 12"

003-2495-18 Flex Barrel Assembly, 18"

003-2495-24 Flex Barrel Assembly, 24"

003-2495-36 Flex Barrel Assembly, 36"

See pgs 22-28 for barrels, contact tips and gas cups.

- Designed to fit Prince XL, Prince XL Spool Gun, Python, and Python LX gun models
- Comes standard with 3/8" OD x .060" ID x 1.0" long tip and #8 x 1.45" long gas cup for easier reach in tough to weld spaces
- Can also be used for hard wire welding
- Can also be used with MAX™ cups and tips, and spring loaded tips
- Available in three lengths: 12", 24", and 36"
- Air Cooled only
- 200A @ 60% duty cycle



Prince XL Spool Gun



Python



Bends from 180 degrees to beyond 90!



Gas Cups



Flex Barrel Cup

CUP NUMBER	ID	PART NUMBER	COMPATIBLE GUNS WITH FLEX BARREL
8	1/2" (12.7 mm)	621-0465	Python® Python LX
10	5/8" (15.9 mm)	621-0466	Prince® XL Prince XL Spool Gun



Classic Cup

CUP NUMBER	ID	PART NUMBER	COMPATIBLE GUNS
6	3/8" (9.5 mm)	001-0137-4*	Cobra® MX (262, 266) Cobra SX Prince SG
8	1/2" (12.7 mm)	001-0138-4* 001-0138-200**	
10	5/8" (15.8 mm)	001-0139-4*	
		001-0139-200**	

* Sold in quantities of 4 ** Sold in quantities of 200



Quick Cup

CUP NUMBER	ID	PART NUMBER	COMPATIBLE GUNS
6	3/8" (9.5 mm)	621-0440	Sidewinder®
7	7/16" (11.1 mm)	621-0441	
8	1/2" (12.7 mm)	621-0442	
10	5/8" (15.9 mm)	621-0443	



MAX Cup

CUP NUMBER	ID	PART NUMBER	COMPATIBLE GUNS
6	3/8" (9.5 mm)	621-0420	Cobra MX (263, 267) CobraMAX™
8	1/2" (12.7 mm)	621-0421	
10	5/8" (15.9 mm)	621-0422	



Finned, Heavy Duty

CUP NUMBER	ID	PART NUMBER	COMPATIBLE BARRELS
6	3/8" (9.5 mm)	621-0248	Python and Python LX Air Cooled Python and Python LX Air/Water Cooled
8	1/2" (12.7 mm)	621-0249	
10	5/8" (15.9 mm)	621-0250	Prince XL Air Cooled Prince XL Air/Water Cooled
10 HD	5/8" (15.9 mm)	621-0251	
12 HD	3/4" (19.05 mm)	621-0252	



Air Cooled Cup
300A

GAS CUPS FOR FULL WATER COOLED BARRELS			
CUP NUMBER	ID	PART NUMBER	AIR COOLED/WATER COOLED
6	3/8" (9.5 mm)	621-0170	Air Cooled*
8	1/2" (12.7 mm)	621-0159	Air Cooled*
10	5/8" (15.9 mm)	621-0160	Air Cooled*
10	5/8" (15.9 mm)	621-0065	Water Cooled, 400 Amp

* Must use Water Cooled cup adapter and chrome nut, P/N 621-0101 & 449-0193.



Chrome Nut
(449-0193)



Water Cooled Cup Adapter
(621-0101)



Water Cooled Cup, 400A
(621-0065)



Tip Extender, Classic Cup, 1/4" Tip
(Stackable)
621-0017



Tip Extender, MAX Cup, 3/8" Tip
(Stackable)
621-0423



Prince®/Python® Tip Extender
(Air/Water Barrels - Non-Stackable)
621-0424



Enhance Your Aluminum Capabilities

Contact Tips



3/8" DIAMETER FLEX BARREL TIPS - RECOMMENDED FOR FLEX BARREL, USED WITH FLEX BARREL CUPS 621-0465 AND 621-0466

WIRE SIZE	TIP ID	ARC	TIP LENGTH	QTY*	PART NUMBER
.030" (0.8 mm)	.041" (1 mm)	Spray	1.0" (25.4 mm)	25	621-0480-25
.035" (0.9 mm)	.044" (1.1 mm)	Spray	1.0" (25.4 mm)	25	621-0481-25
.040" (1 mm)	.053" (1.35 mm)	Spray	1.0" (25.4 mm)	25	621-0482-25
3/64" (1.2 mm)	.060" (1.5 mm)	Spray	1.0" (25.4 mm)	25	621-0483-25

* Sold in quantities of 25

3/8" DIAMETER SPRING LOADED CONTACT TIPS - PYTHON® LX, PYTHON, PRINCE® XL, COBRA® MX (MAX CUP), COBRAMAX™

MK's line of spring loaded contact tips offers superior smooth arc control, and greatly reduces tip burn back issues while striking an arc or running longer continuous welds.



WIRE SIZE	TIP ID	ARC	TIP LENGTH	QTY	PART NUMBER
.030" (0.8 mm)	.041" (1 mm)	Spray	1.57" (39.9 mm)	EA	621-0331
.035" (0.9 mm)	.044" (1.1 mm)	Spray	1.57" (39.9 mm)	EA	621-0332
	.053" (1.3 mm)	Spray		EA	621-0333
3/64" (1.2 mm)	.060" (1.5 mm)	Spray	1.57" (39.9 mm)	EA	621-0334
1/16" (1.6 mm)	.074" (1.9 mm)	Spray	1.57" (39.9 mm)	EA	621-0335

1/4" DIAMETER - SIDEWINDER®, PRINCE SG, COBRA SX, COBRA MX (CLASSIC CUP)



WIRE SIZE	TIP ID	ARC	TIP LENGTH	QTY*	PART NUMBER
.023" (0.6 mm)	.031" (0.8 mm)	Spray	1.50" (38.1 mm)	25	621-0057-25
.030" (0.8 mm)	.036" (0.9 mm)	Spray	1.50" (38.1 mm)	25	621-0325-25
.030"/.035" (0.8/0.9 mm)	.041" (1.0 mm)	Spray	1.50" (38.1 mm)	25	621-0076-25
.035" (0.9 mm)	.044" (1.1 mm)	Spray	1.50" (38.1 mm)	25	621-0001-25
3/64" (1.2 mm)	.053" (1.37 mm)	Spray	1.50" (38.1 mm)	25	621-0327-25
3/64" (1.2 mm)	.060" (1.5 mm)	Spray	1.50" (38.1 mm)	25	621-0003-25
1/16" (1.6 mm)	.074" (1.9 mm)	Spray	1.50" (38.1 mm)	25	621-0075-25
1/16" (1.6 mm)	.085" (2.1 mm)	Spray	1.50" (38.1 mm)	25	621-0153-25

* Sold in quantities of 25

3/8" DIAMETER - PYTHON LX, PYTHON, PRINCE XL, COBRA MX (MAX CUP), COBRAMAX



WIRE SIZE	TIP ID	ARC	TIP LENGTH	QTY*	PART NUMBER
.030" (0.8 mm)	.041" (1.0 mm)	Spray	1.57" (39.9 mm)	25	621-0390-25
.035" (0.9 mm)	.044" (1.1 mm)	Spray	1.57" (39.9 mm)	25	621-0391-25
3/64" (1.2 mm)	.053" (1.37 mm)	Spray	1.57" (39.9 mm)	25	621-0392-25
3/64" (1.2 mm)	.060" (1.5 mm)	Spray	1.57" (39.9 mm)	25	621-0393-25
1/16" (1.6 mm)	.074" (1.9 mm)	Spray	1.57" (39.9 mm)	25	621-0394-25
1/16" (1.6 mm)	.085" (2.16 mm)	Spray	1.57" (39.9 mm)	25	621-0395-25

* Sold in quantities of 25



Also available:
Tip Wrench (part number 931-0044)



Additional Enhancements For Aluminum Capabilities

Drive Roll Kits

Insulated Grooved Drive Roll Kits - Optional

The Insulated Grooved Drive Kits are designed to fit all models of MK welding guns. Insulated Grooved Drive Rolls are used to prevent preheating of the wire which may soften and clog the liner. The picking up of current at the drive rolls (rather than at the contact tip) is usually not a problem unless using too large of a contact tip or welding with excessively oxidized aluminum wire.

WIRE SIZE	KIT P/N
.030 (0.8 mm)	005-0715
.035 (0.9 mm)	005-0716
.040 (1.0 mm)	005-0717
3/64" (1.2 mm)	005-0718
1/16" (1.6 mm)	005-0719



Idler Roll



Grooved Drive Roll

(see table for corresponding kit number)

Knurled Drive Roll Kits - Standard

Our knurled drive rolls are designed to allow the wire to have more surface area contact. This extra contact means more grip and traction. Standard factory installed.

Idler Wire Feed Assembly Kit
(Includes washer and screw)

005-0686



Knurled Drive Roll

511-0101



Insulated Knurl Drive Roll Kits - Optional

Our insulated knurled drive rolls kits are designed to fit all models of MK welding guns. The picking up of current at the drive rolls (rather than at the contact tip) is usually not a problem unless using too large of a contact tip or welding with excessively oxidized aluminum wire.

Idler Wire Feed Assembly Kit
(Includes washer and screw)

005-0363



Insulated Knurl Drive Roll

511-0180



Also available: Drive Roll Removal Tool (part number 931-0100)

Contact Tips for Hard Wire Welding*

*Steel, stainless steel and flux core steel wires

1/4" DIAMETER - SIDEWINDER®, PRINCE® SG, COBRA® SX, COBRA® MX (CLASSIC CUP)



WIRE SIZE	TIP ID	ARC	TIP LENGTH	QTY	PART NUMBER
.023" (0.6 mm)	.031" (0.8 mm)	Short	1.75" (44.5 mm)	25	621-0328-25
.030" (0.8 mm)	.037" (0.9 mm)	Short	1.75" (44.5 mm)	25	621-0326-25
.035" (0.9 mm)	.040" (1.0 mm)	Short	1.75" (44.5 mm)	25	621-0077-25
.035" (0.9 mm)	.045" (1.1 mm)	Short	1.75" (44.5 mm)	25	621-0002-25

3/8" DIAMETER - COBRAMAX™, PYTHON®, PYTHON LX, PRINCE XL, COBRA MX (MAX CUP)



WIRE SIZE	TIP ID	ARC	TIP LENGTH	QTY	PART NUMBER
.030" (0.8 mm)	.040" (1.0 mm)	Short	1.82" (46.2 mm)	25	621-0396-25
.035" (0.9 mm)	.045" (1.1 mm)	Short	1.82" (46.2 mm)	25	621-0397-25
.045" (1.2 mm)	.054" (1.37 mm)	Short	1.82" (46.2 mm)	25	621-0398-25



Barrel Liners

Aluminum Welding

MK's Teflon liner packages are truly One-Size-Fits-All. These packages will replace the need for individual liner lengths. Included on the back of each is a cutting length chart for true-length cuts regardless of Tip Extender, Cup/Tip Adapter or gun/barrel style.

Always measure the length of liner removed from gun/barrel prior to cutting to length.



Teflon Liner (Green)

Cobra® Gold

931-0135 Five-piece Teflon Liner Package



Teflon Liner (White)

Python®

Python LX

Cobra MX

Cobra SX

CobraMAX™

Prince® XL

Prince SG

931-0137 Five-piece Teflon Liner Package

Additional Teflon Liner

Sidewinder®: 931-0140 (Five-piece Teflon Liner Package)

Flex Barrels: 615-0178 (Sold by the foot)

Heavy Duty Teflon Liner

CobraMAX

Prince XL

Python

931-0145 Five-piece Heavy Duty Teflon Liner Package

Hard Wire Welding

Spiral steel liners are used for steel, stainless steel and flux core steel wires.

Spiral Steel Liner

For Air, Air/Water, and Water Cooled barrels

BARREL LENGTH	DESCRIPTION	SPIRAL STEEL LINER PART NUMBER
6" (152.4 mm)	Straight	615-0343
	45° Curved	
	60° Curved (Python only)	
12" (304.8 mm)	Straight	615-0258
	45° Curved	
18" (457.2 mm)	Straight	615-0259
	45° Curved	

Flex Barrels Spiral Steel Liner

BARREL LENGTH	COMPATIBLE GUNS	PART NUMBER
12" (304.8 mm)	Python®	615-0261-12
	Python LX	
	Prince® XL Prince XL Spool Gun	
18" (457.2 mm)	Python®	615-0261-18
	Python LX	
	Prince® XL Prince XL Spool Gun	
24" (609.6 mm)	Python®	615-0261-24
	Python LX	
	Prince® XL Prince XL Spool Gun	
36" (914.4 mm)	Python®	615-0261-36
	Python LX	
	Prince® XL Prince XL Spool Gun	

48° Curved Cup and Tips

For Air and Air/Water Barrels

Expand the aluminum welding capabilities of your Prince® XL, Python® & Python LX welding guns with the addition of a Curved Gas Cup and Contact Tips.

Made to fit all current production Straight, Air/Water and Air Cooled barrels for the Prince XL, Python & Python LX welding guns. The simple, curved design of these tips establishes a more positive electrical contact with the welding wire; enhancing arc strikes and arc characteristics. The narrow profile of the Curved Gas Cup (3/4" outside diameter) enables the operator to reach in and weld in very tight spaces, seams or gaps.

To adapt the curved front-end assembly to your straight barrel, choose from the part numbers shown below.

To adapt the curved front-end assembly to your straight barrel, choose from the part numbers shown below.

Choose Your 48° Curved Tip:



<u>Wire Size</u>	<u>Tip ID*</u>	<u>Tip P/N</u>
.035"	.044"	621-0451
.040" & 3/64"	.053"	621-0452
3/64"	.060"	621-0453
1/16"	.074"	621-0454

**Length of weld and heat may determine tip size*

Add these required parts:



Curved Gas Cup	P/N 621-0375
Chrome Nut	P/N 449-0193
Curved Tip Adapter	P/N 003-2230



Spool Guns



Prince XL	30
Prince® SG	31
Sidewinder®	32



Prince[®] XL Spool Gun

The most versatile pistol grip welding gun in the world, the Prince XL spool gun provides 1 or 2 lb wire spool flexibility and a pistol grip design weighing less than 3 lbs.

Connect the Prince XL spool gun to any CV or CC power supply using the WC-1 Control or one of our simple interfaces to most any manufacturer's power supply.



- Optional Ultra Flex power cable offers more durability and less strain when welding.
- Can use the Flex Barrel for hard to reach welds.
- EZ-Lock[®] 360° rotating barrels in 6", 12", and 18", straight or curved. Uses Python[®] gun consumables and 1 or 2 lb spools.
- Can be easily converted to a push pull gun for use with a 12" spool in the Cobramatic[®] cabinet.
- 3¼ turn potentiometer provides easy control over a wide range of welding conditions.
- Wire feed speed 900 IPM
- Wire type and diameter:
 - .030" to .045" solid and hard wire (.08 ~ 1.2 mm)
 - .030" to 1/16" aluminum wire (.08 ~ 1.6 mm)

Popular Accessory


- Spool Gun Control Cable Extension 25 ft Kit, (005-0660)

See pgs 22-28 for barrels, contact tips and gas cups.

AIR COOLED	
MODEL NUMBER	LENGTH
319-725	25 ft (7.6 m)
319-750	50 ft (15.2 m)

Rated Output determined by the gun having an Air Cooled (A/C) barrel.

Duty Cycle 60%



GUN LEAD ASSEMBLY COMPONENTS

LENGTH	GAS HOSE	CONTROL CABLE	POWER CABLE	ULTRA FLEX POWER CABLE	SNAKE SKIN
25 ft (4.6 m)	552-0244-25	005-0269	843-0484	843-0707-25	931-0122
50 ft (7.6 m)	552-0244-50	005-0272	843-0485	843-0707-50	931-0123

Spool Gun Adapter Selectors



005-0264
Generic, 24VAC
All Source



005-0676
Lincoln, 42VAC
14-Pin C/D Trigger




005-0261
Miller, 24VAC
14-Pin A/B Trigger



001-3066 MK200 Contactor Box




001-3062 WC-1 Spool Gun Control



005-0617
Panasonic Gunslinger 260



005-0206
ESAB MigMaster 250



005-0689
ThermalArc Fabricator



Prince[®] SG Spool Gun



Prince SG spool gun...when economy counts! Larger and more powerful than the Sidewinder[®] and utilizes a 1 lb wire spool for increased productivity, the Prince SG is the most economical spool gun available anywhere.

Lighter than the competition and ready for any job, the Prince SG is up to any challenge big or small, aluminum or steel. The Prince SG includes genuine Cobra[®] consumables and more than 35 years of MK's spool gun expertise packaged into a ready to go, simple solution for all your spool gun needs.

- Wire retainer prevents wire backlash.
- Wire speed control in handle.
- 3¼ turn potentiometer provides easy control over a wide range of welding conditions.
- Quick release cover removes in second for changing spool.
- Uses 1/4" consumables.
- Wire feed speed 900 IPM
- Wire type and diameter:
 - .023" to .045" solid and hard wire* (.06 ~ 1.2 mm)
 - .030" to 1/16" aluminum wire (.08 ~ 1.6 mm)


*Steel, stainless steel and flux core steel wires

See pgs 22-28 for gas cups, barrels and contact tips.

AIR COOLED	
MODEL NUMBER	LENGTH
416-725	25 ft (7.6 m)
416-750	50 ft (15.2 m)

Rated Output determined by the gun having an Air Cooled (A/C) barrel.

Duty Cycle 60%



GUN LEAD ASSEMBLY COMPONENTS

LENGTH	GAS HOSE	CONTROL CABLE	POWER CABLE
25 ft (4.6 m)	552-0244-25	005-0269	843-0650-25
50 ft (7.6 m)	552-0244-50	005-0272	843-0650-50

Spool Gun Adapter Selectors



005-0264
Generic, 24VAC
All Source



005-0676
Lincoln, 42VAC
14-Pin C/D Trigger




005-0261
Miller, 24VAC
14-Pin A/B Trigger



001-3066 MK200 Contactor Box




001-3062 WC-1 Spool Gun Control



005-0617
Panasonic Gunslinger 260



005-0206
ESAB MigMaster 250



005-0689
ThermalArc Fabricator



Sidewinder[®] MiniSpool™ Gun



Size actually does matter, especially when you're welding in a tight and confined location such as auto body repair. Select the Sidewinder for ultra compact size and profile for limited access or confined welding areas. If reach is an important feature for special applications such as channel letter welding in the aluminum sign industry, the Sidewinder has a 7" barrel length for extended reach into deep channels with steep sidewalls and where other mechanical interference exists around the desired weld zone.


- Intended for applications with limited access, weight requirements or the need for a small footprint.
- Extended reach 7" barrel for getting down into the deepest narrow channel letters.
- Combine with SP control modules to connect to small inverters or portable engine-driven power sources.
- Wire feed speed 600 IPM.
- Wire type and diameter:
030", .035" aluminum wire (0.8 ~ 0.9 mm)
(MiniSpool™ 1/4 lb welding wire is required for use with this gun)

See pgs 22-28 for barrels, contact tips and gas cups.



Duty Cycle 60%

Rated Output determined by the gun having an Air Cooled (A/C) barrel.



AIR COOLED			
MODEL NUMBER	BARREL P/N	LENGTH	
322-515	7"	003-2251	15 ft (4.6 m)
322-525	7"	003-2251	25 ft (7.6 m)

GUN LEAD ASSEMBLY COMPONENTS

LENGTH	GAS HOSE	CONTROL CABLE	POWER CABLE
15 ft (4.6 m)	552-0201	843-0555	843-0590
25 ft (7.6 m)	552-0202	843-0556	843-0591

MiniSpool™ Wire

The 1/4 lb MiniSpool™ is available in .030" and .035" wire size diameters in aluminum alloy. Each MiniSpool™ can hold over 300 ft of aluminum welding wire. MiniSpool™ is available by the case (54) for even greater savings. Contact factory for details.



WIRE SIZE	ALLOY	PART NUMBER
.030" (0.8 mm)	ER4043	909-030-4043
.035" (0.9 mm)	ER4043	909-035-4043
	ER5356	909-035-5356

Spool Gun Adapters

The Sidewinder[®] requires 12VDC to power the gun motor. Below are several adapters that provide DC power and connect to most power supplies available in the industry. Two of these require input power of 115VAC while the other two controls receive power from the power source.



DESCRIPTION	VAC	PART NUMBER	
SP-1	All Source	115	005-0355
SP-L1	14-C/D Trigger	42	005-0356
SP-M1	14-A/B Trigger	24	005-0357
SP-4A	4-1/2 Trigger	115	005-0358

Orbital Equipment



CobraTig®	34
CobraCooler®	35
Advanced Color Logic®	36
MiniMicro™	37
CopperHeads	38
DiamondBack	39

COBRATIG® 150 SM

Connects to all MK Products Weldheads

CobraTig® 150 SM
Portable GTAW Orbital Tube Welder
254-153



DiamondBack doesn't require CobraCooler

CobraCooler®
Portable Coolant Recirculator
250-153

Optional cooler that provides recirculation of water for weldheads that have provisions for water cooling



MiniMicro™
4000*



CopperHead®
5001



CopperHead
5002



CopperHead
5003



DiamondBack®
5006

*MiniMicro requires the CobraCooler

**For best performance, use only Cobra® Coolant.
Failure to use Cobra Coolant will void warranty.**

- 1 Gallon (3.78L)
P/N 931-0060
- 1 Case (4 Gallons, 1 Gal ea.)
P/N 931-0060-4
- 5 Gallon (18.92L)
P/N 931-0060-5GAL





CobraTig® 150 SM

Portable GTAW Orbital Tube Welder



The CobraTig 150 SM is a portable, lightweight orbital welding power source with a digital controller that is the perfect solution for construction or rugged environments. User friendly LCD screen and simple menus guide users through powerful weld programming using SmartArc® logic, real-time data monitoring, plus a built-in thermal printer for weld data. Packaged for rugged construction environments or manufacturing work-cells.

- Provides automatic control for repeatability, verification and traceability.
- SmartArc software develops a near ideal weld procedure with Automatic Program Generator.
- Capable of going down to 0.1 Amps with MicroTig™ technology.
- High Voltage Pulse automatic arc starting from 0.5 to 25 Amps.
- SmartArc control provides flexibility for orbital and manual welding.
- Shipped in a sealed rugged case with wheels for easy mobility.
- Standard with extended memory.

Popular Accessory

- Thermal Printer Paper, 5 per package (P/N 921-0170)

MODEL NUMBER	LINE POWER (+/- 10%)
254-153	100VAC 50/60 Hz Single Phase, 15A 120VAC 50/60 Hz Single Phase, 15A 208VAC 50/60 Hz Single or Three Phase, 30A 230VAC 50/60 Hz Single or Three Phase, 30A



MicroTig™ Manual Weld kit (P/N 005-0670) includes gas-cooled hand TIG torch, variable foot control, ground cable with clamp and carry case.

CobraCooler®

Portable Coolant Recirculator

This recirculator is a separate stand-alone unit that conveniently attaches mechanically to an MK Products CobraTig 150 SM welding power source.



Model Number 250-153

- Mechanically integrated assembly latches tightly under CobraTig 150 SM power supply.
- Provides water cooling for any MK Water Cooled weldhead.
- Includes high impact shipping case.

Aluminum Protection
For best performance, use only Cobra® Coolant. **Failure to use Cobra Coolant will void warranty.**



- 1 Gallon (3.78L)
P/N 931-0060
- 1 Case (4 Gallons, 1 Gal ea.)
P/N 931-0060-4
- 5 Gallon (18.92L)
P/N 931-0060-5GAL



Advanced Color Logic® GTAW Orbital Power Supply / Controller



The patented Advanced Color Logic delivers controlled welding current needed to perform high-integrity orbital tube welds and is the perfect package for manufacturing environments.

Exclusive Auto Program Generator for easy weld setup and retrieval of saved procedures. Repeatability and precision, combined with real time data monitoring, traceability, and verification conform to most inspection and quality requirements.

Pentium® class processor for the fastest real time on-screen visual display of all welding parameters. Playback entire weld graphically for analysis or download to offline computer.

- Digital control and real-time graphics provide ease of operation and on-screen reference.
- Make your next weld while viewing the process in real time with 17" LCD flat screen monitor.
- Patented updated software now delivers more information, faster.
- USB equipped for moving, storing and transferring weld data and procedures.
- Programming is easy: just enter the tube diameter and wall thickness.
- Weld data monitoring can be printed or viewed as text, graphic on-screen displays or exported to a spreadsheet file.

Alternative or Additional Input Power Cords

- 120 VAC, Single Phase (P/N 843-0600)
- 208/240 VAC, Single Phase (P/N 843-0602)
- 208/240 VAC, Three Phase (P/N 843-0603)
- 220 VAC, Single Phase, Euro (P/N 843-0601)
- Universal 120 VAC, 30 A UL (P/N 843-0613)

Popular Accessory

- Orbital Power Supply Calibration Kit (P/N 005-0698)

MODEL NUMBER	LINE POWER (+/- 10%)
254-203	120VAC 50/60 Hz Single Phase, 15A 120VAC 50/60 Hz Single Phase, 15A, UL 208/240VAC 50/60 Hz Single or Three Phase, 30A

Pentium® registered trademark of Intel®




Sanitary, Short Ferrule Collets

Easy to use and cost effective collets to simplify your orbital welding applications. MK strives to make your job easier by providing off-the-shelf solutions to life's tough challenges. Collets designed for precise tungsten placement offer enhanced repeatability for each weld.



High-Pressure Weld Tooling

Custom machined collets combined with locating and threaded weld fitting mandrels position the electrode right where you want it. MK's ability to create standard and custom tooling can help make the difference in your critical welding applications, including aerospace.



Sanitary • High-Pressure • Ultra High-Purity

Miniature weld fitting collets, tool mounting side plates and clamping jaws are made of nickel plated tool steel and each hardened for wear and toughness. These are just some of the standards that you have come to expect from MK, the leader in orbital welding systems.



MiniMicro™ Weldhead


The MiniMicro weldhead was designed for precision welding of small diameter tubes and fittings. It is controlled by an orbital power-supply motor-control circuit to turn the rotor at the precise speed to create a near perfect weld.



- Uses a 24VDC motor with TACH feedback.
- Capable of welding 1/8" to 1/2 inch OD tubes and associated fittings.
- Twist-lock cable-end connectors.
- Comes equipped with an integrated 12 foot cable.
- Connects directly to either the CobraTig® 150 or the ACL orbital power supply with the addition of Pig Tails and the CobraCooler®.

Popular Accessories

- Bench Mount Kit for 4000-5003 Weldheads (P/N 005-0634)
- 25 ft (7.6m) Extension Cable (P/N 005-0635)



Aluminum Protection
For best performance, use only Cobra® Coolant.
Failure to use Cobra Cooler will void warranty.

- 1 Gallon (3.78L)
P/N 931-0060
- 1 Case (4 Gallons, 1 Gal ea.)
P/N 931-0060-4
- 5 Gallon (18.92L)
P/N 931-0060-5GAL

MODEL	DESCRIPTION	DIAMETER RANGE	COOLING REQUIREMENTS
4000	MiniMicro	1/8" - 1/2" O.D.	Yes



CopperHeads®

GTAW Weldheads

Whether it's for bench or portable applications, MK Products provides a solution when it comes to orbital welding systems. As our most cost effective and rugged in-place orbital weldhead, the CopperHead series is an ideal cost saver for sanitary and high pressure tube systems. All CopperHeads are Water Cooled with fingertip controls in the weldhead handle and come ready to plug into the CobraTig® 150 SM and Advanced Color Logic® power sources.



- Perfect for sanitary and high pressure tube and pipe jobs.
- Weld fitting collets, mandrels and special tooling available.
- CopperHead offers versatility and high-output production rates.
- Water Cooled, narrow profile CopperHeads ideal for awkward welds with limited access.
- Standard cable lengths of 25ft (7.6m).

Popular Accessories

- CopperHeads I-III Benchmount Kit (P/N 005-0634)
- 25 ft (7.6m) Extension Cable (P/N 005-0635)
- 50 ft (15.2m) Extension Cable (P/N 005-0635-50)



Locating Mandrels

Locating Mandrels are used for precise and repeatable tube and welding fitting positioning and alignment. See price book for part numbers.

Collets, Flush and Extended


A set of collets is defined as top and bottom halves for each side of the weldhead. See price book for part numbers. Typically, 2 sets are required per each weldhead.



Aluminum Protection

For best performance, use only Cobra® Coolant. Failure to use Cobra Coolant will void warranty.

- 1 Gallon (3.78L)
P/N 931-0060
- 1 Case (4 Gallons, 1 Gal ea.)
P/N 931-0060-4
- 5 Gallon (18.92L)
P/N 931-0060-5GAL



DIMENSION REFERENCE
For all CopperHead models

MODEL NUMBER	DESCRIPTION	DIAMETER RANGE	COOLING REQUIREMENTS
5001	CopperHead I	1/8" - 1" O.D.	Yes
5002	CopperHead II	1/4" - 2" O.D.	Yes
5003	CopperHead III	1/2" - 3" O.D.	Yes



DiamondBack™

GTAW Weldheads





The DiamondBack is our largest in-place orbital weldhead. Heavy duty and versatile, the DiamondBack has a narrow profile and is perfect for process piping and weld fitting applications found in food & beverage, dairy and other sanitary process piping installations. Also great for high-pressure aerospace applications, this easy to use weldhead is simple yet robust to meet the demands of field construction or manufacturing production environments.

- Weldable Tube Range - 3" Tube OD up to 6" Nominal Pipe Sizes.
- 3-Piece Collet Design for Precision Self-Centering of Tube or Pipe.
- Operator Flexibility: Flip-Top and View Lens aid Fit-Up, Alignment & Inspection.
- Ergonomically Perfect with 7 Function, Push Button Fingertip Control Built into the Weldhead.
- Advanced Design includes Jaw Style Clamping, 360° Head Rotation and 90° Tilt Action. Rugged Machined Aluminum Handles Eliminates Handling of Weldhead Body.
- Weld fitting collets, mandrels and special tooling available.
- Standard cable lengths of 25ft (7.6m).

Popular Accessories


- DiamondBack Benchmount Kit (P/N 005-0680)
- 25 ft (7.6m) Extension Cable (P/N 005-0635)
- 50 ft (15.2m) Extension Cable (P/N 005-0635-50)




MODEL	DESCRIPTION	DIAMETER RANGE	COOLING REQUIREMENTS
5006	DiamondBack	2" O.D. ~ 6" O.D.	No

Offset Tungsten Layout Configurations


2% Ceriated electrodes, pre-ground and cut to length, 18° included angle, .015" flat tip, .040" or 1/16" diameter. See page 41 for part numbers.




T
[TUNGSTEN
P/N: 635-063-SERIES]



X
[TUNGSTEN EXTENDER ASSEMBLY
P/N: 002-0770]



H-90
[TUNGSTEN HOLDER
ASSEMBLY 90 DEG
P/N: 002-0771]




H-20/30
[TUNGSTEN HOLDER
ASSEMBLY 20 & 30 DEG
P/N: 002-0772]



T




T + X



T + X + H-20/30



T + X + H-20/30





T + X + H-90



T + H-20/30



T + H-20/30



Tungsten and Collets

Pricing available at www.mkproducts.com

4000 Weldheads

OD/NP	FLUSH COLLETS PART NUMBER (\$637.24 ea)	EXTENDED COLLETS PART NUMBER (\$722.80 ea)	TUNGSTEN PART NUMBER (\$91.79 ea)
1/8	623-4000-0.125	624-4000-0.125	635-063-0.468
3/16	***	***	635-063-0.437
1/4	623-4000-0.250	624-4000-0.250	635-063-0.406
5/16	623-4000-0.313	624-4000-0.313	635-063-0.377
7/16	***	***	635-063-0.312
3/8	623-4000-0.375	624-4000-0.375	635-063-0.343
1/2	623-4000-0.500	624-4000-0.500	635-063-0.281
4MM	623-4000-4.0MM	624-4000-4.0MM	635-063-0.452
6MM	623-4000-6.0MM	624-4000-6.0MM	635-063-0.413
8MM	623-4000-8.0MM	624-4000-8.0MM	635-063-0.377
10MM	623-4000-10.0MM	624-4000-10.0MM	635-063-0.339
12MM	623-4000-12.0MM	624-4000-12.0MM	635-063-0.295

Also available:
Tungsten diameters .040" and .093"
Call factory for details

5001 Weldheads

OD/NP	FLUSH COLLETS PART NUMBER (\$263.92)	EXTENDED COLLETS PART NUMBER (\$285.06)	TUNGSTEN PART NUMBER (\$91.79 ea)
1/8	623-0110-0.125	624-0110-0.125	635-063-0.984
3/16	623-0110-0.188	624-0110-0.188	635-063-0.953
1/4	623-0110-0.250	624-0110-0.250	635-063-0.922
5/16	623-0110-0.313	624-0110-0.313	635-063-0.891
3/8	623-0110-0.375	624-0110-0.375	635-063-0.859
7/16	***	***	635-063-0.828
.450	623-0110-0.450	***	635-063-0.828
1/2	623-0110-0.500	624-0110-0.500	635-063-0.797
9/16	623-0110-0.563	624-0110-0.563	635-063-0.766
5/8	623-0110-0.625	624-0110-0.625	635-063-0.734
11/16	***	***	635-063-0.703
3/4	623-0110-0.750	624-0110-0.750	635-063-0.672
13/16	623-0110-0.813	624-0110-0.813	635-063-0.641
7/8	623-0110-0.875	624-0110-0.875	635-063-0.609
15/16	623-0110-0.938	624-0110-0.938	635-063-0.578
1	623-0110-1.000	624-0110-1.000	635-063-0.547
1/8 NP	623-0110-1/8NP	624-0110-1/8NP	635-063-0.844
1/4 NP	623-0110-1/4NP	624-0110-1/4NP	635-063-0.766
3/8 NP	623-0110-3/8NP	624-0110-3/8NP	635-063-0.703
1/2 NP	623-0110-1/2NP	624-0110-1/2NP	635-063-0.625
3.0 MM	***	***	635-063-1.000
4.0 MM	***	***	635-063-0.969
5.0 MM	***	***	635-063-0.953

*** Call factory for details

For a complete price list of all MK available tungsten and collets, visit www.mkproducts.com

Also available:
Tungsten diameters .040" and .093"
 Call factory for details

5001 Weldheads

OD/NP	FLUSH COLLETS PART NUMBER (\$263.92)	EXTENDED COLLETS PART NUMBER (\$285.06)	TUNGSTEN PART NUMBER (\$91.79 ea)
6.0 MM	623-0110-6.0MM	624-0110-6.0MM	635-063-0.922
7.0 MM	623-0110-7.0MM	624-0110-7.0MM	***
8.0 MM	623-0110-8.0MM	624-0110-8.0MM	635-063-0.891
10.0 MM	623-0110-10.0MM	624-0110-10.0MM	635-063-0.844
10.2 MM	623-0110-10.2MM	624-0110-10.2MM	635-063-0.844
12.0 MM	623-0110-12.0MM	624-0110-12.0MM	635-063-0.813
13.5 MM	623-0110-13.5MM	624-0110-13.5MM	635-063-0.781
14.0 MM	623-0110-14.0MM	624-0110-14.0MM	635-063-0.766
15.0 MM	623-0110-15.0MM	624-0110-15.0MM	635-063-0.750
16.0 MM	623-0110-16.0MM	624-0110-16.0MM	635-063-0.734
16.5 MM	623-0110-16.5MM	624-0110-16.5MM	635-063-0.719
17.2 MM	623-0110-17.2MM	624-0110-17.2MM	635-063-0.703
18.0 MM	623-0110-18.0MM	624-0110-18.0MM	635-063-0.688
19.1 MM	623-0110-19.1MM	***	635-063-0.672
20.0 MM	623-0110-20.0MM	624-0110-20.0MM	635-063-0.656
21.3 MM	623-0110-21.3MM	624-0110-21.3MM	635-063-0.625
22.0 MM	***	***	635-040-0.609
23.0 MM	623-0110-23.0MM	624-0110-23.0MM	635-063-0.594
25.0 MM	623-0110-25.0MM	***	635-063-0.547

Also available:
Tungsten diameter .093"
 (Call factory for details)

5002 Weldheads

OD/NP	FLUSH COLLETS PART NUMBER (\$292.60)	EXTENDED COLLETS PART NUMBER (\$323.88)	TUNGSTEN PART NUMBER (\$91.79 ea)
1/4	623-0210-0.250	624-0210-0.250	635-063-1.609
.304	623-0210-0.304	***	***
5/16	623-0210-0.313	624-0210-0.313	635-063-1.578
3/8	623-0210-0.375	624-0210-0.375	635-063-1.547
7/16	623-0210-0.437	624-0210-0.437	635-063-1.516
1/2	623-0210-0.500	624-0210-0.500	635-063-1.484
9/16	***	***	635-063-1.453
5/8	623-0210-0.625	624-0210-0.625	635-063-1.422
.630	***	624-0210-0.630	***
11/16	***	***	635-063-1.391
.749	***	624-0210-0.749	***
3/4	623-0210-0.750	624-0210-0.750	635-063-1.359
13/16	***	***	635-063-1.332
7/8	623-0210-0.875	624-0210-0.875	635-063-1.302
15/16	***	***	635-063-1.277
1	623-0210-1.000	624-0210-1.000	635-063-1.238
1-1/8	623-0210-1.125	624-0210-1.125	635-063-1.171
1-1/4	623-0210-1.250	624-0210-1.250	635-063-1.102
1-3/8	***	***	635-063-1.047

*** Call factory for details

For a complete price list of all MK available tungsten and collets, visit www.mkproducts.com

Also available:
Tungsten diameter .093"
 (Call factory for details)

5002 Weldheads

OD/NP	FLUSH COLLETS PART NUMBER (\$292.60)	EXTENDED COLLETS PART NUMBER (\$323.88)	TUNGSTEN PART NUMBER (\$91.79 ea)
1-1/2	623-0210-1.500	624-0210-1.500	635-063-0.984
1-5/8	***	***	635-063-0.922
1-3/4	623-0210-1.750	624-0210-1.750	635-063-0.859
1-7/8	623-0210-1.875	624-0210-1.875	635-063-0.797
2	623-0210-2.000	624-0210-2.000	635-063-0.734
1/8 NP	623-0210-1/8NP	624-0210-1/8NP	635-063-1.531
1/4 NP	623-0210-1/4NP	624-0210-1/4NP	635-063-1.453
3/8 NP	623-0210-3/8NP	624-0210-3/8NP	635-063-1.391
1/2 NP	623-0210-1/2NP	624-0210-1/2NP	635-063-1.316
3/4 NP	623-0210-3/4NP	624-0210-3/4NP	635-063-1.203
			635-063-1.219
1 NP	623-0210-1NP	624-0210-1NP	635-063-1.073
1-1/4 NP	623-0210-1-1/4NP	624-0210-1-1/4NP	635-063-0.891
1-1/2 NP	623-0210-1-1/2NP	624-0210-1-1/2NP	635-063-0.781
5.1 MM	623-0210-5.1MM	624-0210-5.1MM	635-063-1.625
6.0 MM	623-0210-6.0MM	624-0210-6.0MM	635-063-1.625
6.6 MM	623-0210-6.6MM	624-0210-6.6MM	635-063-1.609
8.0 MM	623-0210-8.0MM	624-0210-8.0MM	635-063-1.578
10.0 MM	623-0210-10.0MM	624-0210-10.0MM	635-063-1.531
10.2 MM	623-0210-10.2MM	624-0210-10.2MM	635-063-1.531
12.0 MM	623-0210-12.0MM	624-0210-12.0MM	635-063-1.500
13.5 MM	623-0210-13.5MM	624-0210-13.5MM	635-063-1.469
14.0 MM	623-0210-14.0MM	624-0210-14.0MM	635-063-1.453
14.33 MM	623-0210-14.33MM	***	635-063-1.453
14.5 MM	623-0210-14.5MM	***	635-063-1.453
15.0 MM	623-0210-15.0MM	624-0210-15.0MM	635-063-1.438
16.0 MM	623-0210-16.0MM	624-0210-16.0MM	635-063-1.422
16.5 MM	623-0210-16.5MM	***	635-063-1.413
17.2 MM	623-0210-17.2MM	624-0210-17.2MM	635-063-1.391
18.0 MM	623-0210-18.0MM	624-0210-18.0MM	635-063-1.386
20.0 MM	623-0210-20.0MM	624-0210-20.0MM	635-063-1.343
21.2 MM	623-0210-21.2MM	624-0210-21.2MM	635-063-1.316
21.3 MM	623-0210-21.3MM	624-0210-21.3MM	635-063-1.316
21.4 MM	623-0210-21.4MM	***	635-063-1.316
22.4 MM	623-0210-22.4MM	624-0210-22.4MM	635-063-1.295
23.0 MM	623-0210-23.0MM	624-0210-23.0MM	635-063-1.277
25.0 MM	623-0210-25.0MM	624-0210-25.0MM	635-063-1.238
26.0 MM	623-0210-26.0MM	624-0210-26.0MM	635-063-1.228
26.9 MM	623-0210-26.9MM	624-0210-26.9MM	635-063-1.203
28.0 MM	623-0210-28.0MM	624-0210-28.0MM	635-063-1.187
30.0 MM	623-0210-30.0MM	624-0210-30.0MM	635-063-1.136
32.0 MM	623-0210-32.0MM	624-0210-32.0MM	635-063-1.102
33.7 MM	623-0210-33.7MM	624-0210-33.7MM	635-063-1.073

*** Call factory for details

For a complete price list of all MK available tungsten and collets, visit www.mkproducts.com

5002 Weldheads

Also available:
Tungsten diameter .093"
(Call factory for details)

OD/NP	FLUSH COLLETS PART NUMBER (\$292.60)	EXTENDED COLLETS PART NUMBER (\$323.88)	TUNGSTEN PART NUMBER (\$91.79 ea)
35.0 MM	623-0210-35.0MM	624-0210-35.0MM	635-063-1.047
36.0 MM	623-0210-36.0MM	624-0210-36.0MM	635-063-1.020
36.5 MM	623-0210-36.5MM	624-0210-36.5MM	635-063-1.020
38.0 MM	623-0210-38.0MM	624-0210-38.0MM	635-063-0.984
40.0 MM	623-0210-40.0MM	624-0210-40.0MM	635-063-0.938
42.4 MM	623-0210-42.4MM	624-0210-42.4MM	635-063-0.891
43.0 MM	623-0210-43.0MM	624-0210-43.0MM	635-063-0.891
44.0 MM	623-0210-44.0MM	624-0210-44.0MM	635-063-0.859
44.5 MM	623-0210-44.5MM	624-0210-44.5MM	635-063-0.859
45.1 MM	623-0210-45.1MM	624-0210-45.1MM	635-063-0.844
48.3 MM	623-0210-48.3MM	624-0210-48.3MM	635-063-0.781

5003 Weldheads

Also available:
Tungsten diameter .093"
(Call factory for details)

OD/NP	FLUSH COLLETS PART NUMBER (\$338.51)	EXTENDED COLLETS PART NUMBER (\$379.37)	TUNGSTEN PART NUMBER (\$91.79 ea)
5/16	623-0310-0.313	624-0310-0.313	***
1/2	623-0310-0.500	624-0310-0.500	635-063-1.891
9/16	***	***	635-063-1.859
5/8	623-0310-0.625	624-0310-0.625	635-063-1.828
11/16	***	***	635-063-1.797
3/4	623-0310-0.750	624-0310-0.750	635-063-1.766
.800	623-0310-0.800	624-0310-0.800	635-063-1.734
.830	623-0310-0.830	624-0310-0.830	635-063-1.719
13/16	***	***	635-063-1.734
7/8	623-0310-0.875	624-0310-0.875	635-063-1.703
.910	623-0310-0.910	624-0310-0.910	635-063-1.688
15/16	623-0310-0.938	624-0310-0.938	635-063-1.672
.955	623-0310-0.955	624-0310-0.955	635-063-1.656
1	623-0310-1.000	624-0310-1.000	635-063-1.641
1-1/8	623-0310-1.125	***	635-063-1.578
1-1/4	623-0310-1.250	624-0310-1.250	635-063-1.516
1-3/8	623-0310-1.375	***	635-063-1.453
1-1/2	623-0310-1.500	624-0310-1.500	635-063-1.391
1-5/8	623-0310-1.625	***	635-063-1.332
1-3/4	623-0310-1.750	624-0310-1.750	635-063-1.266
1-7/8	623-0310-1.875	624-0310-1.875	635-063-1.203
2	623-0310-2.000	624-0310-2.000	635-063-1.136
2-1/4	623-0310-2.250	624-0310-2.250	635-063-1.020
2-1/2	623-0310-2.500	624-0310-2.500	635-063-0.891
2-3/4	623-0310-2.750	624-0310-2.750	635-063-0.766
3	623-0310-3.000	624-0310-3.000	635-063-0.641
3-3/16	***	624-0310-3.188	***

*** Call factory for details

For a complete price list of all MK available tungsten and collets, visit www.mkproducts.com

Also available:
Tungsten diameter .093"
 (Call factory for details)

5003 Weldheads

OD/NP	FLUSH COLLETS PART NUMBER (\$338.51)	EXTENDED COLLETS PART NUMBER (\$379.37)	TUNGSTEN PART NUMBER (\$91.79 ea)
1/4 NP	623-0310-1/4NP	624-0310-1/4NP	635-063-1.859
3/8 NP	623-0310-3/8NP	624-0310-3/8NP	635-063-1.797
1/2 NP	623-0310-1/2NP	624-0310-1/2NP	635-063-1.719
3/4 NP	623-0310-3/4NP	624-0310-3/4NP	635-063-1.609
1 NP	623-0310-1NP	624-0310-1NP	635-063-1.469
1-1/4 NP	623-0310-1-1/4NP	624-0310-1-1/4NP	635-063-1.302
1-1/2 NP	623-0310-1-1/2NP	624-0310-1-1/2NP	635-063-1.187
2 NP	623-0310-2NP	624-0310-2NP	635-063-0.953
2-1/2 NP	623-0310-2-1/2NP	624-0310-2-1/2NP	635-063-0.688
13.5 MM	623-0310-13.5MM	624-0310-13.5MM	635-063-1.875
14.0 MM	623-0310-14.0MM	624-0310-14.0MM	635-063-1.859
15.0 MM	623-0310-15.0MM	624-0310-15.0MM	635-063-1.843
16.0 MM	623-0310-16.0MM	624-0310-16.0MM	635-063-1.828
17.2 MM	623-0310-17.2MM	624-0310-17.2MM	635-063-1.797
18.0 MM	623-0310-18.0MM	624-0310-18.0MM	635-063-1.781
19.0 MM	623-0310-19.0MM	***	***
20.0 MM	623-0310-20.0MM	624-0310-20.0MM	635-063-1.750
21.3 MM	623-0310-21.3MM	624-0310-21.3MM	635-063-1.719
22.4 MM	623-0310-22.0MM	***	635-063-1.703
23.0 MM	623-0310-23.0MM	624-0310-23.0MM	635-063-1.688
25.0 MM	***	624-0310-25.0MM	635-063-1.641
26.0 MM	623-0310-26.0MM	624-0310-26.0MM	635-063-1.625
26.9 MM	623-0310-26.9MM	624-0310-26.9MM	635-063-1.609
28.0 MM	623-0310-28.0MM	624-0310-28.0MM	635-063-1.594
29.0 MM	***	***	635-063-1.578
30.0 MM	623-0310-30.0MM	624-0310-30.0MM	635-063-1.547
32.0 MM	623-0310-32.0MM	624-0310-32.0MM	635-063-1.516
33.4 MM	623-0310-33.4MM	624-0310-33.4MM	635-063-1.484
33.7 MM	623-0310-33.7MM	624-0310-33.7MM	635-063-1.469
35.0 MM	623-0310-35.0MM	624-0310-35.0MM	635-063-1.453
38.0 MM	623-0310-38.0MM	624-0310-38.0MM	635-063-1.391
40.0 MM	623-0310-40.0MM	624-0310-40.0MM	635-063-1.359
41.0 MM	623-0310-41.0MM	***	***
42.4 MM	623-0310-42.4MM	624-0310-42.4MM	635-063-1.302
43.0 MM	623-0310-43.0MM	624-0310-43.0MM	635-063-1.295
44.0 MM	623-0310-44.0MM	624-0310-44.0MM	635-063-1.277
44.5 MM	623-0310-44.5MM	624-0310-44.5MM	635-063-1.266
48.3 MM	623-0310-48.3MM	624-0310-48.3MM	635-063-1.187
50.0 MM	623-0310-50.0MM	***	635-063-1.159
51.0 MM	623-0310-51.0MM	624-0310-51.0MM	635-063-1.136
53.0 MM	623-0310-53.0MM	624-0310-53.0MM	635-063-1.095
54.0 MM	623-0310-54.0MM	624-0310-54.0MM	635-063-1.073
57.0 MM	623-0310-57.0MM	624-0310-57.0MM	635-063-1.020

*** Call factory for details

For a complete price list of all MK available tungsten and collets, visit www.mkproducts.com

5003 Weldheads

Also available:
Tungsten diameter .093"
(Call factory for details)

OD/NP	FLUSH COLLETS PART NUMBER (\$338.51)	EXTENDED COLLETS PART NUMBER (\$379.37)	TUNGSTEN PART NUMBER (\$91.79 ea)
60.3 MM	623-0310-60.3MM	624-0310-60.3MM	635-063-0.953
63.5 MM	623-0310-63.5MM	624-0310-63.5MM	635-063-0.891
65.0 MM	623-0310-65.0MM	***	***
68.0 MM	623-0310-68.0MM	624-0310-68.0MM	635-063-0.797
70.0 MM	623-0310-70.0MM	624-0310-70.0MM	635-063-0.766
76.1 MM	623-0310-76.1MM	624-0310-76.1MM	635-063-0.641

5006 Weldheads

Also available:
Tungsten diameter .063"
(Call factory for details)

OD/NP	FLUSH COLLETS PART NUMBER (\$550.78)	EXTENDED COLLETS PART NUMBER (CALL FACTORY FOR DETAILS)	TUNGSTEN PART NUMBER (\$91.79 ea)
2	623-5006-2.000	624-5006-2.000	635-093-3.339
2-1/2	623-5006-2.500	624-5006-2.500	635-093-3.089
3	623-5006-3.000	624-5006-3.000	635-093-2.828
3-1/2	623-5006-3.500	624-5006-3.500	635-093-2.578
4	623-5006-4.000	624-5006-4.000	635-093-2.328
4-1/2	623-5006-4.500	624-5006-4.500	635-093-2.086
5	623-5006-5.000	624-5006-5.000	635-093-1.828
5-1/2	623-5006-5.500	624-5006-5.500	635-093-1.578
6	623-5006-6.000	624-5006-6.000	635-093-1.332
2 NP	623-5006-2NP	624-5006-2NP	635-093-3.147
2-1/2 NP	623-5006-2-1/2NP	624-5006-2-1/2NP	635-093-2.890
3 NP	623-5006-3NP	624-5006-3NP	635-093-2.578
3-1/2 NP	623-5006-3-1/2NP	624-5006-3-1/2NP	635-093-2.328
4 NP	623-5006-4NP	624-5006-4NP	635-093-2.067
5 NP	623-5006-5NP	624-5006-5NP	635-093-1.531
60.0 MM	623-5006-60.0MM	624-5006-60.0MM	635-093-3.147
72.0 MM	623-5006-72.0MM	624-5006-72.0MM	635-093-2.890
78.8 MM	623-5006-78.8MM	624-5006-78.8MM	635-093-2.781
80.0MM	623-5006-80.0MM	***	***
85.0MM	623-5006-85.0MM	***	***
104.0MM	623-5006-104.0MM	***	***
114.0 MM	623-5006-114.0MM	624-5006-114.0MM	635-093-2.086
115.0 MM	623-5006-115.0MM	624-5006-115.0MM	635-093-2.067

*** Call factory for details

For a complete price list of all MK available tungsten and collets, visit www.mkproducts.com

Turntables



AirCrafter™ T-25

48

CobraTurn™

49



AirCrafter™ T-25

Rotary Turntable



The AirCrafter T-25 positioner is ideal for lightweight applications. The most affordable rotary turntable, the T-25 is well suited for welding small, intricate assemblies, tube flanges and small aircraft-type parts as well as rotating lightweight non-welding items. The compact T-25 positioner has a maximum center load capacity of 25 lbs. and maximum welding ground capacity of 170 amps.

- Compact high performance turntable.
- Comes with 5" turntable top.
- Table angle control from 0 to 90°.
- Appropriate for GMAW or GTAW welding processes.
- High frequency protected.
- Perfect for small jobs.
- Includes a variable speed foot control.



The AirCrafter T-25 comes with a variable speed foot control.

MODEL NUMBER	OFFSET LOAD CAPACITY		TABLE DIAMETER	BALANCED LOAD CAPACITY		TABLE TILT	RPM RANGE
	HORIZONTAL - 0°	VERTICAL - 90°		HORIZONTAL	VERTICAL		
127-001	16 lb with Center of Gravity 1.78" off center	10 lb with Center of Gravity 2.5" from plate	5"	25 lb	10 lb	0 ~ 90°	0.5 ~ 10



The AirCrafter has a long standing reputation for fine workmanship and durability. It's no wonder that the AirCrafter name is one of the most asked for brands in the welding industry. MK Products makes every turntable to exacting standards.



CobraTurn™ Digital Turntable

MK Products introduces the new CobraTurn Digital Turntable, designed for durability and performance with all welding processes. Utilized on small to large weld assemblies, the CobraTurn's ability to rotate welding jobs makes it ideal for all applications up to the rated load capacities.



- Simple illuminated control panel, with digital display.
- Power (On / Off) and Rotation direction (CW / CCW) push button switches.
- Linear single speed control knob, with center, push button start, stop or jog functions.
- Gas ID purge through the center shaft.
- High frequency interference protection.
- Simple push knob to adjust table angle.
- Grab handle for easy tilting and transporting.
- Standard On/ Off foot switch provided, or an optional variable foot switch may be purchased.
- Heavy-duty, compact, open frame design.
- Can be easily bolted to any flat surface.
- Gas fitting and grounding lug accept common gas hose and ground terminals used in the welding industry.
- Steel frame and control panel, powder coated grey.
- Lightweight, anodized aluminum gear housing.
- Heavy-duty steel cut gears.
- Spring loaded tapered pin lock mechanism to adjust table angle.
- 9 table angle locking positions from 0-90 degrees. Custom angle lock plates may be purchased.



*The CobraTurn comes with:
On/Off Foot Switch
005-0747*

* See manufacturing specifications for details

MODEL	BALANCED LOAD CAPACITY	OPTIONAL TURNTABLE DIAMETER	DEGREES TILT	SPEED RANGE R.P.M.	GROUND CAPACITY AMPS	INPUT VOLTAGE	SHIPPING WEIGHT	TRANSMISSION
127-006	300 lb*	10"	0° ~ 90°	0.3 ~ 10	400A 60% Duty Cycle	120VAC 50/60 Hz	38 lbs	Gear

Optional Accessories for CobraTurn Digital Turntable



005-0746
Heavy Duty
Variable Speed Foot Control



005-0677
10" Turntable



005-0040
Self-Centering 3-Jaw Chuck
Includes two sets of manually adjustable jaws from 7/8" - 3 3/4" internal and 1/8" - 4" external clamping.

Boxed Weight (approximate)

Guns	15 ft (m)	25 ft (m)	35 ft (m)	50 ft (m)
Cobra MX (Air Cooled)	10.7 (4.8)	15.5 (7)	20.4 (9.2)	27.1 (12.3)
Cobra® MX (Water Cooled)	11.4 (5.2)	17.2 (7.8)	22.1 (10)	29.6 (13.4)
Cobra MX Compatible (Air Cooled)	11.6 (5.3)	16.6 (7.5)	21.3 (9.6)	28 (12.7)
Cobra MX Compatible (Water Cooled)	13.1 (5.9)	17.9 (8.1)	22.8 (10.3)	29.5 (13.4)
Cobra® SX (Air Cooled)	10.5 (4.8)	17 (7.8)	23.5 (10.7)	26.1 (11.8)
Cobra SX, Compatible (Air Cooled)	11 (5.8)	15.6 (7.9)	21 (9.5)	27.5 (12.5)
Prince® SG		17 (7.7)		25 (11.3)
Prince XL (Air Cooled)	13 (5.9)	18 (8.2)	23 (10.4)	33 (15)
Prince XL (Water Cooled)	14 (6.3)	20 (9.1)	26 (11.8)	35 (15.9)
Prince XL Compatible (Air Cooled)	14.5 (6.6)	19.5 (8.8)	24.5 (11.1)	34.5 (15.6)
Prince XL Compatible (Water Cooled)	15.5 (7.0)	21 (9.5)	26 (11.8)	36 (16.3)
Prince XL Spool Gun		17 (7.7)		29 (13.2)
Python® (Air Cooled)	13.1 (5.9)	19.3 (8.8)	25.5 (11.6)	29.9 (13.6)
Python (Water Cooled)	13.6 (6.2)	19.7 (8.9)	25.8 (11.7)	34.8 (15.8)
Python Compatible (Air Cooled)	14.6 (6.6)	20.8 (9.4)	27 (12.2)	31.4 (14.2)
Python Compatible (Water Cooled)	15.1 (6.8)	21.2 (9.6)	27.3 (12.3)	36.3 (16.5)
Python LX (Air Cooled)	11.6 (5.3)	16.6 (7.5)	21.3 (9.6)	28 (12.7)
Python LX (Water Cooled)	12.4 (5.6)	17.2 (7.8)	22.1 (10)	28.8(13)
Python LX Compatible (Air Cooled)	13.1 (5.9)	17.9 (8.1)	22.8 (10.3)	29.5 (13.4)
Python LX Compatible (Water Cooled)	13.9 (6.9)	18.7 (8.5)	23.6 (10.7)	30.3 (13.7)
Sidewinder®	6.2 (2.8)	8.2 (3.7)		
				lbs (kg)
ACL(palletized)				215 (97.5)
AirCrafter T-25™				16 (7.3)
CobraTurn™ Digital Turntable				38 (17.2)
Cobramatic® Pro Series				30 (13.6)
CobraCooler®				33 (15)
CobraTig® 150 SM				77 (34.9)
Orbital Weldheads (without collets)				
4000 MiniMicro™				16 (7.3)
5001 CopperHead® I				29 (13.2)
5002 CopperHead II				30 (13.6)
5003 CopperHead III				31 (14.1)
5006 DiamondBack™				68 (30.8)

Boxed Dimensions (approximate)

Guns	6 ft/15 ft/25 ft 26 x 12 x 6 (660 x 305 x 127)	35 ft/50 ft 28 x 14 x 6 (711 x 356 x 152)
	L x D x H (in)	L x D x H (mm)
ACL (palletized)	40 x 40 x 30	1016 x 1016 x 762
AirCrafter T-25	14 x 13 x 10	356 x 330 x 254
CobraTurn Digital Turntable	16 1/6 x 11 9/16 x 12	411 x 284 x 305
Cobramatic Pro Series	26 x 12 1/4 x 18 1/4	660 x 311 x 464
CobraCooler	26 x 8 x 16	660 x 203 x 406
CobraTig 150 SM	34 x 11 x 21	864 x 279 x 533
Sidewinder	14 x 14 x 5	356 x 356 x 127
Weldheads		
4000 MiniMicro	19 x 8 x 16	483 x 204 x 406
5001 CopperHead I - 5003 CopperHead III	18 x 9 x 21	457 x 229 x 533
5006 DiamondBack	34 x 11 x 21	864 x 279 x 533

Products, Parts, and Accessories Pricing

Part #	Description	List Price	Code	Part #	Description	List Price	Code
MK Products reserves the right to make changes to this price list at any time.							
These prices supersede all previous price lists.							
CABINET				272-815	PYTHON LX 15FT AC - MM COMP.....	\$1,940.00	F01
150-007-M	COBRAMATIC PRO SERIES MK CONNECT.....	\$2,100.00	F01	272-825	PYTHON LX 25FT AC - MM COMP.....	\$2,040.00	F01
PYTHON®				272-835	PYTHON LX 35FT AC - MM COMP.....	\$2,240.00	F01
234-815	PYTHON 15FT AC MK.....	\$1,795.00	F01	272-850	PYTHON LX 50FT AC - MM COMP.....	\$2,440.00	F01
234-825	PYTHON 25FT AC MK.....	\$1,895.00	F01	273-815	PYTHON LX 15FT WC - MM COMP.....	\$2,140.00	F01
234-835	PYTHON 35FT AC MK.....	\$2,045.00	F01	273-825	PYTHON LX 25FT WC - MM COMP.....	\$2,295.00	F01
234-850	PYTHON 50FT AC MK.....	\$2,245.00	F01	273-835	PYTHON LX 35FT WC - MM COMP.....	\$2,490.00	F01
235-815	PYTHON 15FT WC MK.....	\$1,945.00	F01	273-850	PYTHON LX 50FT WC - MM COMP.....	\$2,690.00	F01
235-825	PYTHON 25FT WC MK.....	\$2,075.00	F01	274-815	PYTHON LX 15FT AC - FRONIUS COMP.....	\$1,940.00	F01
235-835	PYTHON 35FT WC MK.....	\$2,295.00	F01	274-825	PYTHON LX 25FT AC - FRONIUS COMP.....	\$2,040.00	F01
235-850	PYTHON 50FT WC MK.....	\$2,490.00	F01	274-835	PYTHON LX 35FT AC - FRONIUS COMP.....	\$2,240.00	F01
232-815	PYTHON 15FT AC - LE COMP.....	\$1,940.00	F01	274-850	PYTHON LX 50FT AC - FRONIUS COMP.....	\$2,440.00	F01
232-825	PYTHON 25FT AC - LE COMP.....	\$2,040.00	F01	275-815	PYTHON LX 15FT WC - FRONIUS COMP.....	\$2,140.00	F01
232-835	PYTHON 35FT AC - LE COMP.....	\$2,190.00	F01	275-825	PYTHON LX 25FT WC - FRONIUS COMP.....	\$2,295.00	F01
232-850	PYTHON 50FT AC - LE COMP.....	\$2,390.00	F01	275-835	PYTHON LX 35FT WC - FRONIUS COMP.....	\$2,490.00	F01
293-815	PYTHON 15FT WC - LE COMP.....	\$2,090.00	F01	275-850	PYTHON LX 50FT WC - FRONIUS COMP.....	\$2,690.00	F01
293-825	PYTHON 25FT WC - LE COMP.....	\$2,220.00	F01	294-815	PYTHON LX 15FT AC 7P EURO.....	\$1,940.00	F01
293-835	PYTHON 35FT WC - LE COMP.....	\$2,440.00	F01	294-825	PYTHON LX 25FT AC 7P EURO.....	\$2,040.00	F01
293-850	PYTHON 50FT WC - LE COMP.....	\$2,635.00	F01	294-835	PYTHON LX 35FT AC 7P EURO.....	\$2,240.00	F01
291-815	PYTHON 15FT AC MM COMP.....	\$1,940.00	F01	294-850	PYTHON LX 50FT AC 7P EURO.....	\$2,440.00	F01
291-825	PYTHON 25FT AC MM COMP.....	\$2,040.00	F01	295-815	PYTHON LX 15FT WC 7P EURO.....	\$2,140.00	F01
291-835	PYTHON 35FT AC MM COMP.....	\$2,190.00	F01	295-825	PYTHON LX 25FT WC 7P EURO.....	\$2,295.00	F01
291-850	PYTHON 50FT AC MM COMP.....	\$2,390.00	F01	295-835	PYTHON LX 35FT WC 7P EURO.....	\$2,490.00	F01
292-815	PYTHON 15FT WC MM COMP.....	\$2,090.00	F01	295-850	PYTHON LX 50FT WC 7P EURO.....	\$2,690.00	F01
292-825	PYTHON 25FT WC MM COMP.....	\$2,220.00	F01	COBRA® MX			
292-835	PYTHON 35FT WC MM COMP.....	\$2,440.00	F01	266-815	COBRA MX 15FT AC CLASSIC CUP.....	\$1,690.00	F01
292-850	PYTHON 50FT WC MM COMP.....	\$2,635.00	F01	266-825	COBRA MX 25FT AC CLASSIC CUP.....	\$1,795.00	F01
289-815	PYTHON 15FT AC FRONIUS COMP.....	\$1,940.00	F01	266-835	COBRA MX 35FT AC CLASSIC CUP.....	\$1,985.00	F01
289-825	PYTHON 25FT AC FRONIUS COMP.....	\$2,040.00	F01	266-850	COBRA MX 50FT AC CLASSIC CUP.....	\$2,235.00	F01
289-835	PYTHON 35FT AC FRONIUS COMP.....	\$2,190.00	F01	267-815	COBRA MX 15FT AC MAX CUP.....	\$1,725.00	F01
289-850	PYTHON 50FT AC FRONIUS COMP.....	\$2,390.00	F01	267-825	COBRA MX 25FT AC MAX CUP.....	\$1,795.00	F01
290-815	PYTHON 15FT WC FRONIUS COMP.....	\$2,090.00	F01	267-835	COBRA MX 35FT AC MAX CUP.....	\$1,990.00	F01
290-825	PYTHON 25FT WC FRONIUS COMP.....	\$2,220.00	F01	267-850	COBRA MX 50FT AC MAX CUP.....	\$2,240.00	F01
290-835	PYTHON 35FT WC FRONIUS COMP.....	\$2,440.00	F01	262-815	COBRA MX 15FT WC CLASSIC CUP.....	\$1,825.00	F01
290-850	PYTHON 50FT WC FRONIUS COMP.....	\$2,635.00	F01	262-825	COBRA MX 25FT WC CLASSIC CUP.....	\$1,995.00	F01
296-815	PYTHON 15FT AC 7P EURO.....	\$1,940.00	F01	262-835	COBRA MX 35FT WC CLASSIC CUP.....	\$2,160.00	F01
296-825	PYTHON 25FT AC 7P EURO.....	\$2,040.00	F01	262-850	COBRA MX 50FT WC CLASSIC CUP.....	\$2,365.00	F01
296-835	PYTHON 35FT AC 7P EURO.....	\$2,190.00	F01	263-815	COBRA MX 15FT WC MAX CUP.....	\$1,825.00	F01
296-850	PYTHON 50FT AC 7P EURO.....	\$2,390.00	F01	263-825	COBRA MX 25FT WC MAX CUP.....	\$2,025.00	F01
297-815	PYTHON 15FT WC 7P EURO.....	\$2,090.00	F01	263-835	COBRA MX 35FT WC MAX CUP.....	\$2,150.00	F01
297-825	PYTHON 25FT WC 7P EURO.....	\$2,220.00	F01	263-850	COBRA MX 50FT WC MAX CUP.....	\$2,375.00	F01
297-835	PYTHON 35FT WC 7P EURO.....	\$2,440.00	F01	276-815	COBRA MX 15FT AC CLASSIC CUP - LE COMP.....	\$1,835.00	F01
297-850	PYTHON 50FT WC 7P EURO.....	\$2,635.00	F01	276-825	COBRA MX 25FT AC CLASSIC CUP - LE COMP.....	\$1,940.00	F01
PYTHON LX				276-835	COBRA MX 35FT AC CLASSIC CUP - LE COMP.....	\$2,130.00	F01
260-815	PYTHON LX 15FT AC.....	\$1,795.00	F01	276-850	COBRA MX 50FT AC CLASSIC CUP - LE COMP.....	\$2,380.00	F01
260-825	PYTHON LX 25FT AC.....	\$1,895.00	F01	277-815	COBRA MX 15FT AC MAX CUP - LE COMP.....	\$1,870.00	F01
260-835	PYTHON LX 35FT AC.....	\$2,095.00	F01	277-825	COBRA MX 25FT AC MAX CUP - LE COMP.....	\$1,940.00	F01
260-850	PYTHON LX 50FT AC.....	\$2,295.00	F01	277-835	COBRA MX 35FT AC MAX CUP - LE COMP.....	\$2,135.00	F01
261-815	PYTHON LX 15FT WC.....	\$1,995.00	F01	277-850	COBRA MX 50FT AC MAX CUP - LE COMP.....	\$2,385.00	F01
261-825	PYTHON LX 25FT WC.....	\$2,150.00	F01	278-815	COBRA MX 15FT WC CLASSIC CUP - LE COMP.....	\$1,970.00	F01
261-835	PYTHON LX 35FT WC.....	\$2,345.00	F01	278-825	COBRA MX 25FT WC CLASSIC CUP - LE COMP.....	\$2,140.00	F01
261-850	PYTHON LX 50FT WC.....	\$2,545.00	F01	278-835	COBRA MX 35FT WC CLASSIC CUP - LE COMP.....	\$2,305.00	F01
270-815	PYTHON LX 15FT AC - LE COMP.....	\$1,940.00	F01	278-850	COBRA MX 50FT WC CLASSIC CUP - LE COMP.....	\$2,510.00	F01
270-825	PYTHON LX 25FT AC - LE COMP.....	\$2,040.00	F01	279-815	COBRA MX 15FT WC MAX CUP - LE COMP.....	\$1,970.00	F01
270-835	PYTHON LX 35FT AC - LE COMP.....	\$2,240.00	F01	279-825	COBRA MX 25FT WC MAX CUP - LE COMP.....	\$2,170.00	F01
270-850	PYTHON LX 50FT AC - LE COMP.....	\$2,440.00	F01	279-835	COBRA MX 35FT WC MAX CUP - LE COMP.....	\$2,295.00	F01
271-815	PYTHON LX 15FT WC - LE COMP.....	\$2,140.00	F01	279-850	COBRA MX 50FT WC MAX CUP - LE COMP.....	\$2,520.00	F01
271-825	PYTHON LX 25FT WC - LE COMP.....	\$2,295.00	F01	280-815	COBRA MX 15FT AC CLASSIC CUP - MM COMP.....	\$1,835.00	F01
271-835	PYTHON LX 35FT WC - LE COMP.....	\$2,490.00	F01	280-825	COBRA MX 25FT AC CLASSIC CUP - MM COMP.....	\$1,940.00	F01
271-850	PYTHON LX 50FT WC - LE COMP.....	\$2,690.00	F01	280-835	COBRA MX 35FT AC CLASSIC CUP - MM COMP.....	\$2,130.00	F01

FOR A COMPLETE PRICE LIST OF ALL MK AVAILABLE PARTS, VISIT WWW.MKPRODUCTS.COM

Products, Parts, and Accessories Pricing

Part #	Description	List Price	Code	Part #	Description	List Price	Code
280-850	COBRA MX 50FT AC CLASSIC CUP - MM COMP ...	\$2,380.00	F01	328-850	COBRA SX 50FT AC CLASSIC CUP FRONIUS COMP ...	\$2,195.00	F01
281-815	COBRA MX 15FT AC MAX CUP - MM COMP	\$1,870.00	F01	PRINCE® XL			
281-825	COBRA MX 25FT AC MAX CUP - MM COMP	\$1,940.00	F01	317-715	PRINCE XL 15FT AC	\$1,550.00	F01
281-835	COBRA MX 35FT AC MAX CUP - MM COMP	\$2,135.00	F01	317-725	PRINCE XL 25FT AC	\$1,695.00	F01
281-850	COBRA MX 50FT AC MAX CUP - MM COMP	\$2,385.00	F01	317-735	PRINCE XL 35FT AC	\$1,895.00	F01
282-815	COBRA MX 15FT WC CLASSIC CUP - MM COMP ..	\$1,970.00	F01	317-750	PRINCE XL 50FT AC	\$2,125.00	F01
282-825	COBRA MX 25FT WC CLASSIC CUP - MM COMP ..	\$2,140.00	F01	318-715	PRINCE XL 15FT WC	\$1,795.00	F01
282-835	COBRA MX 35FT WC CLASSIC CUP - MM COMP ..	\$2,305.00	F01	318-725	PRINCE XL 25FT WC	\$1,895.00	F01
282-850	COBRA MX 50FT WC CLASSIC CUP - MM COMP ..	\$2,510.00	F01	318-735	PRINCE XL 35FT WC	\$2,095.00	F01
283-815	COBRA MX 15FT WC MAX CUP - MM COMP	\$1,970.00	F01	318-750	PRINCE XL 50FT WC	\$2,350.00	F01
283-825	COBRA MX 25FT WC MAX CUP - MM COMP	\$2,170.00	F01	310-715	PRINCE XL 15FT AC LE COMP	\$1,695.00	F01
283-835	COBRA MX 35FT WC MAX CUP - MM COMP	\$2,295.00	F01	310-725	PRINCE XL 25FT AC LE COMP	\$1,840.00	F01
283-850	COBRA MX 50FT WC MAX CUP - MM COMP	\$2,520.00	F01	310-735	PRINCE XL 35FT AC LE COMP	\$2,040.00	F01
284-815	COBRAMX 15FT AC CLASSIC CUP - FRONIUS COMP ..	\$1,835.00	F01	310-750	PRINCE XL 50FT AC LE COMP	\$2,270.00	F01
284-825	COBRAMX 25FT AC CLASSIC CUP - FRONIUS COMP ..	\$1,940.00	F01	311-715	PRINCE XL 15FT WC LE COMP	\$1,940.00	F01
284-835	COBRAMX 35FT AC CLASSIC CUP - FRONIUS COMP ..	\$2,130.00	F01	311-725	PRINCE XL 25FT WC LE COMP	\$2,040.00	F01
284-850	COBRAMX 50FT AC CLASSIC CUP - FRONIUS COMP ..	\$2,380.00	F01	311-735	PRINCE XL 35FT WC LE COMP	\$2,240.00	F01
285-815	COBRA MX 15FT AC MAX CUP - FRONIUS COMP ...	\$1,870.00	F01	311-750	PRINCE XL 50FT WC LE COMP	\$2,495.00	F01
285-825	COBRA MX 25FT AC MAX CUP - FRONIUS COMP	\$1,940.00	F01	332-715	PRINCE XL 15FT AC MM COMP	\$1,695.00	F01
285-835	COBRA MX 35FT AC MAX CUP - FRONIUS COMP	\$2,135.00	F01	332-725	PRINCE XL 25FT AC MM COMP	\$1,840.00	F01
285-850	COBRA MX 50FT AC MAX CUP - FRONIUS COMP	\$2,385.00	F01	332-735	PRINCE XL 35FT AC MM COMP	\$2,040.00	F01
286-815	COBRAMX 15FT WC CLASSIC CUP-FRONIUS COMP ...	\$1,970.00	F01	332-750	PRINCE XL 50FT AC MM COMP	\$2,270.00	F01
286-825	COBRAMX 25FT WC CLASSIC CUP-FRONIUS COMP ...	\$2,140.00	F01	333-715	PRINCE XL 15FT WC MM COMP	\$1,940.00	F01
286-835	COBRAMX 35FT WC CLASSIC CUP-FRONIUS COMP ...	\$2,305.00	F01	333-725	PRINCE XL 25FT WC MM COMP	\$2,040.00	F01
286-850	COBRAMX 50FT WC CLASSIC CUP-FRONIUS COMP	\$2,510.00	F01	333-735	PRINCE XL 35FT WC MM COMP	\$2,240.00	F01
287-815	COBRA MX 15FT WC MAX CUP - FRONIUS COMP ..	\$1,970.00	F01	333-750	PRINCE XL 50FT WC MM COMP	\$2,495.00	F01
287-825	COBRA MX 25FT WC MAX CUP - FRONIUS COMP ..	\$2,170.00	F01	330-715	PRINCE XL 15FT AC FRONIUS COMP	\$1,695.00	F01
287-835	COBRA MX 35FT WC MAX CUP - FRONIUS COMP ..	\$2,295.00	F01	330-725	PRINCE XL 25FT AC FRONIUS COMP	\$1,840.00	F01
287-850	COBRA MX 50FT WC MAX CUP - FRONIUS COMP ..	\$2,520.00	F01	330-735	PRINCE XL 35FT AC FRONIUS COMP	\$2,040.00	F01
298-815	COBRA MX 15FT AC 7P EURO CLASSIC CUP	\$1,835.00	F01	330-750	PRINCE XL 50FT AC FRONIUS COMP	\$2,270.00	F01
298-825	COBRA MX 25FT AC 7P EURO CLASSIC CUP	\$1,940.00	F01	331-715	PRINCE XL 15FT WC FRONIUS COMP	\$1,940.00	F01
298-835	COBRA MX 35FT AC 7P EURO CLASSIC CUP	\$2,130.00	F01	331-725	PRINCE XL 25FT WC FRONIUS COMP	\$2,040.00	F01
298-850	COBRA MX 50FT AC 7P EURO CLASSIC CUP	\$2,380.00	F01	331-735	PRINCE XL 35FT WC FRONIUS COMP	\$2,240.00	F01
299-815	COBRA MX 15FT WC 7P EURO CLASSIC CUP	\$1,970.00	F01	331-750	PRINCE XL 50FT WC FRONIUS COMP	\$2,495.00	F01
299-825	COBRA MX 25FT WC 7P EURO CLASSIC CUP	\$2,140.00	F01	334-715	PRINCE XL 15FT AC 7PIN EURO COMP	\$1,695.00	F01
299-835	COBRA MX 35FT WC 7P EURO CLASSIC CUP	\$2,305.00	F01	334-725	PRINCE XL 25FT AC 7PIN EURO COMP	\$1,840.00	F01
299-850	COBRA MX 50FT WC 7P EURO CLASSIC CUP	\$2,510.00	F01	334-735	PRINCE XL 35FT AC 7PIN EURO COMP	\$2,040.00	F01
300-815	COBRA MX 15FT AC 7P EURO MAX CUP	\$1,870.00	F01	334-750	PRINCE XL 50FT AC 7PIN EURO COMP	\$2,270.00	F01
300-825	COBRA MX 25FT AC 7P EURO MAX CUP	\$1,940.00	F01	335-715	PRINCE XL 15FT WC 7PIN EURO COMP	\$1,940.00	F01
300-835	COBRA MX 35FT AC 7P EURO MAX CUP	\$2,135.00	F01	335-725	PRINCE XL 25FT WC 7PIN EURO COMP	\$2,040.00	F01
300-850	COBRA MX 50FT AC 7P EURO MAX CUP	\$2,385.00	F01	335-735	PRINCE XL 35FT WC 7PIN EURO COMP	\$2,240.00	F01
301-815	COBRA MX 15FT WC 7P EURO MAX CUP	\$1,970.00	F01	335-750	PRINCE XL 50FT WC 7PIN EURO COMP	\$2,495.00	F01
301-825	COBRA MX 25FT WC 7P EURO MAX CUP	\$2,170.00	F01	SPOOL GUNS			
301-835	COBRA MX 35FT WC 7P EURO MAX CUP	\$2,295.00	F01	319-725	PRINCE XL SG 25FT 750 IPM	\$1,495.00	F01
301-850	COBRA MX 50FT WC 7P EURO MAX CUP	\$2,520.00	F01	319-750	PRINCE XL SG 50FT 750 IPM	\$1,925.00	F01
COBRA SX				416-725	PRINCE SG SPOOL GUN 25FT	\$945.00	F01
325-815	COBRA SX 15FT AC CLASSIC CUP	\$1,545.00	F01	416-750	PRINCE SG SPOOL GUN 50FT	\$1,295.00	F01
325-825	COBRA SX 25FT AC CLASSIC CUP	\$1,710.00	F01	322-515	SIDEWINDER 15FT W/7IN BBL	\$399.00	F02
325-835	COBRA SX 35FT AC CLASSIC CUP	\$1,850.00	F01	322-525	SIDEWINDER 25FT W/7IN BBL	\$430.00	F02
325-850	COBRA SX 50FT AC CLASSIC CUP	\$2,050.00	F01	ORBITAL			
327-815	COBRA SX 15FT AC CLASSIC CUP LE COMP	\$1,690.00	F01	250-153	COBRACOOLER COOLANT RECIRC PKG	\$2,695.00	F04
327-825	COBRA SX 25FT AC CLASSIC CUP LE COMP	\$1,855.00	F01	254-153	COBRATIG 150 SM/APS PKG	\$11,955.00	F04
327-835	COBRA SX 35FT AC CLASSIC CUP LE COMP	\$1,995.00	F01	254-203	ADVANCED COLOR LOGIC PKG LNX	\$25,475.00	F04
327-850	COBRA SX 50FT AC CLASSIC CUP LE COMP	\$2,195.00	F01	4000	MINIMICRO 1/8-1/2IN OD	\$14,040.00	F05
326-815	COBRA SX 15FT AC CLASSIC CUP MM COMP	\$1,690.00	F01	5001	COPPERHEAD I 1/8-1IN OD WELDHEAD PKG	\$6,990.00	F04
326-825	COBRA SX 25FT AC CLASSIC CUP MM COMP	\$1,855.00	F01	5002	COPPERHEAD II 1/4-2IN OD WELDHEAD PKG	\$7,575.00	F04
326-835	COBRA SX 35FT AC CLASSIC CUP MM COMP	\$1,995.00	F01	5003	COPPERHEAD III 1/2-3IN OD WELDHEAD PKG	\$7,795.00	F04
326-850	COBRA SX 50FT AC CLASSIC CUP MM COMP	\$2,195.00	F01	5006	DIAMONDBACK 2IN OD-6IN OD WELDHEAD PKG	\$11,955.00	F04
328-815	COBRASX 15FT AC CLASSIC CUP FRONIUS COMP ...	\$1,690.00	F01	POSITIONERS			
328-825	COBRASX 25FT AC CLASSIC CUP FRONIUS COMP ...	\$1,855.00	F01	127-001	AIRCRAFTER T-25	\$962.00	F03
328-835	COBRASX 35FT AC CLASSIC CUP FRONIUS COMP	\$1,995.00	F01	127-006	COBRATURN TURNTABLE	\$1,975.00	F03

FOR A COMPLETE PRICE LIST OF ALL MK AVAILABLE PARTS, VISIT WWW.MKPRODUCTS.COM

Products, Parts, and Accessories Pricing

Part #	Description	List Price	Code	Part #	Description	List Price	Code
SPARE PARTS AND ACCESSORIES				003-1394	ASSY JUMP CBL MILLER TORP	\$5.69	P01
001-0529	HOSE WTR 15 FT.....	\$73.83	P01	003-1396	ASSY CBL 24P 25FT WLDHD	\$419.68	P01
001-0530	HOSE WTR 25 FT.....	\$72.03	P01	003-1399	ASSY LATCH WLDHD/CH.....	\$91.46	P01
001-0537	HOSE GAS 15 FT	\$54.29	P01	003-1414	ASSY PS 24V ACL.....	\$1,760.01	P01
001-0538	HOSE GAS 25 FT	\$72.03	P01	003-1420	ASSY PCB WPS SERVO ACL.....	\$772.97	P01
001-0562	VALVE GAS CB.....	\$26.83	P01	003-1421	ASSY PCB WPS DRVR ACL.....	\$631.91	P01
001-0665	HOSE GAS 50 FT	\$130.81	P01	003-1636	ASSY PCB MAIN 110V WCI	\$283.86	P01
001-1042	ASSY CBL PWR UTF 50 FT	\$331.44	P01	003-1642	ASSY CON 7P W" CB".....	\$57.17	P01
001-1230	XFMR 460/230VAC STEP DOWN	\$3,163.23	A02	003-1644	ASSY PCB PNL FR WCI.....	\$167.02	P01
001-2521	ASSY CBL PWR/WTR 15 FT #4 CT	\$187.04	P01	003-1645	ASSY CBL RBN WC1 WC2 WC3	\$21.33	P01
001-2524	ASSY CBL PWR/WTR 25 FT #4 CT	\$269.32	P01	003-1646	CBL BD TO BD WC1 WC2 WC3.....	\$12.45	P01
001-2527	ASSY CBL PWR UTF 15 FT	\$145.67	P01	003-1662	ASSY CBL 115V CNTOR.....	\$20.90	P01
001-2528	ASSY CBL PWR UTF 25 FT	\$194.58	P01	003-1669	ASSY CBL PWR IN LINE WC3 TPDO MILLER.....	\$93.37	P01
001-3062	WC-1 115V ASSY W/POSAST.....	\$507.73	A01	003-1686	ASSY CBL ADPTR MILLER SPG	\$16.95	P01
001-3066	MK200 CONTACTOR CTRL.....	\$529.17	A01	003-1810	ASSY SOL GAS ACL.....	\$455.00	P01
001-3812	ASSY CBL PWR UTF 35 FT	\$249.78	P01	003-1838	ASSY PCB TRPLOUTPT PS ACL.....	\$323.67	P01
002-0055	ASSY BRUSH HLDR.....	\$34.70	P01	003-1926	ASSY PCB BK PLANE TIG150	\$274.91	P01
002-0057	ADPTR CHUCK #3	\$250.82	P01	003-1936	ASSY PCB PS CTRL TIG150	\$741.97	P01
002-0494	ASSY BRUSH PLT 5001	\$250.95	P01	003-1938	ASSY PWR MOD TIG150	\$2,271.86	P01
002-0503	ASSY BRUSH PLT 5002	\$345.37	P01	003-1948	ASSY PCB ARC START TIG150	\$589.21	P01
002-0506	ASSY BRUSH PLT 5003.....	\$365.34	P01	003-1949	ASSY PCB TIG CTRL TIG150	\$872.03	P01
002-0524	ASSY SHIELD WPS SERVO	\$63.76	P01	003-1953	ASSY SOL GAS VALVE TIG150	\$565.47	P01
002-0545	ASSY WLD FAN ADPTR ACL	\$120.86	P01	003-1960	ASSY PCB OUTFILTR TIG150	\$163.45	P01
002-0583	SCR ADJ PXL.....	\$18.86	P01	003-1961	ASSY XFMR AC PWR DISTR TIG150.....	\$317.29	P01
002-0610	ASSY BRZ WTR CONN BASE CH	\$52.76	P01	003-1963	ASSY PCB FILTR INTFC TIG150	\$75.09	P01
002-0611	ASSY BRZ WTR CONN CVR CH	\$40.75	P01	003-1972	ASSY BODY PXL.....	\$249.36	P01
002-0612	ASSY BRZ BAR GND CH III	\$94.10	P01	003-1974	ASSY REAR CLAMP WC PT	\$17.23	P01
002-0613	ASSY BRZ BAR GND CH I	\$145.44	P01	003-1975	ASSY PCB GENERIC TORP	\$159.39	P01
002-0614	ASSY BRZ BAR GND CH II	\$98.30	P01	003-1996	ASSY RECTIFIER TIG150	\$251.18	P01
002-0629	ASSY CAM IDLER ARM PYTHON.....	\$40.98	P01	003-1999	ASSY RLY TIG150	\$60.65	P01
002-0738	ASSY GEAR 34T SPUR 5001.....	\$84.82	P01	003-2002	ASSY SHUNT TIG150.....	\$95.83	P01
002-0739	ASSY GEAR 45T 5002.....	\$102.28	P01	003-2003	ASSY CVR TIG150.....	\$243.25	P01
002-0740	ASSY GEAR IDLER 5003.....	\$95.64	P01	003-2004	ASSY REG FLOW METR TIG150.....	\$625.00	P01
002-0770	TUNGSTEN EXTENDER 30/45DEG	\$82.74	A01	003-2005	ASSY FOOT CTRL TIG150.....	\$635.13	P01
002-0771	TUNGSTEN HOLDER 90DEG	\$73.35	A01	003-2008	ASSY GASLINE FTG TIG150	\$106.50	P01
002-0772	TUNGSTEN HOLDER 20/30DEG.....	\$77.44	A01	003-2021	ASSY SPOOL SPG PXL	\$62.40	P01
003-0023	CHUCK STL 3-JAW 4 DIA.....	\$450.03	P01	003-2042	ASSY CVR HSG CH III	\$283.65	P01
003-0094	S/A REVERSE SWX WIRING	\$50.06	P01	003-2043	ASSY PLT SIDE CVR CH III	\$822.02	P01
003-0095	S/A CTRL POT WIRING.....	\$59.14	P01	003-2044	ASSY PLT SIDE BASE CH III	\$736.25	P01
003-0141	S/A FUSE HLDR WLEADS	\$20.22	P01	003-2045	ASSY CVR HSG CH I	\$233.79	P01
003-0162	LINE CORD SET W/TERM.....	\$42.53	P01	003-2047	ASSY PLT SIDE CVR CH I	\$711.66	P01
003-0176	S/A KNOB SCR CONDUIT.....	\$4.22	P01	003-2048	ASSY PLT SIDE BASE CH I	\$601.32	P01
003-0198	WIRE GUIDE ADPTR 1LB SPG.....	\$11.53	C01	003-2050	ASSY CBL/HDL CH.....	\$1,764.18	P01
003-0233	ASSY 5 IN TURNABLE	\$149.99	P01	003-2052	ASSY CVR CH II.....	\$283.36	P01
003-0568	ASSY MICRO SWX PT	\$37.84	P01	003-2054	ASSY PLT SIDE CVR CH II	\$804.55	P01
003-0585	ASSY TRIGGER PT	\$10.49	P01	003-2055	ASSY PLT SIDE BASE CH II	\$668.08	P01
003-0590	PWR FTG #4 CBL T END CB	\$26.00	P01	003-2058	ASSY MOTOR CH III	\$1,333.85	P01
003-0773	S/A XFMR 120V CMWC.....	\$79.73	P01	003-2069	ASSY MOT TORQUE 115V CB.....	\$452.35	P01
003-0796	CBL PWR FOR CTRL BX.....	\$18.82	P01	003-2070	ASSY KNOB RETAINER SPG PXL.....	\$6.74	P01
003-0855	ASSY PCB FILT AC INPUT TIG150.....	\$62.16	P01	003-2071	ASSY CVR SPG PXL	\$22.53	P01
003-1243	ASSY CUR SNSR CB I-II.....	\$23.45	P01	003-2072	ASSY BRAKE SPG	\$17.59	P01
003-1301	ASSY CBL GRN & RED 18/2.....	\$37.95	P01	003-2078	ASSY MOT SLAVE 115V CB	\$730.62	P01
003-1302	ASSY CBL BLK & WHT 18/2.....	\$18.83	P01	003-2108	ASSY BODY FR PYTHON	\$320.14	P01
003-1366	ASSY GEAR MAIN 5001.....	\$216.96	P01	003-2116	ASSY PCB SPEED CTRL PA-L1	\$244.52	P01
003-1386	ASSY MAIN GEAR 5002.....	\$228.11	P01	003-2125	ASSY KNOB POT PYTHON	\$13.82	P01
003-1387	ASSY MAIN GEAR 5003.....	\$217.45	P01	003-2141	ASSY BODY FR COBRA MAX.....	\$292.29	P01
003-1389	ASSY SWX PLT WLDHD	\$154.46	P01	003-2142	ASSY PCB DMDBK	\$163.21	P01
003-1390	ASSY PCB STD WLDHD	\$160.40	P01	003-2147	ASSY BBL 60D A/W PYTHON	\$350.82	P01
003-1391	ASSY MOTOR CH I & II.....	\$1,347.75	P01	003-2148	ASSY PCB INTFC PCI/ACL.....	\$1,884.15	P01
003-1392	ASSY SWX REED 5002-3/6004	\$72.00	P01	003-2151	ASSY BBL STR A/W PXL.....	\$246.17	P01
003-1393	ASSY SWX REED 5001.....	\$72.00	P01	003-2153	ASSY BOOT.....	\$9.21	P01

FOR A COMPLETE PRICE LIST OF ALL MK AVAILABLE PARTS, VISIT WWW.MKPRODUCTS.COM

Products, Parts, and Accessories Pricing

Part #	Description	List Price	Code	Part #	Description	List Price	Code
003-2162	ASSY ROTOR DMDBK	\$1,028.67	P01	003-2397	ASSY REAR BODY AC W/MOD GAS VALVE MX	\$191.73	P01
003-2163	ASSY CLAMP RIGHT DMDBK	\$994.29	P01	003-2398	ASSY REAR BODY WC W/MOD GAS VALVE MX	\$361.90	P01
003-2164	ASSY CLAMP CVR LEFT DMDBK	\$994.29	P01	003-2401	ASSY FLOW INDICATOR COBRACOOLER	\$155.16	P01
003-2165	ASSY MOT MNT DMDBK	\$1,999.98	P01	003-2416	ASSY PCB PS CTRL SMT TIG150	\$737.60	P01
003-2166	ASSY GEAR DMDBK	\$317.23	P01	003-2450	ASSY CAM PAWL BRAKE COBRAMATIC MOLD	\$8.70	P01
003-2167	ASSY REED SWX DMDBK	\$51.02	P01	003-2451	ASSY POWER BLOCK PRO-SERIES MK	\$321.13	P01
003-2171	ASSY GEAR 48T DMDBK	\$229.00	P01	003-2452	ASSY GAS SOLENOID 24V PRO-SERIES	\$149.70	P01
003-2173	ASSY GEAR BEVEL HUB DMDBK	\$294.06	P01	003-2453	ASSY BRAKE SOLENOID 115V PRO-SERIES	\$77.95	P01
003-2181	ASSY HIGH VOLTAGE PWR ACL	\$1,851.01	P01	003-2454	ASSY FRONT PANEL 115V PRO-SERIES	\$451.32	P01
003-2190	ASSY POT SX/MX/LX	\$89.73	P01	003-2455	ASSY SPINDLE PRO-SERIES	\$177.82	P01
003-2191	ASSY BODY COBRA SX	\$146.41	P01	003-2457	ASSY DOOR LEFT PRO-SERIES	\$127.45	P01
003-2192	ASSY MOT STD SPEED SX	\$319.28	P01	003-2458	ASSY DOOR RIGHT PRO-SERIES	\$127.45	P01
003-2197	ASSY SWX COBRA SX/SWDR	\$12.58	P01	003-2466	ASSY GAS SOLENOID 24V EURO PRO-SERIES	\$156.64	P01
003-2199	ASSY GAS VALVE MOD PSG	\$29.45	P01	003-2498	ASSY BASE TURNTABLE	\$184.77	P01
003-2202	ASSY PCB SPD CTRL SDWDR	\$84.88	P01	003-2499	ASSY MOTOR TURNTABLE	\$646.96	P01
003-2203	ASSY PCB SPD CTRL SP-1	\$123.23	P01	003-2504	ASSY KNOB TURNTABLE	\$22.68	P01
003-2204	ASSY BBL AC CLS CUP PSG	\$139.82	P01	003-2511	ASSY DISPLAY MOD COBRATIG 150	\$890.84	P01
003-2206	ASSY BODY PSG	\$162.54	P01	003-2513	ASSY PRINTER MODULE TIG150	\$1,584.13	P01
003-2209	ASSY WIRE GUIDE PYTHON	\$11.44	C01	003-2593	ASSY CUP ADPTR AC PXL	\$34.69	P01
003-2211	ASSY POT QKCONN PYTHON/MAX	\$77.83	P01	005-0162	KIT ADPTR 7 PIN W" CAB"	\$75.14	P01
003-2214	ASSY PCB HV MODULE ACL	\$1,647.89	P01	005-0205	KIT MILLER 250 SPG CTRL	\$270.65	A01
003-2216	ASSY TRIGGER SDWDR	\$4.50	P01	005-0206	KIT L-TEC SPG MK	\$247.79	A01
003-2224	ASSY RETNR QKCUP SWDR	\$51.51	P01	005-0214	KIT TOOL 5001-5003 WLDHD	\$56.77	P01
003-2232	ASSY BODY REAR A/W PYTHON	\$222.64	P01	005-0255	KIT HDL COBRA TORCH	\$46.34	P01
003-2244	ASSY REAR BODY	\$159.39	P01	005-0261	KIT PXL ADPTR 14P PA-M1	\$368.10	A01
003-2250	ASSY BBL 4IN STR SDWDR	\$222.19	P01	005-0264	KIT PXL ADPTR GEN PA-G1	\$328.08	A01
003-2251	ASSY BBL 7IN STR SDWDR	\$229.17	P01	005-0268	KIT CBL CTRL 15FT COBRA G/PXL	\$113.55	P01
003-2261	ASSY DGTL CTRLR ACL	\$4,924.09	P01	005-0269	KIT CBL CTRL 25FT COBRA G/PXL	\$139.03	P01
003-2267	ASSY REAR BODY AC MX	\$245.84	P01	005-0272	KIT CBL CTRL 50FT COBRA G/PXL	\$208.26	P01
003-2271	ASSY BODY FR AC PYTHON	\$304.50	P01	005-0307	KIT CBL CTRL 35FT COBRA G/PXL	\$165.42	P01
003-2272	ASSY BBL 60D AC PYTHON	\$296.51	P01	005-0323	KIT CBL PC INTFC TIG150	\$21.16	P01
003-2274	ASSY SWX MX/LX	\$31.37	P01	005-0345	KIT STRP CHART ACL	\$1,448.26	A02
003-2276	ASSY REAR BODY WC MX	\$298.48	P01	005-0354	KIT STRP CHART TIG150	\$946.94	A02
003-2287	ASSY BODY REAR WC PYTHON	\$234.86	P01	005-0355	KIT SPG CTRL MODULE SP-1	\$155.00	A03
003-2289	ASSY BODY REAR AC PYTHON	\$174.23	P01	005-0356	KIT SPG CTRL MODULE SP-L1 14P LINCOLN	\$155.00	A03
003-2290	ASSY BODY PXL 1/8ID HOSE	\$280.62	P01	005-0357	KIT SPG CTRL MODULE SP-M1 14P MILLER	\$155.00	A03
003-2315	ASSY BBL STR WC 400AMP	\$417.68	P01	005-0358	KIT SPG CTRL MODULE SP-4A	\$155.00	A03
003-2317	ASSY BBL 60D WC 400AMP PYTHON	\$471.38	P01	005-0361	KIT MOTHERBOARD ASUS M2N-MX ACL	\$583.85	P01
003-2325	ASSY BODY PXL - OEM	\$248.49	P01	005-0365	KIT PCB MAIN 115V	\$402.63	P01
003-2330	ASSY BBL STR AC PYT/PXL	\$226.74	P01	005-0366	KIT PCB MAIN 42V	\$398.21	P01
003-2331	ASSY BBL 45D AC PXL	\$218.17	P01	005-0371	KIT ASSY HIGH VOLTAGE PWR ACL	\$1,727.32	P01
003-2337	ASSY PWR MANIFOLD AC UNIV	\$45.26	P01	005-0376	KIT XFMR REPL/UPGRADE COBRAMATIC	\$220.40	P01
003-2338	ASSY POWER PIN ADPTR MILLER	\$135.91	P01	005-0380-15	KIT CBL CTRL 15FT MM COMP PYTHON/SX/MX	\$147.69	P01
003-2340	ASSY BBL AC CLASSIC CUP SX	\$246.93	P01	005-0380-25	KIT CBL CTRL 25FT MM COMP PYTHON/SX/MX	\$168.41	P01
003-2341	ASSY BBL AC CLASSIC CUP MX	\$256.85	P01	005-0380-35	KIT CBL CTRL 35FT MM COMP PYTHON/SX/MX	\$201.01	P01
003-2342	ASSY BBL WC CLASSIC CUP MX	\$285.40	P01	005-0380-50	KIT CBL CTRL 50FT MM COMP PYTHON/SX/MX	\$215.95	P01
003-2343	ASSY BBL AC MAX CUP MX	\$261.86	P01	005-0381-15	KIT CBL CTRL 15FT FRONIUS COMP PYT/SX/MX ..	\$193.93	P01
003-2344	ASSY BBL WC MAX CUP MX	\$295.63	P01	005-0381-25	KIT CBL CTRL 25FT FRONIUS COMP PYT/SX/MX ..	\$215.73	P01
003-2345	ASSY PWR MANIFOLD WC UNIV	\$61.95	P01	005-0381-35	KIT CBL CTRL 35FT FRONIUS COMP PYT/SX/MX ..	\$239.47	P01
003-2346	ASSY POWER PIN ADPTR LINCOLN/TWECO	\$94.05	P01	005-0381-50	KIT CBL CTRL 50FT FRONIUS COMP PYT/SX/MX ..	\$272.17	P01
003-2354	ASSY POWER MANIFOLD WC HGV - FRONIUS	\$103.13	P01	005-0385-BLACK	KIT HANDLE WIREFEED EURO COMP BLACK	\$21.95	P01
003-2355	ASSY REAR BODY AC W/MOD GAS VALVE LX	\$254.28	P01	005-0385-BLUE	KIT HANDLE WIREFEED MM COMP BLUE	\$21.95	P01
003-2358	ASSY FAN COBRA COOLER	\$61.16	P01	005-0385-RED	KIT HANDLE WIREFEED LE COMP RED	\$21.95	P01
003-2359	ASSY MOT PUMP COBRA COOLER	\$408.14	P01	005-0387-10	KIT CBL PWR/WTR 10FT MK CONN	\$140.60	P01
003-2364	ASSY FUSE COBRA COOLER	\$26.78	P01	005-0387-15	KIT CBL PWR/WTR 15FT MK CONN	\$163.38	P01
003-2373	ASSY PWR MANIFOLD AC FRONIUS 1/8" BARB	\$55.15	P01	005-0387-25	KIT CBL PWR/WTR 25FT MK CONN	\$216.74	P01
003-2376	ASSY PWR MANIFOLD AC ESAB	\$98.62	P01	005-0387-3	KIT CBL PWR/WTR 3FT MK CONN	\$102.81	P01
003-2377	ASSY TRIGGER PIN ESAB	\$13.09	P01	005-0387-30	KIT CBL PWR/WTR 30FT MK CONN	\$248.26	A01
003-2378	ASSY PWR MANIFOLD WC FRONIUS 1/8" BARB	\$60.57	P01	005-0387-35	KIT CBL PWR/WTR 35FT MK CONN	\$270.07	P01
003-2385	ASSY REAR BODY AC LX	\$249.04	P01	005-0387-50	KIT CBL PWR/WTR 50FT MK CONN	\$346.15	P01
003-2396	ASSY PCB FRONT PANEL COBRAMATIC	\$400.30	P01	005-0387-6	KIT CBL PWR/WTR 6FT MK CONN	\$120.42	P01

FOR A COMPLETE PRICE LIST OF ALL MK AVAILABLE PARTS, VISIT WWW.MKPRODUCTS.COM

Products, Parts, and Accessories Pricing

Part #	Description	List Price	Code	Part #	Description	List Price	Code
005-0388-10	KIT CBL PWR/WTR 10FT EURO CONN	\$125.38	P01	005-0735	KIT FITTING PWR CBL.....	\$47.81	P01
005-0388-15	KIT CBL PWR/WTR 15FT EURO CONN	\$152.79	P01	005-0738	KIT CABLE SOLENOID COBRAMATIC PRO-SERIES	\$24.46	A01
005-0388-25	KIT CBL PWR/WTR 25FT EURO CONN	\$206.58	P01	005-0740	KIT CBL CTRL 35FT PYTHON/SX/MX	\$170.36	P01
005-0388-3	KIT CBL PWR/WTR 3FT EURO CONN	\$98.88	P01	005-0745	KIT PCB MAIN 115V PRO-SERIES	\$402.63	P01
005-0388-30	KIT CBL PWR/WTR 30FT EURO CONN	\$238.46	P01	005-0750-BLACK	KIT HANDLE BLACK PYTHON LX	\$44.03	P01
005-0388-35	KIT CBL PWR/WTR 35FT EURO CONN	\$264.13	P01	005-0750-BLUE	KIT HANDLE BLUE PYTHON LX	\$44.03	P01
005-0388-50	KIT CBL PWR/WTR 50FT EURO CONN	\$340.25	P01	005-0750-GREEN	KIT HANDLE GREEN PYTHON LX	\$44.03	P01
005-0388-6	KIT CBL PWR/WTR 6FT EURO CONN	\$115.66	P01	005-0750-RED	KIT HANDLE RED PYTHON LX	\$44.03	P01
005-0393	KIT PWR MANIFOLD WC REPL FRONIUS/7PIN EURO	\$73.49	P01	005-0752	KIT LCD MODULE / PRINTER REPL TIG150	\$3,577.55	P01
005-0394	KIT PWR MANIFOLD AC REPL FRONIUS/7PIN EURO	\$67.08	P01	005-0753	KIT PCB DGTL CTRL SM TIG150	\$1,053.92	P01
005-0395	KIT ASSY PWR CONN MM COMP	\$187.64	P01	005-0755-15	KIT HOSE GAS 15FT REPL MK - MX/LX	\$46.83	P01
005-0396	KIT SPIRAL RING REPL MANIFOLD EURO	\$14.82	P01	005-0755-25	KIT HOSE GAS 25FT REPL MK - MX/LX	\$60.84	P01
005-0405-15	KIT CBL CTRL 15FT MM COMP PXL	\$113.72	P01	005-0755-35	KIT HOSE GAS 35FT REPL MK - MX/LX	\$81.12	P01
005-0405-25	KIT CBL CTRL 25FT MM COMP PXL	\$136.01	P01	005-0755-50	KIT HOSE GAS 50FT REPL MK - MX/LX	\$102.75	P01
005-0405-35	KIT CBL CTRL 35FT MM COMP PXL	\$182.58	P01	005-0756-15	KIT HOSE WATER 15FT REPL MK - MX/LX	\$86.81	P01
005-0405-50	KIT CBL CTRL 50FT MM COMP PXL	\$200.48	P01	005-0756-25	KIT HOSE WATER 25FT REPL MK - MX/LX	\$110.32	P01
005-0406-15	KIT CBL CTRL 15FT FRONIUS COMP PXL	\$153.98	P01	005-0756-35	KIT HOSE WATER 35FT REPL MK - MX/LX	\$151.42	P01
005-0406-25	KIT CBL CTRL 25FT FRONIUS COMP PXL	\$188.47	P01	005-0756-50	KIT HOSE WATER 50FT REPL MK - MX/LX	\$186.04	P01
005-0406-35	KIT CBL CTRL 35FT FRONIUS COMP PXL	\$227.24	P01	117-0016	POT RHEO FT CTRL 7 FT CBL.....	\$62.92	P01
005-0406-50	KIT CBL CTRL 50FT FRONIUS COMP PXL	\$280.92	P01	135-0060	XFMR PWR TIG150	\$573.25	P01
005-0611	KIT PIGTAIL PUSH TO TWIST.....	\$311.84	A02	135-0062	XFMR ARC START TIG150	\$140.17	P01
005-0617	KIT CBL ADPTR SPG GSLGR	\$144.18	A01	135-0063	XFMR ARC START TIG150	\$403.10	P01
005-0632	KIT BRAKE SPOOL SPG PXL	\$127.44	P01	137-0093	XFMR 4 DISCRETE INPUTS 28V/2A RMS	\$150.01	P01
005-0633	KIT HDL W/SPCR PXL	\$62.56	P01	145-0028	LMP GRN BEZEL 951-5	\$10.13	P01
005-0648	KIT BK SOL 115V PL DR CB	\$75.32	P01	145-0041	BEZEL SNAP-IN BLACK	\$1.50	P01
005-0649	KIT BK SOL 42V METAL DR CB	\$100.95	P01	150-0013	CIRC BRKR 3P 30A RKR	\$230.72	P01
005-0650	KIT BK SOL 115V METAL DR CB	\$75.62	P01	151-0001	FUSE FST 3AG 2A 250V	\$1.92	P01
005-0651	KIT FUSE 4A/INFO SHEET	\$3.26	P01	151-0007	FUSE SLO 3AG 1A 250V	\$4.11	P01
005-0654	KIT MOT W/CRMP TERM CG	\$529.60	P01	151-0037	FUSE FST PICO 3A 125V	\$2.75	P01
005-0656	KIT POT REPL CG	\$63.73	P01	151-0043	FUSE FST 3AG 4A 250V	\$2.02	P01
005-0661	KIT POT PXL	\$110.50	P01	151-0044	FUSE FAST ACT 5X20MM 4A 125V	\$2.66	P01
005-0670	KIT TIG MICRO ACCESSORY	\$2,069.82	A02	151-0048	FUSE 6.3X32MM 5A 250V CCC	\$5.62	P01
005-0676	KIT PXL ADPTR 14PX PA-L1	\$457.12	A01	151-0050	FUSE CARTRIDGE, 5AMP, 125V 2AG SLOW BLOW	\$2.34	P01
005-0678	KIT PNL FR 42V CB	\$173.79	P01	151-0197	FUSE NORM 3AG 5A 250V	\$1.03	P01
005-0679	KIT PNL FR 115V CB	\$173.79	P01	159-0159	SWX PB 1P FORM Z SNAP ACTION	\$108.90	P01
005-0681	KIT SPOOL SPINDLE REPL CB	\$178.15	P01	165-0001	FILT RFI 1A B 120/250VAC	\$59.76	P01
005-0682	KIT SPR STL HD SPG PXL	\$28.67	P01	170-0006	SNSR GAS FLOW 750SCC	\$192.12	P01
005-0687	KIT TOOL 5006	\$56.77	P01	170-0014	SNSR FLOW GAS 6.5 CFH AR	\$325.61	P01
005-0689	KIT CBL INTFC FAB 250	\$147.32	A01	176-0002	BRUSH MOD GND MTL/GRPH	\$43.06	P01
005-0690	KIT CBL CTRL 15FT PYTHON/SX/MX	\$113.55	P01	179-0016	MOD SPD 115V/90VDC PM	\$230.11	P01
005-0691	KIT CBL CTRL 25FT PYTHON/SX/MX	\$139.03	P01	191-0016	PWR SUPPLY 12V 40W OPEN FRAME	\$51.43	P01
005-0692	KIT CBL CTRL 50FT PYTHON/SX/MX	\$209.49	P01	195-0026	PCB MOTHERBD MOD ACL	\$555.20	P01
005-0693	KIT POT GAS/TRIGGER CB	\$73.00	P01	201-0012	FAN FILT GUARD 4.7 30PPI	\$14.39	P01
005-0694	KIT TRIGGER PYTHON/MAX	\$13.89	P01	201-0015	FAN GUARD #10	\$14.46	P01
005-0695	KIT POT ASSY PYTHON/MAX	\$98.48	P01	201-0019	FAN BLOW 24VDC 62CFM	\$49.18	P01
005-0696	KIT NUT/INSUL BBL	\$29.39	P01	201-0021	FAN MEDIA REPL 3.6IN SQ	\$7.64	P01
005-0697	KIT THERMISTOR ACL	\$171.48	P01	201-0024	FAN FLTR SCR N 3.61SQ ALUM	\$20.56	P01
005-0698	KIT CALIBRATION 200AMP	\$1,817.00	A02	201-0025	FAN GUARD WIRE FORM 3-5/8	\$2.96	P01
005-0699	KIT HDL PYTHON	\$44.03	P01	201-0027	FAN FILTER SCR N 3.15SQ	\$20.18	P01
005-0700	KIT HDL COBRAMAX	\$46.34	P01	201-0028	FAN GUARD WIRE 2.8SQ 80MM	\$4.70	P01
005-0701	KIT ASSY MICRO SWX PYTHON/MAX	\$27.81	P01	211-0034	MOT ASSY MOD 211-0033	\$355.00	P01
005-0710	KIT HDL COBRA SX	\$36.43	P01	211-0066	MOTOR 96:1 RATIO CH I, II, III	\$1,139.42	P01
005-0711	KIT HDL SIDEWINDER	\$47.88	P01	211-0071	MOT 31:1 RATIO 24VDC PT	\$342.62	P01
005-0713	KIT GAS/TRIG CTRL 115V	\$578.39	P01	211-0077	MOT 24V 19.5:1 PYTHON	\$259.42	P01
005-0714	KIT GAS/TRIG CTRL 42V	\$619.38	P01	211-0078	MOTOR 581:1 RATIO DMDBK	\$1,656.40	P01
005-0720	KIT BASE COPPERHEAD I	\$1,195.00	P01	211-0079	MOT 22MM 12VDC 23:1 SIDEWINDER	\$158.13	P01
005-0721	KIT BASE COPPERHEAD II	\$1,295.00	P01	211-0082	MOT PLASTIC 8VDC C35-1 PSG	\$81.49	P01
005-0722	KIT BASE COPPERHEAD III	\$1,495.00	P01	211-0085	MOT 24V 19.5:1 COBRA MX/LX	\$258.09	P01
005-0725	KIT HANDLE COBRA MX	\$44.61	P01	211-0088	MOT 24VDC 31:1 RATIO PRINCE XL	\$399.11	P01
005-0726	KIT TRIGGER COBRA MX	\$13.89	P01	230-0011	MONITOR FL PNL LCD17V BLK	\$967.44	P01
005-0730	KIT HDL PRINCE SG	\$55.13	P01	261-0069	INSUL SWX TERM MYLAR	\$1.03	P01

FOR A COMPLETE PRICE LIST OF ALL MK AVAILABLE PARTS, VISIT WWW.MKPRODUCTS.COM

Products, Parts, and Accessories Pricing

Part #	Description	List Price	Code	Part #	Description	List Price	Code
261-0085	INSUL SPD CTRL	\$4.46	P01	320-0101	SCR BHSC 4-40X3/16 SST	\$1.03	P01
261-0094	WRAP SPL CORD 5.5" LG	\$3.08	P01	321-0001	SSCR CUP 4-40X1/8 ST	\$1.30	P01
261-0094-13	WRAP SPL CORD 13.0" LG	\$7.70	P01	321-0081	SSCR CUP 1/4-20X1/4 ST	\$1.03	P01
261-0115	INSUL BASE SUPP BASE PLT WPS	\$31.98	P01	321-0424	SSCR CUP 4-40X1/8 SS	\$0.99	P01
261-0141	INSUL BBL STR AW	\$2.00	P01	321-0518	SSCR FP 1/4-20X3/8 ST	\$0.99	P01
261-0142	INSUL BBL KIT	\$3.54	P01	321-1074	SSCR 6-32-.50 MOD	\$7.52	P01
261-0143	INSUL BBL CRV AW 60D	\$2.72	P01	321-1082	SSCR FP 1/4-20X3/8 SS	\$1.03	P01
261-0155	INSUL BBL 12IN A/W PXL	\$4.21	P01	321-1093	SSCR CP 4-40X1/4 W/NYL SS	\$3.11	P01
261-0158	INSUL BBL STR/45D WC	\$1.89	P01	321-1102	SSCR BSTIP 10-32X3/16 ST	\$3.72	P01
261-0159	INSUL BBL 12IN WC PYT/PXL	\$4.94	P01	321-1104	SSCR LK CONDUIT	\$9.85	P01
261-0381	INSUL S/A BBL WC CUP	\$23.82	P01	321-1124	SSCR CONE M2X4MM SS	\$3.16	P01
261-0452	INSUL 7IN BBL SDWDR	\$4.89	P01	321-1130	SSCR ROTOR 4000	\$2.02	P01
261-0454	INSUL BBL QKCUP PSG	\$2.19	P01	321-1264	SSCR CUP 6-32X1/8 SS	\$1.82	P01
261-0615	INSUL PCB WELD HEAD	\$5.09	P01	321-1266	SSCR CUP 6-32X1/4 SS	\$1.03	P01
261-0634	INSUL SPOOL CB	\$6.78	P01	324-0421	SCR F S M1.6X2MM SS 4000	\$3.76	P01
261-0635	INSUL PWR BLK CB	\$7.93	P01	325-0025	SCR PN S 2-56X3/8	\$0.99	P01
301-0004	BOOT AMP CBL #6 5/16ID	\$2.01	P01	325-0206	SCR PN S 10-24X.340LG SST	\$1.54	P01
301-0012	GROM RBR 3/8IDX21/32OD	\$0.99	P01	325-0426	SCR PN S 4-40X3/4 SS	\$0.99	P01
301-0019	BOOT AMP CBL #8 .437ID	\$1.84	P01	327-0012	SCR PN P T/F 6-32X1/4 ST	\$0.99	P01
301-0021	BOOT AMP CBL #10 .562ID	\$4.15	P01	327-0110	SCR PN P T/B #6X3/8 ST	\$0.99	P01
301-0023	GROM PNL MTG LED BLK	\$0.99	P01	328-0002	SCR SHC 4-40X3/8 ST	\$2.03	P01
301-0026	BOOT AMP CBL #12 .63ID	\$2.29	P01	328-0003	SCR SHC 4-40X1/2 ST	\$1.30	P01
301-0052	BOOT STOP CUR SNSR	\$6.16	P01	328-0012	SCR SHC 6-32X3/8 ST	\$0.99	P01
301-0054	BOOT AMP CBL #10 .562ID	\$2.15	P01	328-0013	SCR SHC 6-32X1/2	\$2.03	P01
301-0055	BOOT PWR/GAS L-TEC ADPTR	\$27.70	P01	328-0014	SCR SHC 6-32X5/8	\$2.03	P01
301-0088	BOOT CBL 0.217OD BLUE	\$1.50	P01	328-0015	SCR SHC 6-32X3/4	\$2.03	P01
301-0089	BOOT WC FOR PXL & CG	\$6.42	P01	328-0056	SCR SHC 1/4-20X1/2	\$0.99	P01
301-0094	BOOT CBL .228ID BLK	\$1.50	P01	328-0237	SCR SHC 4-40X1/4 SS	\$1.03	P01
301-0097	BOOT RBR WTR/PWR HD&CB	\$11.39	P01	329-0236	SCR HX 1/2-13X1 1/2 BS	\$7.05	P01
301-0101	INSUL BBL	\$8.35	P01	330-0005	SCR SHDR 1/4X1 10-24	\$4.35	P01
301-0103	BUMPER RBR 15/16OD CB	\$4.09	P01	330-3063	SCR SHDR MOD	\$4.66	P01
301-0107	BUMPER RBR 1.0X.5 W/WSHR	\$1.38	P01	331-0050	WSHR F .625X.265X.06 ST	\$1.03	P01
303-0010	O-RING 2-014 .489IDX.07W VITON	\$0.99	P01	331-0087	WSHR F .75X.453X.093 NEOP	\$1.03	P01
303-0011	O-RING 2-016 .614 IDX.07W VITON	\$1.03	P01	331-0095	WSHR F #5/16 .75X.343X.05 SS	\$2.04	P01
303-0012	O-RING 2-017 .676IDX.816OD VITON	\$1.03	P01	331-0176	WSHR F 1.125X.50X.08 BS	\$2.72	P01
303-0081	O-RING 5-108 .176IDX.276OD BUNA	\$0.99	P01	331-0264	WSHR F .250X.125X.022 SS	\$0.99	P01
303-0093	O-RING 568-012 .364IDX.07W VITON	\$1.03	P01	331-0311	WSHR F .630X.390X.016 SS	\$1.14	P01
303-0094	O-RING 568-011 .301IDX.07W VITON	\$0.99	P01	331-0313	WSHR F 1.171X0.75X.125 LEATHER	\$4.84	P01
303-0096	O-RING 2-007 .145IDX.07W BUNA N	\$0.99	P01	333-0003	WSHR SPR LK #4	\$0.99	P01
303-0097	O-RING 2-005 .101IDX.07W BUNA	\$0.99	P01	333-0005	WSHR SPR LK #6	\$0.99	P01
303-0102	O-RING 2-112 0.487IDX.103 CS RBR	\$1.03	P01	333-0006	WSHR SPR LK #8 0.280ODX0.186IDX0.031 ST	\$0.99	P01
303-0110	ORING 2-019 13/16 ID X 15/16 OD BUNA N 50	\$1.03	P01	333-0009	WSHR SPR LK #1/4	\$1.03	P01
303-0516	O-RING 2-010 .239IDX.07THK	\$0.99	P01	333-0013	WSHR SPR LK #1/2	\$0.99	P01
303-0540	O-RING 2-013 .426IDX.07W	\$0.99	P01	333-0039	WSHR LK #2 INTL STAR STL	\$1.92	P01
311-0002	CPLR SHAFT MOT 6003/5001-5002	\$27.63	P01	333-0082	WSHR LK #10	\$0.99	P01
311-0008	CPLR SHAFT MOT 5003	\$38.06	P01	333-0260	WSHR SPR LK #6 SS	\$0.99	P01
313-0008	RING E RET EXT 3/16 DIA	\$1.03	P01	333-0261	WSHR SPR LK #8 0.296ODX0.168IDX0.040 SST	\$0.99	P01
313-0013	RET E-RING 3/4 DIA SHAFT STL	\$1.20	P01	336-0003	SCR PN 4-40X1/2 CROSS	\$1.03	P01
313-0021	STUD RCVR .250DIA PUSH-ON	\$0.99	P01	336-0020	SCR PN P 4-40X5/16 SS	\$0.99	P01
313-0089	RING C RET EXT .312 DIA	\$1.03	P01	336-0049	SCR PN P 4-40X5/8 ST	\$0.99	P01
313-0091	RING RET EXT .625 SHAFT CARB STL	\$0.99	P01	336-0056	SCR PN #4-40X1 1/2	\$1.03	P01
313-0091-10PC	RING RET EXT .625 SHAFT 10PC PK	\$9.31	P01	336-0070	SCR PN P 6-32X1-1/2 ST	\$1.03	P01
313-0098	RING RET EXT 13/32 SHAFT STL ZINC	\$0.99	P01	336-0071	SCR PN P 6-32X1-5/8 ST	\$2.07	P01
313-0140-0.500-5PC	RING RET MD 0.500 DIA SST 5PC PK	\$10.35	P01	336-0073	SCR PN P 6-32X2.0 ST	\$0.99	P01
313-0144	RING RET HD 1.062 DIA SHAFT SPIRAL STL	\$1.89	P01	336-0230	SCR PN P 8-32X1/4 ZBLK ST	\$0.99	P01
313-0197	RING WIRE 13/16SX.059T CL	\$1.25	P01	336-0231	SCR PN P 8-32X5/16 ZBLK ST	\$0.99	P01
315-0696	BUSH STRN RLF .625X.55X.06	\$1.32	P01	338-0014	SCR SHC 4-40X1/2 SS	\$0.99	P01
318-0339	SCR PN S 10-32X1/4 NYL BLK	\$1.03	P01	338-0020	SCR SHC 6-32X1/4 SS	\$0.99	P01
319-0254	SCR F P 82D 4-40X3/8 SS	\$0.99	P01	338-0022	SCR SHC 6-32X3/8 SS	\$0.99	P01
319-0258	SCR F P 82D 4-40X5/8 SS	\$0.99	P01	338-0034	SCR SHC 8-32X1/2 SS	\$0.99	P01
320-0085	SCR BHSC 6-32X1/4 SS	\$1.03	P01	338-0153	SCR SHC 1-72X3/8 SST	\$0.99	P01

FOR A COMPLETE PRICE LIST OF ALL MK AVAILABLE PARTS, VISIT WWW.MKPRODUCTS.COM

Products, Parts, and Accessories Pricing

Part #	Description	List Price	Code	Part #	Description	List Price	Code
341-0104	NUT 5/8HX 1/2-24 3/16THK.....	\$1.96	P01	431-1526	BEZEL LENS CH III.....	\$92.99	P01
342-0039	NUT JAM 1/2-13 BS.....	\$1.82	P01	431-1527	BEZEL LENS CH I.....	\$71.87	P01
342-0410	SPCR STACK #6-32X.534LG.....	\$1.82	P01	431-1595	SLEEVE MOT MNT CH III.....	\$5.29	P01
345-0018	NUT HX LK #5/16-18UNC W/INSR NYLON.....	\$1.03	P01	431-1598	ARM IDLER PYTHON.....	\$33.30	P01
345-0047	NUT ADJ PRESET TENSIONER.....	\$8.03	P01	431-1622	SCR SHDR 1/8X4-40 PYTHON.....	\$6.30	P01
345-0050	NUT CAP 4-40 BLK N.....	\$2.81	P01	431-1630	CUP ADPTR HD COBRA GOLD.....	\$15.00	P01
351-0066	CAP PLG 5/16 DIA BLK.....	\$0.99	P01	431-1631	CUP ADPTR HD AC PXL.....	\$36.63	P01
351-0266	STRAIN RELIEF SR 10N-2 BLK.....	\$1.53	P01	431-1637	SCR 3/8-20X3/8 PYTHON.....	\$7.57	P01
401-0012	KNOB FLUTE 1 IN DIA BLK.....	\$9.54	P01	431-1663	SCR ADJ IDLER PYTHON/MAX.....	\$8.64	P01
401-0013	KNOB RHEOS 1-1/8DIA BLK.....	\$7.06	P01	431-1670	BASE DMDBK.....	\$851.86	P01
401-0015	KNOB 2 IN 3/8-16X3/4 AL.....	\$30.56	P01	431-1671	CVR DMDBK.....	\$694.88	P01
401-0039	KNOB THUMBSCR #4-40X1/4.....	\$1.53	P01	431-1672	PLT SIDE BASE DMDBK.....	\$633.50	P01
401-0119	LAMP FILAMENT T1-3/4MG 28V 40MA.....	\$8.32	P01	431-1673	PLT SIDE CVR DMDBK.....	\$633.50	P01
401-0521	KNOB .070DIA 1/4SHFT.....	\$7.65	P01	431-1682	HSG CTRL RIGHT DMDBK.....	\$426.15	P01
403-0008	DIAL PLT 1-3/4DIA 0-100 MARK.....	\$7.79	P01	431-1683	HSG CTRL LEFT DMDBK.....	\$426.15	P01
405-0958	MEMBRANE SWX DMDBK.....	\$368.55	P01	431-1684	STRAIN RLF CBL DMDBK.....	\$60.21	P01
411-0025	CLAMP CBL SZ 16 BLK ZINC.....	\$10.66	P01	431-1685	CLAMP CBL STRN RLF DMDBK.....	\$36.82	P01
411-0045	TIE WRAP .750 DIA N BLK.....	\$0.99	P01	431-1690	BLK MOT MNT DMDBK.....	\$147.34	P01
411-0053	CLIP RBN CBL 1X1X.391 PVC.....	\$4.52	P01	431-1693	LENS WLD CVR DMDBK.....	\$124.49	P01
411-0202	TIE WRAP CBL 1.88 DIA NYL.....	\$1.03	P01	431-1694	RACE TEF DMDBK.....	\$53.37	P01
411-0243	TIE WIRE #4 SCR X 4.33LG NYLON.....	\$0.99	P01	431-1702	CPLR MOT DMDBK.....	\$24.27	P01
415-0075	HINGE DOOR NYLON BLK.....	\$20.51	P01	431-1705	SCREW SHDR MOD DMDBK.....	\$12.81	P01
415-0082	STRAP FSTNR HOOK & LOOP.....	\$4.42	P01	431-1708	GEAR PINION MOD DMDBK.....	\$134.99	P01
415-0243	HDL CARRY 1010 STL.....	\$22.51	P01	431-1709	SPCR MOT MNT DMDBK.....	\$33.20	P01
419-0020	SPR COMP .290 ODX.047X.38.....	\$1.20	P01	431-1724	FTG BRS 1/8IDX1/16-27NPT.....	\$5.37	P01
419-0063	SPR COMP .125ODX.017X.265.....	\$4.45	P01	431-1731	IDLER LEVER.....	\$16.53	P01
419-0080	SPR EXT .219ODX.014X.94LG.....	\$4.14	P01	431-1744	DIFFUSER .281/.312OD FASTIP.....	\$32.74	P01
419-0084	SPR COMP .609ODX.519X1.53.....	\$11.94	P01	431-1760	SCR SHDR 1/8DIA.....	\$6.59	P01
419-0085	SPR COMP CB+.....	\$8.53	P01	431-1774	CUP INSUL BBL.....	\$4.37	P01
419-0092	SPR COMP .320D X .055 WIRE MW.....	\$9.25	P01	431-1786	FTTG CONDUIT LINER.....	\$18.21	P01
419-0095	SPR COMP 0.850ODX0.690IDX0.75 LG.....	\$4.78	P01	431-1788	FTTG CONDUIT LINER EURO CONN.....	\$15.00	P01
419-0106	SPR WAVE 1.00DIA 3WAVE SST.....	\$6.33	P01	431-1886	FTG 3/16HOSE 1/16-27 BRS.....	\$5.79	P01
419-0108	SPR WAVE 1.25DIA 3WAVE SST.....	\$6.63	P01	431-1890	CONDUIT LINER 7.32" LONG.....	\$5.65	P01
419-0211	SPR COMP .50IDX.437.063WIRE.....	\$6.71	P01	431-1892	SCR SHDR 1/8 DOOR MX.....	\$15.58	P01
421-0001	KEY SQ. 3/32X3/32X3/4.....	\$7.83	P01	431-1893	NIPPLE MOD 1/8 ID HOSE.....	\$13.16	P01
421-0016	PIN DWL 3/32X1.0 ST.....	\$1.21	P01	431-1897	ADPTR PWR MX MK3A RING LUG.....	\$13.17	P01
421-0018	PIN DWL 3/32X7/8 SS.....	\$1.07	P01	431-1898	RETAINER HOSE TORCH.....	\$6.29	P01
421-0128	PIN SPR 1/16X3/8 ST.....	\$0.99	P01	431-1905	FTG BRS 1/8IDX1/16-27NPT.....	\$5.93	P01
421-0129	PIN SPR 1/16X7/16 ST.....	\$1.03	P01	431-1910	BARB HOSE QK CONN 1/8ID.....	\$9.12	P01
421-0221	PIN SPR 3/16X1 ST.....	\$0.99	P01	431-2052	WASHER FOR EURO CONNECTION.....	\$2.80	P01
421-0408	PIN .093X2.0 ST.....	\$1.86	P01	431-2055	WASHER DELR TURNTABLE.....	\$2.98	P01
421-0409	PIN DWL .093X1-1/4 SST.....	\$1.32	P01	431-2064	SHAFT AXLE TURNTABLE.....	\$18.39	P01
421-0424	PIN DWL 1/4X5/8 SS.....	\$2.07	P01	431-3117	DOOR MACH PT.....	\$20.48	P01
421-0452	DWL PIN 0.093 DIA X 0.80LG SST.....	\$2.18	P01	431-3726	ADPTR SPOOL SPINDLE C.....	\$13.43	P01
421-0525	PIN DWL 1/8X7/8 416 SS.....	\$1.21	P01	431-4013	BLOCK MOT MT 5003/6004.....	\$54.62	P01
421-0525-10PC	PIN DWL 1/8X7/8 416 SS 10PC PK.....	\$11.39	P01	431-4054	NUT FR COBRA MAX.....	\$7.99	P01
421-0714	PIN DWL 1/8X5/16 SS.....	\$1.03	P01	435-0255	CVR 1B MOT & CTRL BX.....	\$41.85	P01
421-0721	PIN DWL 3/32X1/4 SS.....	\$1.09	P01	435-0900	WRAP COP PWR CBL.....	\$1.38	P01
421-0742	PIN RING DETENT 1/4X2-3/4 ST.....	\$6.60	P01	435-0931	PLT THD SMALL.....	\$19.70	P01
421-3106	PIN DWL 1/8X3/4 ST.....	\$0.99	P01	435-0933	LENS WELDING TINTED.....	\$23.52	P01
431-0015	SCR TORCH ADJ.....	\$8.59	P01	435-1111	CVR PNL PS ACL.....	\$151.42	P01
431-0115	WIRE GUIDE REAR.....	\$9.21	C01	435-1186	STRAP MOT RTNG CG.....	\$9.58	P01
431-0568	FTG GAS PSNR 4.....	\$27.23	P01	435-1205	WINDOW WLD VIEW DMDBK.....	\$18.98	P01
431-0743	WIRE GUIDE FR.....	\$9.21	C01	435-1244	WINDOW VIEW COBRA COOLER.....	\$5.91	P01
431-0977	NUT RETAIN WTR/CUP KT.....	\$14.19	P01	435-1247	BRACKET CURRENT SENSOR COBRAMATIC.....	\$10.14	P01
431-1266	RING BACKUP PLT.....	\$14.44	P01	435-1250	WASHER 1.75OD X 0.203ID ALUM.....	\$2.35	P01
431-1424	IDLER ARM PXL.....	\$62.37	P01	435-1484	BRKT ADPTR CNTOR BX.....	\$22.71	P01
431-1425	ADPTR PLT SOL CB.....	\$8.33	P01	435-1485	BASE CNTOR BX.....	\$58.69	P01
431-1427	PIN PVT PXL.....	\$13.95	P01	435-1486	CVR CNTOR BX.....	\$48.84	P01
431-1522	FTG GAS BARB CH.....	\$12.74	P01	435-1568	RETAINER PCB TIG150.....	\$14.80	P01
431-1525	BEZEL LENS CH II.....	\$82.60	P01	435-1582	PLT LOCATE SLAVE MOT CB.....	\$15.23	P01

FOR A COMPLETE PRICE LIST OF ALL MK AVAILABLE PARTS, VISIT WWW.MKPRODUCTS.COM

Products, Parts, and Accessories Pricing

Part #	Description	List Price	Code	Part #	Description	List Price	Code
435-1585	STRAP MOTOR	\$9.25	P01	552-0226	HOSE GAS 50FT PYTHON	\$158.31	P01
435-3124	DOOR SPR PXL.....	\$15.84	P01	552-0227	HOSE GAS 35FT PYTHON	\$77.28	P01
435-3893	CLAMP SWX REED WELDHEAD.....	\$12.12	P01	552-0238-15	HOSE WTR 15FT BLUE QK CON EURO.....	\$34.90	P01
437-0189	MLD HDL CBL R 5001-3.....	\$42.53	P01	552-0238-25	HOSE WTR 25FT BLUE QK CON EURO.....	\$49.59	P01
437-0190	MLD HDL CBL L 5001-3.....	\$42.53	P01	552-0238-35	HOSE WTR 35FT BLUE QK CON EURO.....	\$65.26	P01
437-0230	MLD HSG SLAVE MOT CB.....	\$41.16	P01	552-0238-50	HOSE WTR 50FT BLUE QK CON EURO.....	\$93.25	P01
437-0231	MLD CAM ARM SLAVE MOT CB.....	\$3.51	P01	552-0239-15	HOSE WTR 15FT BLUE UNIV.....	\$48.26	P01
437-0232	MLD IDLER ARM CB.....	\$7.97	P01	552-0239-25	HOSE WTR 25FT BLUE UNIV.....	\$64.51	P01
437-0235	MLD SPINDLE SPG PXL.....	\$6.80	P01	552-0239-35	HOSE WTR 35FT BLUE UNIV.....	\$82.22	P01
437-0237	MLD SPCR HDL SPG PXL.....	\$4.09	P01	552-0239-50	HOSE WTR 50FT BLUE UNIV.....	\$107.04	P01
437-0245	MLD CAP BRG SLAVE MOT CB.....	\$2.81	P01	552-0241-10	HOSE GAS 10FT 1/8ID HOSE UNIV.....	\$28.31	P01
437-0247	MLD BUSH FLG IDLER RL INSUL.....	\$2.36	P01	552-0241-15	HOSE GAS 15FT 1/8ID HOSE UNIV.....	\$24.25	P01
437-0253	MLD DOOR PYTHON.....	\$6.87	P01	552-0241-25	HOSE GAS 25FT 1/8ID HOSE UNIV.....	\$39.03	P01
437-0254	MLD SLEEVE SPR MOT CB.....	\$9.11	P01	552-0241-35	HOSE GAS 35FT 1/8ID HOSE UNIV.....	\$53.54	P01
437-0255	MLD PAD WIRE RESTNR CB.....	\$11.80	P01	552-0241-50	HOSE GAS 50FT 1/8ID HOSE UNIV.....	\$75.10	P01
437-0258	MLD RTNR SPOOL SPINDLE CB.....	\$10.00	P01	552-0242-15	HOSE GAS 15FT 1/8ID MK.....	\$28.07	P01
437-0259	MLD KNOB TENSION SPINDLE CB.....	\$14.00	P01	552-0242-25	HOSE GAS 25FT 1/8ID MK.....	\$38.33	P01
437-0260	MLD SPCR SPINDLE CB.....	\$5.79	P01	552-0242-35	HOSE GAS 35FT 1/8ID MK.....	\$51.97	P01
437-0265	NUT HDL ADPTR.....	\$54.76	P01	552-0242-50	HOSE GAS 50FT 1/8ID MK.....	\$66.90	P01
437-0268	MLD CVR POT PYTHON/MAX.....	\$3.24	P01	552-0242-6	HOSE GAS 6FT 1/8ID MK.....	\$27.65	P01
437-0277	MLD DOOR SDWDR.....	\$2.43	P01	552-0243-15	HOSE WTR 15FT.....	\$35.62	P01
437-0292	MLD DOOR COBRA SX.....	\$2.08	P01	552-0243-25	HOSE WTR 25FT.....	\$43.48	P01
437-0299	MLD INSUL BBL COBRA MX.....	\$15.05	P01	552-0243-35	HOSE WTR 35FT.....	\$68.62	P01
437-0317	PLUG POT PYTHON.....	\$15.42	P01	552-0243-50	HOSE WTR 50FT.....	\$73.87	P01
437-0319	SLIDE KEEP COBRAMATIC.....	\$4.35	P01	552-0243-6	HOSE WTR 6FT.....	\$55.48	P01
437-0645	MLD SPOOL SPINDLE.....	\$63.36	P01	552-0244-25	HOSE GAS 25FT 1/8ID PSG.....	\$41.68	P01
437-0670	CTLR HAND HELD 45KEY ACL.....	\$1,014.38	P01	552-0244-50	HOSE GAS 50FT 1/8ID PSG.....	\$87.48	P01
439-0090	NUT CONDUIT.....	\$11.27	P01	552-0270-15	HOSE GAS 15FT 3/16HOSE X 1/16NPT.....	\$71.44	P01
449-0193	NUT RETAIN CHROME.....	\$16.22	P01	552-0270-25	HOSE GAS 25FT 3/16HOSE X 1/16NPT.....	\$93.63	P01
501-0207	BRG DBL SHIELD 0.750DX.250IDX.281.....	\$9.57	C01	552-0270-35	HOSE GAS 35FT 3/16HOSE X 1/16NPT.....	\$124.59	P01
507-0128	PINION 10T.....	\$41.41	P01	552-0270-50	HOSE GAS 50FT 3/16HOSE X 1/16NPT.....	\$161.05	P01
507-0130	GEAR SHAFT 34T.....	\$86.15	P01	567-0012	FILTER INLINE 1/4IN BARB LOW PROFILE.....	\$43.21	P01
507-0142	GEAR ROTOR 5003 ASSY.....	\$1,583.81	P01	569-0001	METER FLOW.....	\$140.41	P01
507-0143	GEAR BEVEL SLIP64T WELDHD.....	\$192.28	P01	615-0054	BULK TUBE TEF .085IDX.117OD.....	\$3.31	C11
507-0144	GEAR ASSY 24T SPUR WELDHD.....	\$108.51	P01	615-0178	BULK TUBE TEF 0.084IDX.174OD.....	\$6.36	C11
507-0147	GEAR 32T MITTER WELDHD.....	\$132.26	P01	615-0186	BULK TUBE TEF 0.125IDX.173OD GRAY.....	\$6.36	P02
507-0148	GEAR ROTOR 5001 ASSY.....	\$875.37	P01	615-0260-12	LINER TEF 12IN FLEX BBL.....	\$5.24	P01
507-0194	GEAR WORM TURNTABLE MOD CWG1220-1.....	\$85.18	P01	615-0319	LINER TEF 3.21LG .110ID.....	\$3.42	C01
507-0349	GEAR DRV ASSY 6003.....	\$69.82	P01	615-0349	LINER INLET SDWDR.....	\$0.99	P01
511-0001	ASSY IDLER RL WIRE FEED CB.....	\$13.84	C01	615-0538	LINER TEF 10.63LG .084ID.....	\$6.91	C01
511-0016	DRV RL CB.....	\$12.69	C01	615-0566	LINER TEF 12.0IN .084ID.....	\$6.91	C01
511-0101	DRV RL COBRA G.....	\$10.77	C01	615-0567	LINER TEF 13.0IN .084ID.....	\$6.91	C01
511-0113	ASSY IDLER RL .023/.035 WIRE.....	\$11.33	C01	615-0568	LINER TEF 18.0IN .084ID.....	\$7.87	C01
511-0176	ASSY DRV RL .035 GRVD INSUL.....	\$40.50	C01	615-0601-15	CONDUIT 15FT NON-THD.....	\$66.84	C01
511-0178	ASSY DRV RL 3/64 GRVD INSUL.....	\$40.50	C01	615-0601-25	CONDUIT 25FT NON-THD.....	\$89.13	C01
511-0206	DRV RL SLAVE CB.....	\$34.69	C01	615-0601-35	CONDUIT 35FT NON-THD.....	\$133.68	C01
513-0006	CPLR 1/4OD DBL END SHTOFF.....	\$76.88	P01	615-0601-50	CONDUIT 50FT NON-THD.....	\$148.75	C01
513-0007	CONN Y ARGON YB420.....	\$75.87	P01	615-0620-15	CONDUIT 15FT TEF TUBE.....	\$68.85	C01
552-0201	HOSE GAS 15FT PSG/SDWDR.....	\$56.86	P01	615-0620-25	CONDUIT 25FT TEF TUBE.....	\$91.79	C01
552-0202	HOSE GAS 25FT PSG/SDWDR.....	\$82.13	P01	615-0620-35	CONDUIT 35FT TEF TUBE.....	\$137.70	C01
552-0209	HOSE WTR RED 3FT W/ NIPPLE.....	\$24.00	P01	615-0620-50	CONDUIT 50FT TEF TUBE.....	\$152.12	C01
552-0211	HOSE WTR RED QK CON 3FT - EURO.....	\$24.42	P01	621-0101	ASSY CUP ADPTR INSUL KT/WC PXL.....	\$93.08	P01
552-0215	HOSE WTR RED QK CON - HGV.....	\$72.84	P01	701-0052-1	COPPER WRAP 2.0" LG.....	\$0.99	P01
552-0216-15	HOSE WTR 15FT BLUE QK CON - HGV.....	\$64.08	P01	707-0118	FILT PLT 2X4-1/4 SHADE#10.....	\$4.39	P01
552-0216-25	HOSE WTR 25FT BLUE QK CON - HGV.....	\$84.58	P01	707-0126	LENS CHEMCAST #2324 RED.....	\$10.28	P01
552-0216-35	HOSE WTR 35FT BLUE QK CON - HGV.....	\$102.97	P01	723-0059	DISK RATCHET BRK CB II.....	\$29.85	P01
552-0216-50	HOSE WTR 50FT BLUE QK CON - HGV.....	\$151.37	P01	751-0018	CAP PLUG .5IDX.5 LG VINYL BLK ROUND.....	\$1.03	P01
552-0220	ASSY HOSE WTR 25FT CH.....	\$67.27	P01	753-0063	WIRE GUIDE FTG CONDUIT.....	\$40.55	C01
552-0221	ASSY HOSE GAS 25FT CH.....	\$115.90	P01	753-0085	CPLR GAS 1/4OD BRS.....	\$93.83	P01
552-0224	HOSE GAS 15FT PYTHON.....	\$49.49	P01	753-0086	FTG FEM CON 1/4OD 1/8NPT.....	\$8.73	P01
552-0225	HOSE GAS 25FT PYTHON.....	\$60.59	P01	753-0098	FTG 1/4ODX1/8 PT MALE.....	\$9.86	P01

FOR A COMPLETE PRICE LIST OF ALL MK AVAILABLE PARTS, VISIT WWW.MKPRODUCTS.COM

Products, Parts, and Accessories Pricing

Part #	Description	List Price	Code	Part #	Description	List Price	Code
753-0099	FTG MALE PIPE T 1/8 BRS.....	\$46.64	P01	843-0640-50	ASSY CBL PWR 50FT GLOBAL.....	\$302.85	P01
753-0112	FTG AW-32 BRS.....	\$9.86	P01	843-0640-6	ASSY CBL PWR 6FT GLOBAL.....	\$66.04	P01
753-0114	FTG 1/8NPS-1/8NPT M-M.....	\$12.91	P01	843-0643	ASSY CBL CTRL 6FT.....	\$105.09	P01
753-0127	CPLR 3/16 IN BARB DBL SHUT OFF.....	\$40.56	P01	843-0650-25	ASSY CBL PWR 25FT PSG.....	\$180.54	P01
753-0152	COUPLER DS 1/4BARB PANEL.....	\$48.32	P01	843-0650-50	ASSY CBL PWR 50FT PSG.....	\$303.19	P01
753-0155	PLUG VALVE DBL 1/8NPT.....	\$28.68	P01	843-0671	ASSY CBL PWR PTR/MONITOR ACL.....	\$51.86	P01
753-0182	ELBOW M/F 1/8 NPT.....	\$4.63	P01	843-0691	ASSY CBL ELECTRODE 25FT CH.....	\$140.13	P01
753-0210	WIRE GUIDE SLAVE MOT.....	\$17.33	C01	843-0692	ASSY CBL GROUND 25FT DMBK.....	\$139.06	P01
753-0475	ADPTR 1/4 NPT 5/8-18.....	\$9.12	P01	843-0693	ASSY CABLE CAT6 SHIELDED.....	\$28.96	P01
753-3285	FTG 5/8-18 1/8 NPT.....	\$22.12	P01	843-0694	ASSY CBL PWR TURNTABLE.....	\$17.87	P01
843-0064	CBL 8 FT CNTOR.....	\$15.30	P01	843-0699-10	CBL CAT6 10FT BLACK SHIELDED.....	\$21.59	P01
843-0327	CBL ASSY POSAST GND.....	\$18.60	P01	843-0712	ASSY POWER CABLE MOD W/FUSE TURNTABLE...	\$41.23	P01
843-0338	ASSY CBL PWR/WTR 50 FT #4 CT.....	\$495.02	P01	843-0714	CBL PWR 220VAC SGL PHASE ACL CCC VERSION....	\$381.82	P01
843-0342	ASSY CBL PWR/WTR 35FT #4.....	\$326.26	P01	844-0079	CBL COILED 7 FT BLK ACL.....	\$38.35	P01
843-0400	CBL INTFC REAR PNL PS ACL.....	\$93.27	P01	861-0003	RADIATOR BARE BLK W/MTG SCREW & HOSE CLAMP..	\$112.38	P01
843-0407	CBL ASSY LGC PS ACL.....	\$21.23	P01	905-0089	CASE PELI TIG150.....	\$652.36	P01
843-0448	CBL FUSE/PWR OUTPUT ACL.....	\$68.07	P01	905-0090	CASE COOLER COBRATIG 150.....	\$230.57	P01
843-0478	CBL ASSY TIG CTRL TO ARC START TIG150.....	\$21.04	P01	905-0091	CASE PELI W/O FOAM CH.....	\$379.26	P01
843-0482	CBL ASSY SENSING TIG150.....	\$42.81	P01	905-0094	CASE MICRO/MANUAL TIG ACC.....	\$259.58	P01
843-0484	ASSY CBL PWR 25FT AC SPG PXL.....	\$200.11	P01	909-030-4043	SPOOL WIRE 030 ALUM 4043.....	\$7.98	C09
843-0485	ASSY CBL PWR 50FT AC SPG PXL.....	\$368.99	P01	909-035-4043	SPOOL WIRE 035 ALUM 4043.....	\$7.98	C09
843-0487	ASSY CBL PWR 15FT AC SPG PXL.....	\$149.00	P01	909-035-5356	SPOOL WIRE 035 ALUM 5356.....	\$7.98	C09
843-0488	ASSY CBL PWR 35FT AC SPG PXL.....	\$277.25	P01	921-0170	PAPER RL 112MM X 25M LG THERMAL.....	\$42.00	A10
843-0489	CBL ASSY RS 232 TIG150.....	\$95.45	P01	921-0171	MEMBRANE PNL REPL TIG150.....	\$442.00	P01
843-0494	CBL ASSY INTFC FILTER TIG150.....	\$384.38	P01	931-0019	WRENCH ALLEN 3/16.....	\$1.72	P01
843-0496	CBL INTFC 42V 8FT LE.....	\$154.46	P01	931-0044	TOOL WRENCH 3/8" TORCH TIP.....	\$17.04	P01
843-0497	CBL ASSY PWR TIG150.....	\$98.68	P01	931-0060-5GAL	COBRA COOLANT 5 GALLON.....	\$106.86	A01
843-0499	CBL PWR GND 13FT TIG150.....	\$197.00	P01	931-0105	TOOL GAS VALVE.....	\$29.83	P01
843-0513	CBL ASSY ADPTR AA/ACL.....	\$999.98	P01	931-0110	SNAKE SKIN CVR 13FT.....	\$66.32	P01
843-0529	ASSY CBL CTRL 14P PA-L1.....	\$140.98	P01	931-0122	SNAKE SKIN CVR 23FT.....	\$127.62	P01
843-0555	ASSY CBL CTRL 15FT SDWDR.....	\$81.10	P01	931-0123	SNAKE SKIN CVR 47FT.....	\$206.61	P01
843-0556	ASSY CBL CTRL 25FT SDWDR.....	\$100.34	P01	931-0132	SNAKE SKIN CVR 33FT.....	\$154.25	P01
843-0562	ASSY CBL PWR 75FT AC SPG PXL.....	\$517.48	P01	931-0140	LINER PACKAGE SDWDR.....	\$20.95	C12
843-0564	CBL ASSY CTRL DMBK.....	\$319.78	P01				
843-0578	ASSY CBL PWR 100FT AC SPG PXL.....	\$563.60	P01				
843-0580-15	ASSY CBL PWR 15FT ULTRA FLEX.....	\$142.07	P01				
843-0580-25	ASSY CBL PWR 25FT ULTRA FLEX.....	\$222.56	P01				
843-0580-35	ASSY CBL PWR 35FT ULTRA FLEX.....	\$303.75	P01				
843-0580-50	ASSY CBL PWR 50FT ULTRA FLEX.....	\$423.30	P01				
843-0590	ASSY CBL PWR 15FT SDWDR.....	\$72.11	P01				
843-0591	ASSY CBL PWR 25FT SDWDR.....	\$98.68	P01				
843-0594	ASSY CBL CONTACTOR SP-4A.....	\$32.07	P01				
843-0600	CBL PWR 120VAC SGL PHASE ACL.....	\$365.55	A02				
843-0601	CBL PWR 220V EUROPEAN ACL.....	\$361.90	A02				
843-0602	CBL PWR 208-240V SGL UNIV.....	\$428.98	A02				
843-0603	CBL PWR 208-240VAC 3 PHASE ACL.....	\$586.58	A02				
843-0605	ASSY CBL COMPUTER INTFC ACL.....	\$137.31	P01				
843-0613	CBL PWR UNIV 120V-30A UL LISTED.....	\$529.09	A02				
843-0619	ASSY CBL PWR AC 15FT.....	\$124.09	P01				
843-0620	ASSY CBL PWR AC 25FT.....	\$185.57	P01				
843-0621	ASSY CBL PWR AC 50FT.....	\$341.61	P01				
843-0622	ASSY CBL PWR AC 35FT.....	\$248.03	P01				
843-0630-15	ASSY CBL PWR 15FT AC PYTHON.....	\$93.48	P01				
843-0630-25	ASSY CBL PWR 25FT AC PYTHON.....	\$142.49	P01				
843-0630-35	ASSY CBL PWR 35FT AC PYTHON.....	\$193.14	P01				
843-0630-50	ASSY CBL PWR 50T AC PYTHON.....	\$266.02	P01				
843-0640-10	ASSY CBL PWR 10FT GLOBAL.....	\$102.37	P01				
843-0640-15	ASSY CBL PWR 15FT GLOBAL.....	\$118.04	P01				
843-0640-25	ASSY CBL PWR 25FT GLOBAL.....	\$179.71	P01				
843-0640-3	ASSY CBL PWR 3FT GLOBAL.....	\$48.64	P01				
843-0640-35	ASSY CBL PWR 35FT GLOBAL.....	\$247.05	P01				

FOR A COMPLETE PRICE LIST OF ALL MK AVAILABLE PARTS, VISIT WWW.MKPRODUCTS.COM

LIMITED WARRANTY

This warranty supersedes all previous MK Products warranties and is exclusive, with no other guarantees or warranties expressed or implied.

LIMITED WARRANTY - MK Products Inc., Irvine, California warrants that all new and unused equipment furnished by MK Products is free from defects in workmanship and material as of the time and place of delivery by MK Products. No warranty is made by MK Products with respect to trade accessories or other items manufactured by others. Such trade accessories and other items are sold subject to the warranties of their respective manufacturers, if any.

MK Products' warranty does not apply to components having normal useful life of less than one (1) year, such as relay points, wire conduit, tungsten, and welding gun parts that come in contact with the welding wire, including gas cups, gas cup insulators, and contact tips where failure does not result from defect in workmanship or material.

MK Products shall, exclusively remedy the limited warranty or any duties with respect to the quality of goods, based upon the following options:

- (1) repair
- (2) replacement
- (3) where authorized in writing by MK Products, the reasonable cost of repair or replacement at our Irvine, California plant.

As a matter of general policy only, MK Products may honor an original user's warranty claims on warranted equipment in the event of failure resulting from a defect within the following periods from the date of delivery of equipment to the original user:

- 1. **Power Supplies and Wire Feed Cabinets** **3 years**
- 2. **Weldheads, Coolers, Positioners, and Push-Pull Guns** ... **1 year**
- 3. **Spool Guns, and Spool Gun Modules** **180 days**
- 4. **Repairs/Exchanges/Parts** **90 days**

Classification of any item into the foregoing categories shall be at the sole discretion of MK Products. Notification of any failure must be made in writing within 30 days of such failure.

A copy of the invoice showing the date of sale must accompany products returned for warranty repair or replacement.

All equipment returned to MK Products for service must be properly packaged to guard against damage from shipping. MK Products will not be responsible for any damages resulting from shipping.

Normal surface transportation charges (one way) for products returned for warranty repair or replacement will be borne by MK Products, except for products sold to foreign markets.

ANY EXPRESS WARRANTY NOT PROVIDED HEREIN AND ANY IMPLIED WARRANTY, GUARANTY, OR REPRESENTATION AS TO PERFORMANCE, AND ANY REMEDY FOR BREACH OF CONTRACT WHICH, BUT FOR THIS PROVISION, MIGHT ARISE BY IMPLICATION, OPERATION OF LAW, CUSTOM OF TRADE, OR COURSE OF DEALING, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR PARTICULAR PURPOSE, WITH RESPECT TO ANY AND ALL EQUIPMENT FURNISHED BY MK PRODUCTS, IS EXCLUDED AND DISCLAIMED BY MK PRODUCTS.

EXCEPT AS EXPRESSLY PROVIDED BY MK PRODUCTS IN WRITING, MK's PRODUCTS ARE INTENDED FOR ULTIMATE PURCHASE BY COMMERCIAL/INDUSTRIAL USERS AND FOR OPERATION BY PERSONS TRAINED AND EXPERIENCED IN THE USE AND MAINTENANCE OF WELDING EQUIPMENT AND NOT FOR CONSUMERS OR CONSUMER USE. MK PRODUCTS' WARRANTIES DO NOT EXTEND TO, AND NO RE-SELLER IS AUTHORIZED TO EXTEND MK PRODUCTS' WARRANTIES TO ANY CONSUMER.

USE OF OTHER THAN **GENUINE** MK PRODUCTS' CONSUMABLES, PARTS, AND ACCESSORIES MAY INVALIDATE YOUR PRODUCT WARRANTY.



CUSTOMER SERVICE:

**MAKING IT EASY
IN AN EVER CHANGING WORLD**

**LIVE CHAT SUPPORT!
MKPRODUCTS.COM**



**EXTENDED HOURS
7 TO 5 PST**



**MORE
PHONE SUPPORT**



**SIMPLIFIED
DISTRIBUTOR
DISCOUNTS**



**FREE FREIGHT
On Orders
over \$100.00
Net**



ZOOM ZOOM...
*to contiguous United States**

* Does not include: International, freight forwarders, and/or OEM orders

GOING BEHIND

Since 1966, MK Products has built a reputation of design and manufacturing excellence. Many of our team members have over twenty years of experience manufacturing our welding equipment. We are proud to say all of our products are 100% assembled in the USA!

PUSHER-PULLY



MK Products are sold all over the world - visit our website to find the representative closest to you.



MK Products
16882 Armstrong Ave
Irvine, CA 92606
(949) 863-1234 • (800) 787-9707
www.mkproducts.com

48° Cups and Tips28	Euro Compatible, 7 Pin Guns9,15-17,21	Orbital Accessories35-36,41-46
Accessories22-28	Cobra MX17	Collets36,38,41-46
Barrels22-23	Prince XL21	Locating Mandrels38
Advanced Color Logic®36	Python9	Tungsten Configurations40
AirCrafter™ Turntable48	Python LX15	Tungsten and Collets41-46
Barrels22,23	Flex Barrel23	Orbital Equipment34-46
Cobra® Coolant13	Fronius Compatible Guns9,15-17,21	Advanced Color Logic36
Cobra MX Series Guns16-17	Cobra MX17	CobraTig 150 SM35
Cobra SX Series Guns18-19	Cobra SX19	CobraCooler35
CobraCooler® Coolant Recirculator35	Prince XL21	CopperHead I Orbital Weldhead38
Cobramatic® Compatibility7	Python9,12	CopperHead II Orbital Weldhead38
Cobramatic Push-Pull Guns8-21	Python LX15	CopperHead III Orbital Weldhead38
Cobra SX Guns18-19	Gas Cups24, 28	DiamondBack Orbital Weldhead39
Cobra MX Guns16-17	48°28	MiniMicro37
Python® Guns8-9	Idler Rolls26	Prince SG Spool Gun31
Python LX Guns14-15	Limited Warranty60	Prince SG Spool Gun Adapter Selectors.....31
Prince® XL Guns20-21	Lincoln Compatible Guns9,15-17,21	Prince XL Gun Series20-21
Cobramatic Pro Series Cabinet6	Cobra MX17	Prince XL Spool Gun30
CobraTig® 150 SM34,35	Cobra SX19	Prince XL Spool Gun Controls30
CobraTurn™ Digital Turntable49	Prince XL21	Product Pricing51
CobraTurn Accessories49	Python9-10	Python Series Gun8-9
Collets36, 38, 41	Python LX15	Python LX Series Guns14-15
Contact Tips25-26,28	Liners27	Sidewinder® Spool Gun32
48°28	Locating Mandrels38	Sidewinder Spool Gun Adapters.....32
Consumables24-28	MicroTig™ Manual Weld Kit35	Spool Guns
Contact Tips25-26,28	MiniMicro™ Weldhead37	Prince SG31
Drive Rolls26	MiniSpool™ Wire32	Prince XL Spool Gun30
Gas Cups24	Miller Compatible Guns9,15-17,21	Sidewinder32
Liners27	Cobra MX17	Spool Gun Adapter Selectors30-31
CopperHead® I Orbital Weldhead38	Cobra SX19	T-2548
CopperHead II Orbital Weldhead38	Prince XL21	Terms and Conditions of Sale.....4
CopperHead III Orbital Weldhead38	Python9,11	Tip Extenders24
DiamondBack® Orbital Weldhead39	Python LX15	Tungsten Electrodes41-46
Drive Rolls26		Turntables48-49

**THIS CATALOG
PRESENTED BY:**

MK REPRESENTATIVE

sales@mkproducts.com
www.mkproducts.com
September 2014

MK
PRODUCTS

16882 Armstrong Ave.
Irvine, CA 92606
Tel (949) 863-1234 • Fax (949) 474-1428