

WINEGARD

www.winegard.com



WINEGARD®

Product Catalog

Bringing you the most comprehensive solution
for any mobile TV situation!







Watch More!

Helping you choose an antenna for any situation, Winegard has the right TV antenna for you.

WHICH WINEGARD ANTENNA IS RIGHT FOR YOU?

WINEGARD FULLY AUTOMATIC SATELLITE TV ANTENNAS

	TRAV'LER® 				Carryout® 	RoadTrip® 			
	DISH 1000/ Bell TV	DIRECTV Slimline	DIRECTV Triple LNB	Shaw Direct 		SDi	SD	MiniMax	MiniMax
Model	SK-1000	SK-3005	SK-3003	SK-7002 <i>mount</i> SKA-722 <i>refl. & LNB</i>	GM-1518	RT1200T <i>white</i> RT1235T <i>black</i>	RT1200S <i>white</i> RT1235S <i>black</i>	RT8000T <i>white</i> RT8035T <i>black</i>	RT8000S <i>white</i> RT8035S <i>black</i>
Type	Stationary	Stationary	Stationary	Stationary	Stationary	In-motion	Stationary	In-motion	Stationary
Mount	Roof	Roof	Roof	Roof	Portable	Roof	Roof	Roof	Roof
Satellite viewing capability	3 simultaneously	5 simultaneously	3 simultaneously	2 simultaneously	1 at a time	1 at a time	1 at a time	1 at a time	1 at a time
Automatically switches between satellites	Views all at once	Views all at once	Views all at once	Views all at once	X	X	X	X	X
DIRECTV® basic		X	X		X	X	X	X	X
DIRECTV® HD		X							
DISH Network® HD	X				X	X	X	X	X
DISH Network® Hybrid					X	X	X	X	X
Bell TV™ HD	X				X	X	X	X	X
Shaw Direct HD				X					
Receivers supported*	3	4+	3	4+	2	2	2	2	2
Dimensions/ Weight	9.75" h x 42" l x 25" w/ 45 lbs	9.75" h x 44" l x 34" w/ 53 lbs	9.75" h x 40" l x 24" w/ 43 lbs	11.75" h x 48" l x 38" w/ 54 lbs	15.6" x 20" / 13.5 lbs	12.5" / 35 lbs	12.5" / 35 lbs	15" x 20" / 13.5 lbs	15" x 20" / 13.5 lbs

Looking for other options? Also included:

- Manual Satellite Antennas
- Over-the-Air Antennas - *excellent for local programming*
- Club-W information
- Technical Specs and Accessories

*Requires purchase of multi-switch for additional receiver setup. Must purchase receiver and programming separately.



AUTOMATIC MULTI-SATELLITE TV ANTENNAS



TRAV'LER Satellite TV Antennas The Best of the Best - designed to bring you *everything* that satellite television offers.

- The **only** antennas capable of viewing all satellites at the same time
- DIRECTV Slimline is the **only** antenna to offer complete DIRECTV HD
- Made with approved and certified reflectors for strongest signal strength
- Work great with DVRs
- Support 3-4 receivers with option to add more (call for details)



TRAV'LER Satellite TV Antennas

DIRECTV Slimline KU/KA (SK-3005)

DELIVERING ALL DIRECTV HD CHANNELS TO YOUR RV.

Winegard is proud to be the *first* to provide RVers with the only solution for maximum DIRECTV HD programming. Satellites acquired: 99°, 101°, 103°, 110°, 119°



DISH 1000 / Bell TV (SK-1000)

DISH Network's premier reflector used for home systems. Equipped to receive all DISH Network and Bell TV standard and HD programming.

Satellites acquired: (Bell) 82°, 91° (DISH) 110°, 119°, 129° or (DISH manual mode) 61.5° only



DIRECTV Triple LNB (SK-3003)

Ideal for DIRECTV customers interested in receiving DIRECTV's standard programming package, not HD. Satellites acquired: 101°, 110°, 119°



Shaw Direct (SK-7002 / SKA-722)

The solution for Canadian RVers. Provides complete standard and HD Shaw Direct programming. Must order both models (mount and reflector/LNB) for complete unit. Satellites acquired: 107°, 111°




JUST LIKE HOME.




The Power of Multi-Satellite Viewing

View **ALL** satellites at the **SAME** time for maximum programming. Never miss your favorite show again! Watch any program on any TV in the RV.



Limitations of Single Satellite Viewing

Crank-ups, portables and domes toggle between satellites, limiting viewing to one satellite at a time. This means all TVs must watch programming from the same satellite.



AUTOMATIC MULTI-SATELLITE TV ANTENNAS

ACCESSORIES AVAILABLE (see inside back cover)

AUTOMATIC PORTABLE DOME SATELLITE TV ANTENNA



•RVING •CAMPING •TAILGATING
•TRUCKING •VACATION HOMES

•BACKYARD BBQS
•CABINS •AND MORE

Carryout Portable Satellite TV Antenna

The most versatile portable antenna - perfect for RVing, tailgating, camping, trucking, vacation homes and so much more!

- **100% automatic!** Turn it on and let it do the rest!
No remote or controls needed to elevate/rotate the dish.
- **Small in Size** (13.5 lbs) with easy-grip carrying handle, yet **Powerful in Performance**
- Temporary and permanent mounting options available




Includes 50' coax and power cable



2 steps to TV...

- 1) Plug Carryout coax into satellite receiver
- 2) Plug Carryout power into 12V power source

That's it! Sit back and relax, the Carryout automatically finds satellites for you.



Other Carryout (GM-1518) features include:

- Fast and reliable satellite acquisition
- View 1 satellite at a time. Automatically switches between 2-3 satellites depending on provider.
- Supports 2 receivers - *Bring your receiver from home!*
- Eyelet attached to base provides ability to lock-up antenna for added security.
- Stationary use only

Satellites acquired:

(DISH) 110°, 119°, 129° (DISH hybrid) 110°, 119°, 61.5° (Bell) 82°, 91°
(DIRECTV) 101°, 119° (will not receive HD programming located on 110° or KA-band satellites 99° & 103°)

ACCESSORIES AVAILABLE (see inside back cover)

ANYTIME. ANYPLACE.



AUTOMATIC PORTABLE SATELLITE TV ANTENNA



RoadTrip Satellite TV Antennas
**Watch LIVE TV while
traveling down the road!**

- Automatic roof-mounted systems
- In-motion and stationary models
- 1 button on/off operation
- Fast and reliable satellite acquisition
- View 1 satellite at a time. Automatically switch between 2-3 satellites depending on provider.
- Supports 2 receivers



RoadTrip Minimax
15"



RoadTrip SDi/SD
12.5"



U.S. Patent No.
6023247, 6188300



12" RoadTrip SDi/SD

SDi (RT1200T white / RT1235T black) in-motion
SD (RT1200S white / RT1235S black) stationary

- Sleek, low profile
- Tuned radome
- Stationary units upgradable to in-motion

15" RoadTrip Minimax

(RT8000T white / RT8035T black) in-motion
(RT8000S white / RT8035S black) stationary

- Mini size, Max performance
- High gloss, rounded dome for max performance in bad weather (rain, dew, snow)
- Enhanced antenna design
- Smallest footprint on the market (20")



RoadTrip Minimax
20"



RoadTrip SDi/SD
32"

Satellites acquired:
(DISH) 110°, 119°, 129° **(DISH hybrid)** 110°, 119°, 61.5° **(Bell)** 82°, 91°
(DIRECTV) 101°, 119° (will *not* receive HD programming located on 110° or KA-band satellites 99° & 103°)

AUTOMATIC ROOF MOUNT.



ACCESSORIES AVAILABLE for 12" RoadTrip (see inside back cover)



Manual Satellite TV Antennas

Low-cost antennas that are perfect for part-time RVers.

- Satellite antennas for every budget
- Lightweight and compact
- Maximum DISH Network and Bell TV HD programming
Standard DIRECTV programming
- Manually set-up and lock-on satellites
- Eliminate line-of-site issues



Single Satellite Viewing

View one of any available KU-band Satellites at a time

*Not compatible with DIRECTV satellite 110° or DIRECTV KA-band satellites

ROOF MOUNT

Crank-Up Antenna

- Raise, lower and rotate this 18" dish with hand crank from inside RV
- Digital Magic LCD shows exact elevation

(RM-DM46) Crank-Up with Digital Magic® elevation sensor

(RM-4600) Crank-Up w/no sensor



GROUND MOUNT

Portable Antenna (RD-9046)

- Base permanently attached
- Lightweight and easy to set up
- Folds down for compact storage



Portable Antenna (PM-2000)

- Requires one-time assembly
- Includes ground stakes and 20' cable



Portable Antenna (DS-4248)

- 18" dish w/dual feed LNBF for 2 receiver viewing
- Includes wall/roof/pole mount for various installations
- For use w/TR-2000 or TR-3500 Tripod mount



Multiple Satellite Viewing

View 2-3 available KU-band Satellites simultaneously

**DIRECTV satellite antennas available through DIRECTV

DISH 500 Antenna (DS-5005)

- View DISH Network programming at 110° and 119° simultaneously
- For use w/TR-3500 Tripod mount only



DISH 1000 Antenna (DS-1005)

- View all three satellites simultaneously on 110°, 119° and 129°, including available HD programming
- For use w/TR-3500 Tripod mount only



Satellite Tripods

TR-2000

Tripod/base mount. Works with standard dual LNB satellite antennas (DS-4248). Includes flat base, 18" antenna pole, detachable legs, ground anchor/bungee, compass and level.



TR-3500

Tripod mount for multi-LNB satellite antennas (DS-5005, DS-1005). Adjustable legs for uneven surfaces. Includes bubble level, compass, ground anchor and nylon carry bag.



ECONOMICAL.



Manual Antenna Accessories

- **SF1000** Satellite finder meter has an audio tone to help you align the satellite antenna signal without using receiver menu.
- **SC-8000** Digital compass is the smallest and lightest compass available. Accurate, easy to operate, water resistant with a backlit display.
- **SC2000** Compact satellite alignment compass. Use local zip code to obtain azimuth setting from satellite receiver and aim your dish in the direction indicated by the compass.



Sensar[®] and WINEGARD[®] WINGMAN[™]


Sensar Antenna (RV-3095)

America's most popular over-the-air TV antenna!

- Directional Digital Ready, HDTV antenna
- Built-in amplifier for reception up to 55 miles from the broadcast tower
- Stows to 4" while traveling
- Stationary use only
- **Sensar Replacement Head Only (RV-2005)**

Wingman (RV-WING)

- Optimizes Sensar for DTV channels
- Increases UHF reception up to 100%
- Attaches to existing Sensar head
- Installs in minutes - *no tools required*



Wingman attaches to Sensar head.

U.S. Patent No. 5,262,793 and Patent Pending



*The mileage rating listed for each antenna is based on optimum conditions and unobstructed terrain. Types of terrain and weather conditions will affect these ratings.

FREE DIGITAL & HD PROGRAMMING.



DID YOU KNOW?

You can take advantage of the best HD available with your OTA antenna - better than satellite or cable!

(HD-Ready TV required to receive FREE HD programming.)




DIGITAL AND HD OVER-THE-AIR TV ANTENNAS

Omnidirectional Antennas

RoadStar[™] Antenna (RS-2000)

- Omnidirectional Digital Ready, HDTV amplified antenna
- Watch your locals while traveling down the road
- Continuously receives VHF/UHF/FM signals from all directions
- Built-in amplifier provides greater signal range



Compact Antenna (RS-1500)

- Omnidirectional Digital Ready, HDTV amplified antenna
- Provides an up-to-date aerodynamic design with a sturdy 1" aluminum pipe mount
- Receives VHF/UHF/FM signals from all directions up to 25 miles from the broadcast tower.



Hideaway[®] Antenna (HA-0130)

- VHF/UHF/FM HDTV antenna receives stations from all directions without rotator
- It opens and closes like an umbrella and stores in weather protected tube when traveling
- Includes housing with rain cap, 15' RG-59 coax cable with connectors and mounting hardware



Directional Antenna

Bi-directional Antenna (RV-7020)

- Straightforward, non-amplified dipole RV HDTV antenna that outperforms most indoor antennas
- Conveniently lowers to the side of your vehicle when not in use
- Comes complete with hardware, mast and 15' RG-59 coaxial cable
- Easy to install—*you only need a screwdriver*



Winegard Sensar Replacement Parts are available at many RV dealers and/or service centers nationwide. For the dealer nearest you, call 1-800-288-8094 or visit our website at www.winegard.com.

CLUB-W SIGNUP FORM

No membership fee to join!

Name _____

Street Address _____

City _____

State/Zip _____ Phone: _____

Email Address* _____

This is an online club. To participate we MUST have your email.

Birthday (month/day/year) _____

Type of RV (Select One)

- | | |
|---|--|
| <input type="checkbox"/> Class A Motorhome | <input type="checkbox"/> Hybrid Travel Trailer |
| <input type="checkbox"/> Class B Camping Van Conversion | <input type="checkbox"/> Travel Trailer |
| <input type="checkbox"/> Class C Motorhome | <input type="checkbox"/> Truck Campers |
| <input type="checkbox"/> Fifth-Wheel | <input type="checkbox"/> Toy Haulers |
| <input type="checkbox"/> Folding Trailer | <input type="checkbox"/> Other _____ |

Brand of RV (Select One)

- | | | | |
|------------------------------------|---------------------------------------|---------------------------------|--------------------------------|
| <input type="checkbox"/> Fleetwood | <input type="checkbox"/> Winnebago | <input type="checkbox"/> Monaco | |
| <input type="checkbox"/> Jayco | <input type="checkbox"/> Thor Ind. | <input type="checkbox"/> KZRV | |
| <input type="checkbox"/> Skyline | <input type="checkbox"/> Forest River | <input type="checkbox"/> Tiffin | <input type="checkbox"/> Other |

Winegard Products You Own (Select All That Apply)

- | | |
|--|--|
| <input type="checkbox"/> Mobile Satellite TV Antenna | <input type="checkbox"/> Mobile UHF/VHF TV Antenna |
| <input type="checkbox"/> Wireless Internet | <input type="checkbox"/> HDTV Home Antenna |

How Often Do You RV?

- | | |
|---|--|
| <input type="checkbox"/> 1 Month and Under Per Year | <input type="checkbox"/> 1-3 Months Per Year |
| <input type="checkbox"/> 3-9 Months Per Year | <input type="checkbox"/> Full Time |

MAIL TO: CLUB-W, Winegard Company
3000 Kirkwood St., Burlington, IA 52601 OR fax to 319-754-0606



Winegard Consumer Club

Sign up today for your **FREE CLUB-W** membership to begin receiving special offers and rebates, priority service, event invitations and more!

How Do I Join?

There are 3 easy ways to sign up for CLUB-W!

- **ONLINE** www.winegard.com/clubw
- **CALL** 877-RV-CLUBW (877-782-5829)
- **FAX or Mail in form** 319-754-0606

MEMBERS RECEIVE...

- **Special Rebates and Coupons**
- **CLUB-W E-Newsletter**
- **Priority Service at Rallies**
- **Priority Email/Technical Support**
- **Invitations to CLUB-W Events**
- **Entry into Prize Drawings**



Made in USA • Made in USA

Winegard 2 year limited warranty.

Specifications for TRAV'LER Satellite Antennas



DIRECTV SLIMLINE KU/KA

Unit weight..... 53 lbs
Travel height..... 9.75"
Dimensions 44"l X 34"w
Simultaneous satellite acquisition.....
..... 99°, 101°, 103°, 110°, 119°



DIRECTV TRIPLE LNB

Unit weight..... 43 lbs
Travel height..... 9.75"
Dimensions 40"l x 24"w
Simultaneous satellite acquisition.....
..... 101°, 110°, 119°



DISH 1000/Bell TV

Unit weight..... 45 lbs
Travel height..... 9.75"
Dimensions 42"l x 26"w
Simultaneous satellite acquisition.....
... (Bell) 82°, 91° (DISH) 110°, 119°, 129°
(DISH manual mode) 61.5° only



SHAW DIRECT

Unit weight..... 54 lbs
Travel height..... 11.75"
Dimensions 48"l x 38"w
Simultaneous satellite acquisition.....
..... 107°, 111°

Common Specs for all TRAV'LER units

Operational temp range
..... -40° f to 155° f
Operational wind
(deployed)
..... 50 mph
Travel mode wind
..... 150 mph

There are certain areas within the U.S. where the DISH 1000 (SK-1000) may experience limited or no coverage of the 129° satellite for HD programming. DISH Network home coverage has the same limitations. Problem areas include: **Washington, Oregon and California** (limited coverage may extend past these areas). Contact DISH Network for any additional coverage questions (888.825.2557).

ACCESSORIES

CL-SK26 25' Extension power/Communication cable connects to existing TRAV'LER power/communication cable allowing for runs up to 50'.

CL-SK34 Accessory stow cable provides the ability to automatically stow the TRAV'LER antenna when the TRAV'LER is on and activated by a 12 V accessory or brake system. Can also be connected to a warning light.



SKA-004 Roller plate designed to create solid landing area for LNB arm roller. Ideal for rubber roofs.

SKA-008 Optional mounting plate designed for extra support in thin roof installations.



TECHNICAL SPECS

Specifications for Carryout Satellite Antennas

Azimuth..... 0° - 692°
Dome Material..... UV protected plastic
Base Material Powder coat aluminum
Cables Included 50' power and 50' coaxial cable
Elevation Range 19° - 92°
Dimensions 20" diameter, 15.6" high
Unit Weight..... 13.5 lbs.
Shipping Weight..... 20 lbs.

ACCESSORIES



GM-3000 Ladder mount for RV with quick disconnect for temporary or permanent installation. Also works on handrail of trucks for temporary setup. Extends 19.5"-23.5" in 2" increments for 3 setting options.

TR-1518 Tripod mount with adjustable height and leveling settings of 14.5" - 22". Quickly disassembles for compact storage.



GM-1200 12V AC/DC power converter, 5.8 Amps. Lets you hook up to 110V when 12V is not available.



Specifications for RoadTrip Satellite Antennas

	RoadTrip® SD/SDi	RoadTrip® Minimax..
Azimuth.....	0° - 720°	0° - 692°
Dome Material.....	Sturdy UV protected plastic	UV protected plastic
Base Material.....	Powder coat aluminum	Powder coat aluminum
Cables Included.....	30' power and 30' coax cable	50' power and 50' coax cable
Elevation Range.....	20° - 60°	19° - 92°
Dimensions.....	32" diameter, 12.5" high	20" diameter, 15" high
Unit Weight.....	35 lbs.	13.5 lbs.
Shipping Weight.....	50 lbs.	20 lbs.

U.S. Patent No. 6023247, 6188300

ACCESSORIES for 12" RoadTrip ONLY

RT12HDS/ RT12HDT DISH Network HD Upgrade Kit allows you to receive HD programming located on satellite 129°. **Designed for pre-2009 models only** (RT12HDS for stationary units / RT12HDT for in-motion units).

RT-1205 SD to SDi Upgrade Kit from stationary to in-motion.

RT-5012 5th Wheel Kit for uneven surfaces.

For more information on these and other Winegard products

www.winegard.com

1-800-288-8094

Winegard Company, incorporated in 1954, has been a leading manufacturer of quality television reception products for over 50 years. Founder, John Winegard, pioneered the early development and growth of the television industry.

Winegard Company currently manufactures and markets four distinct product lines: residential satellite television antennas and mounts, mobile television reception products, over-the-air rooftop and interior DTV/HDTV and VHF/UHF/FM TV antennas, reception products and accessories, and certified medical telemetry antennas and accessories.

Moving past the 55 year mark, we see a bright and exciting future. As our design and manufacturing facilities continue to expand, Winegard will remain an industry leader in the TV reception products industry. Stop and see our comprehensive facility if you are ever passing through the area.



Winegard Company in Burlington, Iowa



Winegard Company • 3000 Kirkwood St. • Burlington, IA 52601
Phone 1-800-288-8094 • Fax 1-800-247-8221 • www.winegard.com
Printed in U.S.A. © 2009 Winegard Company Rev 10/09 WS-100

Winegard, Carryout, Sensor & RoadTrip are registered trademarks and Wingman is a trademark of Winegard Co.
DISH Network is a registered trademark of EchoStar Satellite L.L.C.
DIRECTV is a registered trademark of DIRECTV, Inc., a unit of Hughes Electronics Corp.
Bell TV is a registered trademark of Bell Canada, Inc. Shaw Direct is a trademark of Shaw Satellite G.P.
All other trademarks are official trademarks of their respective owners.