



## A GUIDE TO SPRAY TECHNOLOGY FOR BAKERIES

SOLUTIONS FOR COATING,  
SCORING, PAN LUBRICATION,  
CLEANING & MORE



*Spraying Systems Co.*<sup>®</sup>  
Experts in Spray Technology





# INCREASE PRODUCTION, IMPROVE QUALITY & LOWER OPERATING COSTS WITH SPRAY TECHNOLOGY

Spray technology is used in dozens of bakery operations. Applying coatings (like glazes, butter and mold inhibitors), lubricating pans, scoring bread and equipment can be challenging. Optimizing spray performance can have a significant impact on the bottom line in your bakery by eliminating waste of costly ingredients, ensuring uniform coverage in coating operations, automating manual tasks and more.

## WE'RE UNIQUELY QUALIFIED TO HELP:

- More than seven decades of experience with bakeries focusing on coating, lubrication and cleaning operations. Spray technology is our sole focus, resulting in an unmatched level of expertise
- Largest product line in the industry. Spray nozzles, spray manifolds and automated systems in food-grade compliant materials
- Research and testing capabilities ensure even the most challenging operations are optimized. Think your coating can't be sprayed? We'll help find the best solution using sophisticated test equipment in our spray labs
- No charge on-site evaluations by our sales engineers can help identify areas for process improvements
- Looking for ways to minimize manual labor in coating and cleaning operations? Challenged by excessive maintenance due to over-application of costly ingredients and coatings? Give us a call, there's a local sales office in your area
- Our global technical sales and manufacturing ensure you can implement the same solution in all of your plants to guarantee product quality and standardized production. We're where you need us to be and ready to deliver





## TABLE OF CONTENTS

	PAGE
<b>PRECISION SPRAY CONTROL OVERVIEW</b>	4-7
<b>AUTOJET® PRECISION SPRAY CONTROL SYSTEMS</b>	
BREAD SCORING, EGG WASH, GLAZE/SYRUP, MOLD INHIBITOR, MOISTENING & PAN LUBRICATION	8-9
<b>CLEANING SOLUTIONS</b>	
TANKJET® EQUIPMENT FOR MIXERS, BLENDERS & VATS	10
CLEANING EQUIPMENT FOR CONVEYORS & PRODUCTION AREAS	11

## THE SECRET TO UNIFORM COATING, MOISTURIZING & SCORING: PRECISION SPRAY CONTROL

Applying ingredients, flavorings, coatings, moisture, mold inhibitors, release agents and bread scoring can be challenging. In order to achieve uniform coating and precise scoring, processors have often tolerated waste, scrap, misting and excessive maintenance downtime. Now there is a way to eliminate all those problems. AutoJet Precision Spray Control Systems provide unmatched accuracy in coating and scoring operations.

### Challenging Coatings We've Conquered

We have a proven track record of using spray technology to apply just about every coating, ingredient, slurry, flavoring and topping. Here's just a partial list:

- |                 |                   |                             |                                   |
|-----------------|-------------------|-----------------------------|-----------------------------------|
| • Butter        | • Enzymes         | • Lecithin                  | • Peanut butter                   |
| • Caramel       | • Fat             | • Lubricants/release agents | • Shortening                      |
| • Cinnamon      | • Food-grade dyes | • Milk                      | • Slurries – starch, sugar, yeast |
| • Eggs/egg wash | • Gels            | • Mold inhibitors           | • Water                           |
| • Emulsions     | • Glazes/syrup    | • Oils                      |                                   |




# ACHIEVE SUPERIOR COATING PERFORMANCE

Superior coating in bakeries requires precise control of liquid flow to ensure that costly coatings are applied only where and when they are needed. Precisely controlling the coating temperature is also critical when applying challenging coatings such as glazes or chocolate. Together, our flow and temperature control technologies ensure that quality and production are optimized.

AutoJet® Precision Spray Control Systems consist of PulsaJet® automatic spray nozzles and an AutoJet spray controller. These systems ensure coatings are applied uniformly and with minimal waste even when line speed changes. Precision Spray Control (PSC) ensures that flow rate changes based on line speed occur almost instantaneously to maintain the proper application rate.

PSC also enables a single PulsaJet nozzle to produce a wide range of flow rates. Electrically-actuated hydraulic versions can achieve very low flow rates – comparable to the flow rates of air atomizing nozzles. Using hydraulic nozzles eliminates the need for costly compressed air and minimizes the misting and overspray problems often associated with air atomizing nozzles.



AccuCoat® Spray Systems eliminate the problems often associated with applying coatings such as oils, glazes, release agents and other viscous coatings. Precise heating of viscous coatings ensure that the solution is at the ideal temperature for spraying but not too hot to burn or impact product quality. Cooling of coatings such as egg wash is also possible.

#### BENEFITS OF TEMPERATURE CONTROL

- Reduce waste – clogging, misting and over-application of viscous coatings are eliminated
- Eliminates product loss caused by uneven coating
- Minimize downtime required for clean-up

## HOW PRECISION SPRAY CONTROL WORKS

Electrically-actuated spray nozzles are turned on and off very quickly to control flow rate. This cycling is so fast that the flow often appears to be constant.

With traditional nozzles, flow rate adjustments require a change in pressure. Changing pressure also changes the nozzle's spray angle/coverage and drop size. With PSC, pressure remains constant enabling flow rate changes without changes in spray performance.

#### Nozzles spraying 90% of the time



#### Nozzles spraying 50% of the time



#### Nozzles spraying 25% of the time



#### BENEFITS OF PRECISION SPRAY CONTROL:

- Reduces product scrap caused by over- or under-application of coatings and imprecise scoring
- Reduces the use of costly coatings by applying the proper coating volume directly on the target
- Eliminates maintenance time to clean excess coating from equipment and floors due to overspray
- Improves work environment by minimizing misting
- Increases flexibility by using a single nozzle with a wide flow rate range for different products or line speeds
- Eliminates the need for compressed air in some coating operations

SEE THE BENEFITS OF PSC:  
[spray.com/psc](http://spray.com/psc)



# UNMATCHED COATING & SCORING SYSTEM VERSATILITY



PulsaJet® nozzles and an AutoJet® spray controllers are used to optimize performance for most coating systems. Many systems include a spray manifold as well to ensure proper fluid delivery. A wide range of nozzle, controller and manifold options are available so performance can be tailored to the specifics of the operation and desired level of automation.

**Contact your local sales engineer for system selection assistance and a no-obligation demonstration.**

## PULSAJET NOZZLES:

- Threaded or sanitary connections
- Standard, recirculating and temperature control designs
- Hydraulic and air atomizing versions
- Available with premium auto-align flat spray tips

## SPRAY MANIFOLDS:

- **98250 spray manifold** for use with hydraulic PulsaJet spray nozzles
- **63600 heated and non-heated manifolds** for use with hydraulic and air atomizing PulsaJet nozzles

## AUTOJET® SPRAY CONTROLLERS:

- **AutoJet Model 1550+ Modular Spray System** with basic on/off spray control for up to eight PulsaJet nozzles
- **AutoJet Model 2008+ Spray Control Panel** provides timing and sensor control for up to 16 PulsaJet nozzles
- **AutoJet Model 2250+ Spray Control Panel** with sophisticated real-time monitoring and closed-loop control for up to 16 PulsaJet nozzles

## AUTOJET® PRECISION SPRAY CONTROL SYSTEMS: TYPICAL APPLICATIONS IN BAKERIES

- Spraying oil, butter and flavorings on dough prior to baking to improve taste and appearance
- Applying release agents to pans and conveyors to prevent products from sticking
- Adding viscous coatings like glazes, sugar slurries, cinnamon and frostings to breakfast foods, snacks and desserts
- Coating products with preservatives and mold inhibitors to extend shelf life
- Applying moisture to products to help ingredient adhesion
- Adding water to foods to balance moisture loss from freezing
- Applying a precise coating of oil to maintain a consistent calorie count
- Scoring bread



## ACHIEVING RESULTS WITH AUTOJET® PRECISION SPRAY CONTROL SYSTEMS

### AUTOJET BREAD SCORING SYSTEM SCRAP AND MAINTENANCE TIME REDUCED BY 20%

**Problem:** A mechanical splitter scoring rolls prior to baking frequently stuck to unbaked dough. The bakery found the scrap rate unacceptably high. In addition, the splitter required frequent maintenance and reduced production time.

**Solution:** An AutoJet Bread Scoring System now precisely scores the rolls. Pans of rolls on conveyors pass under the spray manifold. PulsaJet® nozzles produce a needle-like spray and provide clean score marks even when conveyor line speed changes.

#### RESULTS:

**System payback:**  
less than eight months

**Lower scrap rate:**  
20% reduction in  
rejected rolls

**Reduced maintenance  
time:** 20% reduction  
in downtime enabled  
a boost in production

### AUTOJET EGG WASH SYSTEM GLAZE USE DECREASED BY 60%

**Problem:** A bakery glazing brioche with egg yolk substitute was challenged by high glaze use and misting. The bakery wanted to reduce the consumption of the glaze and improve the cleanliness of the production environment.

**Solution:** An AutoJet Egg Wash System now applies the proper volume of egg yolk substitute even when line speed changes. Misting has been eliminated by using hydraulic PulsaJet nozzles. In addition, the system provides precise temperature control of the egg wash and reduced maintenance downtime.

#### RESULTS:

**System payback:**  
less than one year

**Reduced use of glaze:**  
0.5 oz. (15 g) per tray –  
down from 1.2 oz. (35 g)  
per tray

**Improved quality:** more  
uniform spray distribution  
has improved the  
appearance of the brioche

### AUTOJET GLAZE/SYRUP APPLICATION SYSTEM AUTOMATED SPRAY SYSTEM ELIMINATES COSTLY QC PROBLEM

**Problem:** Damaged cakes and customer complaints prompted this bakery to find a way to ensure cakes remain firmly affixed to cardboard plates during shipping. Coating the cake plate with heated corn syrup proved to be the solution. However, the syrup was often overheated and had to be discarded. In addition, workers were routinely over-applying the syrup creating costly waste and a messy work environment.

**Solution:** An AutoJet Syrup Application System with temperature control now applies a precise volume of corn syrup to each plate. As the plates move down the conveyor, a PulsaJet nozzle applies a light coating of corn syrup on each plate. An AutoJet spray controller ensures the timing of the intermittent spray is accurate.

#### RESULTS:

**System payback:**  
less than three months

**Lower scrap rate:**  
cake damage dropped  
by 90%

**Reduced use of  
corn syrup:** 50% lower  
consumption

**Lower operating costs:**  
workers have been  
deployed to other tasks





## AUTOJET MOISTENING SYSTEM PRODUCTION SPEED INCREASE FIVE-FOLD

**Problem:** Geary's Bakeries, one of Britain's best known craft bakeries, needed to ensure that seed toppings would consistently adhere to rolls. Applying too much water caused the seeds to sprout and too little water resulted in seeds falling off. Geary's was having workers dip each dough ball in water and then pressing it into seeds – a slow and tedious process.

**Solution:** An AutoJet Moistening System now applies a precise volume of water to the rolls. An AutoJet Model 1550+ Modular Spray System automatically adjusts the flow rate for variations in line speed. Operators can easily set the duration of the spray cycle based on the type of baked good and the delay time between the detection of the baking tray and beginning of the spray cycle.

### RESULTS:

**System payback:**  
less than three months

**Seed application:**  
time reduced from  
5 seconds per roll  
to 1 second per roll

**Improved product  
quality:** seed adhesion  
problems eliminated

## AUTOJET MOLD INHIBITOR SPRAY SYSTEM SHELF LIFE EXTENDED BY SEVEN DAYS

**Problem:** A bakery applying a preservative to bread products prior to packaging faced two problems caused by inconsistent application. When too little preservative was applied, shelf life suffered. When too much preservative was applied, taste was negatively affected and product returns skyrocketed.

**Solution:** The preservative is now applied precisely with an AutoJet Mold Inhibitor Spray System. The system automatically adjusts the application rate based on line speed to ensure the proper volume is applied. In addition, the application rate can be easily adjusted to accommodate various bread products.

### RESULTS:

**Increased shelf life:**  
average increase  
of 7 days

**Reduced returns:**  
customer returns have  
decreased by 60%

**Eliminated  
over-application:**  
preservative use has  
decreased significantly  
for a savings of  
US\$19,000 annually

## AUTOJET PAN LUBRICATION SYSTEM SAVINGS OF US\$25,000 ANNUALLY ON PAN COATING

**Problem:** An artisan bakery was manually applying a release agent on pans prior to baking to prevent bread from sticking. The process was messy, wasteful and time-consuming. The bakery was paying a premium for the release agent in aerosol cans.

**Solution:** The pans are now sprayed by an AutoJet Pan Spray System. Pans are loaded on a conveyor. When the pans pass under the spray station, a sensor detects the pans to trigger the sprays. In addition, the volume of release agent spray can be adjusted easily to accommodate different pan sizes.

### RESULTS:

**System payback:**  
less than four months

**Production increase:**  
pans are coated  
five times faster

**Reduced waste:**  
release agent overspray  
eliminated for monthly  
savings of US\$2,100


**Lower operating costs:**  
workers have been  
deployed to other tasks



## TANKJET® TANK CLEANING EQUIPMENT FOR MIXERS, BLENDERS & VATS

There's a TankJet product solution for nearly every dough mixer, vat and container in your bakery. Options include tank cleaning nozzles, spray balls and high-impact tank cleaning machines. A few of the more-widely used products in bakeries are featured here but there are dozens more.

Visit [tankjet.com](http://tankjet.com) for more information.



- **TankJet 360 for mixers up to 100' (30 m) in diameter** – this powerful, fluid-driven machine offers the most consistent impact over the entire pressure range. High-impact cleaning removes even the most sticky residues efficiently and effectively so mixers can be returned to service quickly. (Shown upper left.)
- **TankJet 78 for tanks up to 45' (14 m) in diameter** – fluid-driven unit with controlled rotational speed provides powerful solid streams and full 360° coverage. Sanitary design complies with the 3-A Sanitary Standard 78-01, Spray Cleaning Devices Intended to Remain in Place. The unit is self-draining and can be disassembled and reassembled in minutes – without tools. (Shown upper right.)
- **TankJet AA190 for mixing vats up to 34' (10 m) in diameter** – motorized unit operates at pressures up to 1000 psi (69 bar) and provides high-impact cleaning with 360° coverage. Motors are positioned outside of the vat for long, dependable wear life. Units can be permanently installed or moved from vat to vat. (Not shown.)

- **TankJet 63225-3A spray balls for containers up to 13' (4 m) in diameter** – stationary spray balls designed for sanitary rinsing are threadless, self-draining and have a polished 32Ra interior and exterior surface finish. (Shown lower left.)
- Other sanitary nozzle options include the TankJet 27500R for cleaning tanks up to 25' (7.6 m) in dia. and the TankJet D41800E for high impact cleaning of tanks up to 12' (3.6 m) in dia. (Shown lower middle and lower right.)

### BENEFITS

- Thorough, consistent, quick cleaning of mixers and vats
- Improves worker safety – eliminates the need to enter tanks and minimizes exposure to hazardous chemicals
- Reduces use of costly cleaning chemicals and water
- Facilitates process validation for food safety

### IDEAL FOR:

- Rinsing, cleaning and sanitizing mixers, vats and containers of all sizes
- Clean-in-place (CIP) and sanitary applications

The 3A symbol is a registered trademark of 3-A Sanitary Standards, Inc.



## CLEANING EQUIPMENT FOR CONVEYORS & PRODUCTION AREAS

Improve cleaning efficiency without compromising quality. We have a wide range of solutions to help shorten cleaning time, sanitize hard-to-reach areas, reduce use of costly chemicals and more.



### CU150A GUNJET SPRAY GUNS

High-impact, low-pressure CU150A GunJet spray guns offer versatile performance. Guns feature an adjustable spray pattern – from hollow cone to solid stream – and interchangeable orifice caps for quick and easy change of spray capacity.

#### BENEFITS

- Clean without spreading contaminants
- Conserve water and chemicals
- Durable and reliable – all stainless steel with white corrosion-resistant outer cover designed for food plants
- Ergonomic design reduces operator fatigue

### CONVEYOR & EQUIPMENT CLEANING NOZZLES

VeeJet® flat spray nozzles are typically used for rinsing, cleaning and sanitizing conveyors because of the uniform coverage provided by overlapping spray patterns. Conventional and QuickJet® quick-connect styles are available in a wide range of spray angles, capacities and materials.

#### BENEFITS

- Eliminate manual cleaning and ensure cleaning consistency
- Clean conveyors thoroughly – high-impact flat spray nozzles with narrow angle sprays remove tough residues
- Reduce downtime with quick-connect nozzles which allow spray tips to be changed by hand

#### IDEAL FOR:

- General plant and equipment clean-up and sanitation
- Conveyor and equipment cleaning

## THE KLARION™ SYSTEM PRODUCES POWERFUL CLEANING & SANITIZING SOLUTIONS ON-DEMAND IN YOUR BAKERY

Change the way you clean with the Klarion system. It's safer, better for the environment and less costly than using traditional chemicals. Plus, the Klarion system produces a cleaner and sanitizer that are just as effective as those you're using now and no changes to your standard operating procedures are required.



### HOW IT WORKS

- Klarion's patented electro-chemical activation technology convert salt, water and electricity into a sodium hydroxide cleaner and hypochlorous acid sanitizer. The solutions are produced on-site, on-demand in ready-to-use concentrations
- The solutions remove sticky residues and biofilms just as well as, if not better than, traditional chemicals
- Klarion solutions are salt-free and safe for use on stainless steel

### BENEFITS

- Improve worker safety – Klarion solutions are fragrance-free and non-irritating to eyes and skin. No personal protection equipment required
- Assists in the denaturing of common allergens
- Effective at removing common bakery residues such as dough, lecithin, palm oil, vegetable oil and more
- Helps eliminate cross-contamination concerns
- Solutions are drain and disposal friendly – no special handling or treatment
- Eliminate the pollution and costs associated with chemical delivery and container removal and disposal
- Save 30% compared to the use of traditional chemicals
- Pay only for what you produce – no capital equipment expenditure required



**Spraying Systems Co.®**  
Experts in Spray Technology

North Avenue and Schmale Road, P.O. Box 7900, Wheaton, IL 60187-7901 USA

Tel: 1.800.95.SPRAY    Intl. Tel: 1.630.665.5000  
Fax: 1.888.95.SPRAY    Intl. Fax: 1.630.260.0842

www.spray.com



Bulletin No. 602E ©Spraying Systems Co. 2018