





The information within this guide must be used in conjunction with the information in the Audi Owner's Manuals. Refer to your vehicle's Owner's Manual for all information and warnings. By using this guide, you acknowledge that you are aware of and have read the warnings and information provided in the Owner's Manual on the topics in this guide and will use this information to augment that material.

To learn more about your features, call your Audi Technologist.

1.855.750.TECH (8324)

Audi Brand Specialist (Business Card Placeholder)

auditechnology.com




Table of Contents

MMI® Controls	1
BLUETOOTH® Pairing	7
Audi connect®	
Navigation	15
Automatic Climate Control	19
Memory Seats	
Windshield Wipers	
Cruise Control	
Clock Setting	
Panoramic Sunroof	
Tire Pressure Monitoring System	
Folding Rear Seats	
Rear Hatch	39
Brakes	43

MMI® Controls

Audio & Navigation

The MMI® system consists of the MMI® display screen and the MMI® control panel. This panel is composed of a control knob with joystick, control buttons and function buttons.

Pressing one of the eight function buttons such as RADIO or NAV displays that features options in each corner of the MMI® screen. |----

The four control buttons surrounding the control knob correspond to the four corners of the MMI® display. Selecting the desired button will access sub menus.

While operating the menus and functions, you can return to a previous screen by pressing the BACK button.

To make a selection or confirm a request, simply turn the control knob and press the center of the joystick to select. To move to a specific location within the Navigation Map or control the main menu of a DVD, move the joystick located on top of the control knob.



MMI® Controls

cont.

Volume |

Pressing will mute Audio when in Radio mode and pause when playing media. Holding the button down will turn the system off.

Media Function Button

- ▶ Access available media from connected sources.
- ► BLUETOOTH® Audio, SD card, DVD, and Jukebox.
- ▶ The iPod AMI cable comes standard with your Q7.

Track Advance Buttons |-

The arrow buttons below the control knob allow you to move through audio tracks and radio stations.



Steering Wheel Controls

In addition to the MMI® control panel, you can use the multifunction steering wheel controls to display specific MMI® features in the Driver Information System.

Simply press the MODE button |until you reach your desired function, including Radio functions.

The thumbwheel can be used to scroll through the options. Press it to make a selection. Steering wheel controls allow you to select Phone functions.

₩ Heated Steering Wheel Button*

*Optional. Cold Weather Package.



The button is used to activate Voice Recognition.
The "volume" thumbwheel is used to adjust the volume, pressing it will mute audio or pause media.

Pressing the www button* will repeat the last Navigation announcement when navigation is active.


*Only available/functional with vehicles equipped with MMI navigation.

MMI® Controls

cont.

Setting Station Presets

You can set any mix of up to 50 Presets from FM, AM or Sirius options.






NOTE: Occasionally, tall buildings and tunnels may interrupt the satellite signal. For more information, please refer to the SiriusXM® brochure in your glove box.



BLUETOOTH® Pairing MMI®

Initial Setup

BLUETOOTH® pairing is a one-time procedure. Once paired via BLUETOOTH®, your phone will automatically connect when you start your vehicle and your phone's contacts automatically synchronize, allowing you to retrieve contacts and make and receive calls through the infotainment system. For more information regarding phone compatibility visit audiusa.com/bluetooth.



To pair a phone:


- 1. Switch ignition to accessories mode.
- 2. Activate your phone's BLUETOOTH® function and set to Pairing or Search mode.

Settings

Bluetooth Bluetooth ON Devices Audi MMI 0584 Not Paired

> 3. Select Audi MMI® when it appears on the phone's screen.

NOTE: Vehicle should be stationary with the parking brake engaged while performing this operation.



5. Confirm the six-digit PIN displayed matches the PIN displayed on your phone,

and select Yes.

Telephone

Does this PIN match the PIN on your

Bluetooth device?

003 138

Yes

No



6. Select Pair on your phone to complete the pairing process.



► BLUETOOTH® active and network strength bars.



NOTE: See your phone's owner manual for specific BLUETOOTH® activation instructions.



Voice Recognition: MMI®

Call By Name




TEXT Q7VOICE1 to 38981

Do not text and drive. Message and data rates may apply.



1. Press the button. A beep will sound.



2. Say, "Call" <Name from directory> (e.g., "Call John Smith").

3. To confirm the request, say "Yes". The number will be dialed.

NOTE: If multiple numbers are stored for a given contact, the system will ask which number you wish to dial. When calling by name using voice recognition, you must say the name as it is stored in your phone book.

Natural Language Commands

You may also speak natural language commands using the 🕬 button.

Verbal destination commands can be given while in any screen.

Your Audi MMI® Navigation system has many Global Voice Recognition commands available. This means that you can access any function or while another function or mode is active.

Commands such as:

- Enter Number
- Enter Destination
- Presets
- Media

- ► Redial
- ► Online Destination
- ► FM, AM
- FI*1, F

You can begin your request from any screen.

Once your requested function is active, you can continue with commands for that mode.

For example:

- Enter Number
- ► Dial
- Repeat
- Correction

To cancel Voice Recognition while active, say "Cancel" after the beep or press the substantial button until system responds with cancelled.

Refer to your owner's manual for further commands.





Audi connect®

Initial Setup

Audi connect® can provide you with Google Earth™, Google Voice™ Local Search, Wi-Fi Hotspot, Online Services (fuel prices, weather information, travel information, news feeds) and myAudi Destinations.



Audi connect® Configuration:

- 1. Ensure SIM card (provided by dealer) is present in the SIM slot.
- 2. Press the **TEL** function button.
- 3. Press the Settings control button.

Vehicle should be stationary with the parking brake engaged while performing this operation.



Wi-Fi Configuration







B: ⊙


 Select a password that is at least eight characters long.
 The default password can be used. Or a new password can be entered.

NOTE: Most devices use Encryption type WPA2 as the default.

Data Configuration







9. Press the Back button, scroll to Data connection and select.



10. Select Without request. Press the back button to exit.

Always pay careful attention to the road, and do not drive while distracted. The features and technologies discussed are optional, may require an additional subscription with separate terms and conditions, and should be used only when it is safe and appropriate. The Wi-Fi hotspot feature is intended for passenger use only.

Audi connect® services are only available where there is mobile network coverage. You can obtain more information from your current service provider.

A

13

Audi Navigation

Setting a Destination

Your MMI® Navigation system has extraordinary capabilities to enhance your drive with user-definable views, routing selections and more. Get started with setting destinations and discover more as you become familiar with the interface.

To set a destination:

- 1. Press the NAV function button. |-
- 2. Select the Destination control button.





TEXT 07NAV7 to 38981

Do not text and drive. Message and data rates may apply.



3. Select Address from the Navigation Menu.



4. Select City/Zip code field and enter information.



5. Continue by entering the Street and House number.



6. When complete, select Start route guidance.

Please drive safely. Enter destinations while vehicle is stationary away from traffic. Always pay careful attention to the road, and do not drive while distracted.



Audi Navigation

cont.

Setting a Destination (Voice Recognition)

To set a Destination with voice commands:

- 1. Press the De Button. |--
- 2. Say "Enter Address." (Other commands are available on screen.) See Owner's Manual for complete list of commands.
- 3. After the beep, speak the address; for example "2024 Main St, Los Angeles, California." (Speak street number as single digits.) The system will respond with repeating the address for confirmation.
- 4. System will respond, "The list is being loaded," it will repeat the address, and then ask if you would like to start route quidance; after the beep say, "Yes" and quidance will begin.



NOTE: The MMI® will display the most frequently used voice commands while waiting for your response. When pressing the 👪 button, the last navigation announcement will be repeated.


Google Voice™ Local Search (Online Destinations)*:




1. Press the 🕥 button.

2. Say "Online Destinations" followed by a keyword such as "Coffee Shop", (e.g., bookstore, museum, pizza, etc.)

The system will respond with "retrieving requested information" and display a list.



3. Make your selection from the list displayed by speaking the line number, (for example 1,2,3,4). The system will confirm your selection.



the navigation to your destination.



Cellular connectivity is dependent on available cellular signal.

Automatic Climate Control



AUTO Setting

The AUTO setting of your Climate Control System maintains the cabin temperature to your selected temperature by regulating the temperature, fan speed and airflow. Once activated, there is no need to alter the settings. When AUTO is selected, AC will come on automatically to condition the air.

NOTE: AC is used to dehumidify the air.

Climate Control Synchronization

Pressing and holding the driver's side or passenger side control knob will synchronize the temperature, fan speed and airflow for all zones. The synchronization is disengaged once a passenger adjusts their temperature setting. With optional 4-zone climate control, rear temperature settings are also synchronized.

Dual Temperature Settings

Temperature and airflow can be operated independently for each side of the cabin using the control knobs. AUTO will maintain separate temperatures for the driver and front passenger.





Automatic Climate Control

cont.

Fan Speed

Fan speed can be operated independently. To change the speed, press the Driver or Passenger & button followed by turning either the Driver or Passenger control knob to set the speed.

Recirculation

The recirculation function prevents outside air and odors from entering the cabin. It may also be used in conjunction with AC to cool the cabin more quickly.

Airflow

The airflow selector directs air to the floor, panel or defrost vents, or a combination.



MMI® Display

Your climate control adjustments such as Temperature, Fan speed and Airflow can be seen on your display for convenience.







NOTE: Temperature display only shown with MMI® Navigation system. The ideal fan speed to heat or cool your interior will be displayed with a 🛕 on the fan speed level.







Memory Seats

Setting Your Memory Seats and Mirrors



The side mirrors are programmed along with the seat position. When you press and hold your numbered memory button, they will adjust automatically.

Recalling Memory Seat Settings

There are two ways to recall memory seat settings:

- 1. Press the desired memory button while the door is open.
- 2. Or with the door closed, press and hold the desired memory button until the memory position is reached.



Windshield Wipers

Rain Sensing Wipers

To activate rain-sensing wipers:

- 1. From the "OFF" position, move the wiper stalk up one click.
- 2. The rain sensor will automatically turn the wipers on when it begins to rain, adjusting wipe frequency with rainfall intensity.
- 3. The lever on the front of the stalk controls the sensitivity. Move the lever down for less sensitivity, and up for more sensitivity.

NOTE: Turn off wipers before going through a car wash.

Rear Wiper Operation

To activate rear wipers:

1. From the "OFF" position, push the lever one click away from you.

NOTE: If front wipers are activated, rear wiper will automatically activate once upon vehicle reverse.

To wash rear windshield:

1. From the "OFF" position, push the lever two clicks away from you.





TEXT Q7WIPERS to 38981

Do not text and drive. Message and data rates may apply.

Continuous Wipe

- "LOW": From the "OFF" position, move the wiper stalk up two clicks.
- "HIGH": From the "OFF" position, move the wiper stalk up three clicks.

Single/Quick Wipes

► Single/quick wipe: From the "OFF" position, press the wiper stalk down once briefly.

NOTE: For faster wiping, press the wiper stalk down once and hold for two seconds.

Wash

Pull the stalk toward you to spray washer fluid.



Cruise Control


Activate

To activate, pull the control stalk toward you.

TEXT Q7CRUISE to 38981 Do not text and drive. Message and data rates may apply.

Set Cruising Speed

At your desired speed, press the SET button at the end of the stalk. The set speed and the illuminated CRUISE icon are shown in the Driver Information Display.



Changing Speed

There are three ways to change your speed:

- 1. Accelerate or decelerate, then press **SET** again.
- To increase/decrease speed in 1 mph increments or 2.5 mph increments with adaptive cruise control, tap the stalk up or down.
- Hold the stalk up or down to increase/decrease speed in 5 mph increments; release when desired speed is reached.



Cancel/Resume

To cancel and resume cruise control:

- 1. Press the brake pedal or push the stalk slightly away from you.
- 2. The **CRUISE** light will go off.
- 3. To resume, pull the stalk towards you; you will return to your set speed.

Your most recently set speed appears as a small icon in the Driver Information Display. It remains in memory until you turn your Audi off.

NOTE: Refer to your Owner's Manual for additional information about adaptive cruise control.



Clock Setting: MMI®

To manually adjust the time:

- 1. Press the **MENU** function button.
- 2. Press the Time control button.
- 3. Select Time to activate.



- 4. Turn the control knob to the desired hour and press to set.
- 5. The minute display is now highlighted; repeat the selection process.
- 6. Save the time by pressing the control knob.

NOTE: The system will verify before finalizing.



 $\label{thm:continuous} \mbox{Vehicle should be stationary with the parking brake engaged while performing this operation.}$

Optional Panoramic Sunroof

Comfort Position

Opening the sunroof to the Comfort position will help minimize variations in cabin pressure and wind noise.

To open to the Comfort position, simply turn the dial to the last |-dark rectangle.

When the sunroof opens, the wind screen will automatically rise. This will help reduce wind noise.

Open

Turn the dial clockwise to any of the differently sized rectangles. To open the sunroof completely, twist the dial clockwise as far as it will go and hold.





Sunshade

To move the sunshade forward or back, press the sunshade button. |-----

One touch of the button opens or closes the sunshade all the way.

To stop the sunshade while it is moving, press the button again.





Tilt

For the sunroof to tilt up, gently press up on the lip of the sunroof dial.

To tilt down, pull down on the dial lip.

Close

Turn the dial counterclockwise to the closed position. |--¬

Tire Pressue Monitoring System (TPMS)

Correct Tire Pressure

If the TPMS indicator light is on:



- 1. Check the tire pressure in all tires as soon as possible.
- 2. Inflate your tires to the specifications on the door jamb label.



Reset TPMS Indicator Light



NOTE: Tire pressure is affected by temperature changes. When dramatic weather changes occur and the TPMS indicator light is activated follow proper tire maintenance instructions. Once tires have been properly filled, reset the system.





Second Row Seat Adjustments

Forward and Back

The second row seat can be adjusted forward and back nearly six inches. To adjust the seat:

- 1. Pull the lever located under the seat up to slide the seat forward or backward to desired position.
- 2. Release the lever to lock the seatback in place.

Seatback Angle

To adjust the seatback angle:

- 1. Pull the lever up to move seatback angle forward* or backward until desired position is reached. |------
- 2. Release the lever to lock the seatback in place.

*Lean forward for easier adjustment.



Entry Assist

- 1. Pull the lever up to release the seatback.
- 2. Tilt the seatback forward until it locks into place. Slide seat forward.
- 3. To return the seat to the upright position, slide backward until seat locks into previous position.
- 4. Move the seatback back into the upright position and release the lever.



Third Row Seat Adjustments

Folding the Rear Seatback Up/Down

To fold down the rear seatback:

- 1. Pull the lever up to release the seatback.
- 2. Press down on the seatback until it locks into place, providing a stable floor area.
- 3. To return the seat upright, unlock the seat using the lever.
- 4. Move the seatback back into the upright position and release the lever.



Important Safety Instructions and Warnings which you must read, are listed on the last panel under Power/Manual Seats.



Power Rear Hatch



Open the Hatch

▶ The rear hatch can be opened and closed automatically. There are three ways to open the power rear hatch.



A Important Safety Instructions and Warnings which you must read, are listed on the last panel under Rear Hatch.

Option 1



▶ Press and hold the rear hatch button on the key fob for at least one second.

Option 2



▶ Push the switch on the driver's door.

Option 3



▶ Press the micro-switch |-located above the license plate.

NOTE: Photo may not represent actual vehicle.

Power Rear Hatch

cont.

Closing the Hatch

▶ Press the button on the rear hatch edge; the hatch moves to the closed position and the soft close mechanism locks.



Setting the Open Position

The opening height of the rear hatch can be adjusted.

- 2. Press and hold the button on the rear hatch edge for at least four seconds to store the new open position.
- 3. The opening height of the rear hatch can be readjusted to the maximum height by pushing upwards on the rear hatch and then repeat step 2.



Brakes

Brake Noise

The majority of today's vehicles use semi-metallic brake pads, which offer excellent performance. Because of the metal-to-metal contact involving semi-metallic pads, the sounds generated by the brake system under normal operation can be greater than the sounds produced by vehicles equipped with previous-generation brake pads. Depending on the local environment, weather conditions and individual driving patterns, sounds from the braking system may be more or less apparent.

Frequent, aggressive brake application increases the wear of brake components and can reduce the potential for brake noise. Frequent, light brake application allows glazing to develop on the brake surface, which increases the potential for brake noise.



Brake Dust

Brake dust is a result of friction created by brake pads and discs during braking. As brake pads and discs make contact during braking, they wear down, which causes dust particles to be expelled. This is a normal characteristic of all brake systems and is not an indicator of a defect.



Important Safety Instructions and Warnings

Audi connect®

- Only use Audi connect® services when road and traffic conditions permit. Using these services could increase the risk of an accident. Some Audi connect® services are only available when the vehicle is stationary to reduce the risk of distracting the driver.
- ➤ To reduce the risk of a collision, use the Audi connect® services with a Wi-Fi hotspot in the rear seat only if the vehicle is in motion or only when the vehicle is stationary.
- As the driver, do not allow usage of the Wi-Fi hotspots to distract you from driving, as it could increase the risk of an accident.
- ▶ It is only safe to use laptops and similar mobile devices when the vehicle is stationary because, like all loose objects, they could be thrown around the inside of the vehicle in a crash and cause serious injuries. Store these types of devices securely while driving.
- ▶ Do not use any Wi-Fi devices in the front seats within range of the airbags. Read and follow the safety precautions in the separate vehicle owner's manual in the "Airbag System" chapter under "Important information about the front airbag system".

Automatic Climate Control

- ▶ Reduced visibility is dangerous and can cause accidents.
- ► For safe driving it is very important that all windows be free of ice, snow and condensation.
- ► Completely familiarize yourself with the proper use and function of the heating and ventilation system and especially how to defog and defrost the windows.
- ► Never use the windshield wiper/washer system in freezing weather until you have warmed the windshield first, using the heating and ventilation system. The washer solution may freeze on the windshield and reduce visibility.
- ► Do not use the recirculation for extended periods of time. The windows could fog up since no fresh air can enter the vehicle. If the windows fog up, press the air recirculation button again immediately to switch off the air recirculation function or select defrost.

BLUETOOTH® Pairing

- Collisions and injuries can occur if the driver is distracted. Speaking on or using a phone while driving can distract the driver from traffic.
- ► Select the volume settings so that the acoustic signals from the outside are still audible (e.g., the sirens of emergency rescue vehicles.) Observe legal regulations.
- ► In areas with no or poor mobile network coverage

and possibly in tunnels, garages and subways, phone conversations may be interrupted, and it may be impossible to make phone calls, even emergency calls!

- ► In some countries, emergency calls may only be supported when the mobile phone is connected to a mobile phone package which has a SIM card that is "not blocked" and/or has sufficient credit on it.
- Unmounted or improperly mounted mobile phones can fly around in the event of a sudden driving or braking maneuver or a collision. This may cause injury.
- Never place or mount a mobile phone on doors, on the windshield or on or near the area on the steering wheel marked "AIRBAG," the instrument panel, the seat backrests or the areas between these points and the driver/ passengers. Mobile phones can lead to serious injuries in cases of collisions, especially when the airbags are inflated.
- Always switch off your mobile telephone at gas stations or wherever there is a fire or explosion hazard.
 Electromagnetic radiation can cause sparks which can start fires
- ► The mobile phone will automatically connect to the mobile network when the Bluetooth connection to the mobile phone package is disconnected.
- ► Using a radio device in the vehicle without a connection to an external antenna might exceed electromagnetic

radiation thresholds. This also applies if the external antenna is not installed properly.

- Keep a distance of at least eight inches between the antennas of the mobile phone and a pacemaker, since mobile phones can affect the functionality of a pacemaker.
- ► Do not carry a mobile phone on standby mode in the breast pocket directly on top of a pacemaker.
- If interference is suspected, immediately switch off the mobile phone.
- Always keep the armrest closed while driving. The center armrest can interfere with the driver's elbow movement and thus cause collisions and severe injuries.

Brakes

- ➤ Do not press the accelerator pedal inadvertently if the vehicle is stationary and the engine is running and a gear is selected. Otherwise the vehicle will start to move immediately and could result in a crash.
- New brake pads don't have the best stopping power and must be "broken-in" during the initial 100 to 150 miles (150 to 200 kilometers) of normal city driving. You can compensate for this by pressing the brake pedal more firmly. This also applies later when new pads are installed.
- ► You should perform braking maneuvers for the purpose of cleaning the brake system only if road conditions permit.

Other road users must not be put at risk - you may cause an

- ▶ Before descending a steep grade, reduce speed and shift transmission into a lower gear or lower driving range. Do not ride the brakes or hold the pedal down too long or too often. This could cause the brakes to get hot and diminish braking efficiency.
- ► Do not "ride the brakes" by resting your foot on the pedal when you do not intend to brake. This may cause the brakes to overheat, premature wear and increased stopping distance.
- ▶ Under certain climatic and operating conditions such as passing through water, driving in heavy rain or after washing the vehicle, the effectiveness of the brakes can be reduced. In winter, ice can accumulate on the brake pads, linings, discs and drums. Carefully apply brakes for a test. Brakes will dry and ice coatings will be cleaned off after a few careful brake applications.
- Driving for an extended period of time on salt covered roads without using your brakes can also affect braking efficiency.
 Clean off accumulated salt coating from brake discs and pads with a few careful brake applications.
- ► If you damage the front spoiler, or if you install a different spoiler, be sure the airflow to the front brakes is not obstructed. Otherwise the brake system could overheat reducing the effectiveness of the entire brake system.

- Failure of one brake circuit will impair the braking capability resulting in an increased stopping distance. Avoid driving the vehicle and have it towed to the nearest Audi dealer or qualified workshop.
- ▶ Never let the vehicle roll to a stop with the engine shut off.
- If the brake booster is not working, the brake pedal must be pressed considerably harder to make up for the lack of booster assistance.

Cruise Control

- Always pay attention to traffic even when the cruise control is switched on. You are always responsible for your speed and the distance between your vehicle and other vehicles.
- ► For safety reasons, the cruise control should not be used in the city, in stop-and-go traffic, on twisting roads and when road conditions are poor (such as ice, fog, gravel, heavy rain and hydroplaning) - risk of accident.
- Turn off the cruise control temporarily when entering turn lanes, highway exit lanes or in construction zones.
- ► Please note that inadvertently "resting" your foot on the accelerator pedal causes the cruise control not to brake. This is because the cruise control is overridden by the driver's acceleration.
- ▶ Never use the cruise control when driving off-road or on

unpaved roads. The cruise control is intended for use only when the vehicle is being operated on paved roads, and is not suitable for use off-road or on unpaved roads.

▶ You should only return to the saved speed if it is not too fast for the current traffic conditions - risk of an accident!

Memory Seats

- ▶ Never adjust the driver's or front passenger's seat while the vehicle is moving. If you do this while the vehicle is moving. you will be out of position. Always adjust the driver's or front passenger's seat when the vehicle is not moving.
- ▶ Be careful when adjusting the seat height. Check to see that no one is in the way, or serious injury could result!
- ▶ Because the seats can be electrically adjusted with the ignition off or with the ignition key removed, never leave children unattended in the vehicle. Unsupervised use of the electric seat adjustments may cause serious injury.
- ▶ To reduce the risk of injury in the case of sudden braking or accident, front passengers must never ride in a moving vehicle with the backrest reclined. Safety belts and the airbag system only offer maximum protection when the backrest is upright and the safety belts are properly positioned on the body. The more the backrest is reclined, the greater the risk of personal injury from an incorrect seating position and improperly positioned safety belts.

- ▶ Occupants in the front and rear seats must always be properly restrained.
- ▶ Do not let anyone ride in the vehicle without the head restraints provided. Head restraints help to reduce injuries.
- ▶ Loose items inside the passenger compartment, can fly forward in a crash or sudden maneuver and injure occupants. Always store articles in the luggage compartment and use the ► Each passenger must always sit on a seat of their own and fastening eyes, especially when the rear seat backs have been properly fasten and wear the safety belt belonging to that folded down.
- vehicle is stationary danger of accident! Exercise caution when adjusting the seat. Adjusting the seat without checking or paying attention can pinch fingers or limbs - danger of
- ▶ For safety reasons, the seat setting can only be recalled when the vehicle is stationary - otherwise you risk having an accident.
- ▶ In an emergency the recall procedure can be cancelled by pressing the OFF switch or by tapping of the memory buttons. > Do not let anyone ride in the vehicle without the head

Navigation & Infotainment

- ▶ The demands of traffic require your full attention.
- ▶ Obey all traffic laws when driving.
- ▶ The route calculated by the navigation system is a recommendation for reaching your destination.

Obey traffic lights, stopping restrictions, one-way streets, lane change restrictions, etc.

Power/Manual Seats

- ▶ Passengers who are improperly seated on the rear seat can be seriously injured in a crash.
- ► For safety reasons, the seat must only be adjusted when the → Safety belts only offer maximum protection when the seat back is securely latched in the upright position and the safety belts are properly positioned on the body. By not sitting upright, a rear seat passenger increases the risk of personal injury from improperly positioned safety belts!
 - ▶ Always adjust the head restraint properly so that it can give maximum protection.
 - ▶ Occupants in the front and rear seats must always be properly restrained.
 - restraints provided. Head restraints help to reduce injuries.
 - ► Loose items inside the passenger compartment, can fly forward in a crash or sudden maneuver and injure occupants.
 - ▶ Always store articles in the luggage compartment and use the fastening eyes, especially when the rear seat backs have been folded down.

▶ Driving without head restraints or with head restraints that are not properly adjusted increases the risk of serious or fatal neck injury dramatically.

▶ Only remove the rear seat head restraints when necessary in order to install a child seat. Install the head restraint again immediately once the child seat is removed. Driving without head restraints or with head restraints that are not properly adjusted increases the risk of serious or fatal neck injury dramatically.

Rear Hatch

- Always ensure that no one is within range of the rear hatch when it is moving, in particular close to the hinges - fingers or hands can be pinched.
- ▶ Never close the rear hatch inattentively or without checking first. Although the closing force of the rear hatch is limited, you can still seriously injure yourself or others.
- ▶ Always ensure that no one is within range of the rear hatch when it is moving, in particular close to the hinges and the upper and lower edges - fingers or hand scan be pinched.
- ► To help prevent poisonous exhaust gas from being drawn into the vehicle, always keep the rear hatch closed while driving. Never transport objects larger than those which fit completely into the luggage area, because then the rear hatch cannot be fully closed.

- hatch left open. A child could crawl into the car through the luggage compartment and pull the hatch shut, becoming trapped and unable to get out. To reduce the risk of personal injury, never let children play in or around your vehicle. Always keep the rear hatch as well as the vehicle doors closed when not in use.
- hatch, it may not be able to open completely or an opened rear hatch may close by itself because of the added weight. So injured as the Panoramic sliding sunroof closes. the open rear hatch must be supported or the weight must be removed from the luggage rack first.

Sunroof

- ▶ Improper use of the Panoramic sliding sunroof can cause serious personal injury.
- ▶ Be careful when closing the Panoramic sliding sunroof. Not paying attention could cause you or others to be trapped and injured as the Panoramic sliding sunroof closes.
- ▶ Always take the key with you when you leave the vehicle to prevent injuries caused by the Panoramic sliding sunroof closing.
- ▶ Never leave children or persons requiring assistance alone in the vehicle, especially when they could access the vehicle keys. Unsupervised use of the keys can result in the engine

▶ Never leave your vehicle unattended especially with the rear being started or use of vehicle systems such as the power windows, etc. which could result in serious injury. The doors could be locked with the remote key, delaying help in an emergency.

- ▶ The Panoramic sliding sunroof will continue to operate until the ignition key has been removed and one of the front doors has been opened.
- ▶ If there is a luggage rack or bicycle rack mounted on the rear ▶ Be careful when closing the Panoramic sliding sunroof. Not paying attention could cause you or others to be trapped and
 - ▶ Never close the sunshade without paying attention or checking - danger of injury!

Tire Pressure Monitoring System (TPMS)

▶ If the tire pressure indicator appears in the instrument cluster display, one or more of your tires is significantly under inflated. Reduce your speed immediately Tires and wheels and avoid any hard steering or braking maneuvers. Stop as soon as possible and check the tires and their pressures. Inflate the tire pressure to the proper pressure as indicated on the vehicle's tire pressure label. Driving on a significantly under-inflated tire causes the tire to overheat and can lead to tire failure. Under-inflation also is likely to impair the vehicle's handling and stopping ability.

- ► The driver is responsible for maintaining the correct tire pressures. You must check the tire pressures regularly.
- ► Under certain conditions (such as a sporty driving style, winter conditions or unpaved roads), the pressure monitor indicator may be delayed.
- Ask your authorized Audi dealer if run flat tires may be used on your vehicle. Your vehicle registration becomes invalid if you use these tires when not permitted. Damage to your vehicle or accidents could also result.

Voice Recognition

- Driving requires your complete and undivided attention.
 As the driver, you have complete responsibility for safety in traffic. Only use the MMI® system when traffic conditions permit and always in a way that allows you to maintain complete control over your vehicle.
- Adjust the volume of the audio system so signals from outside the vehicle such as police and fire sirens can be heard easily at all times.
- ► Always follow the safety precautions when using the Audi connect® services and the safety precautions when using the wireless hotspot.
- ► Obey all applicable laws regarding use of telephones in vehicles.
- ▶ Medical experts warn that cell phones can interfere with the

function of pacemakers. Always maintain a minimum distance of 20 centimeters between the cell phone antenna and the pacemaker.

- ► Do not carry the cell phone in a pocket directly over the pacemaker when the phone is switched on.
- Switch the cell phone off immediately if you suspect it may be interfering with the pacemaker.
- ▶ Do not use voice recognition system in emergencies because your voice may change in stressful situations. It may take longer to dial the number or the system may not be able to dial it at all. Dial the emergency number manually.
- ► Switch your cell phone off in areas at risk for an explosion. These locations are not always clearly marked. They may include gas stations, equipment that stores or transports fuel or chemicals, or locations where fuel vapors (such as propane or gasoline vapor in vehicles or buildings), chemicals or large quantities of dust particles (such as flour, sawdust or metal) may be present in the air. This also applies to all other locations where you would normally switch your vehicle off.
- ▶ Pay attention to the traffic reports when making a call.
- ▶ Please devote your full attention to driving. As the driver, you have complete responsibility for safety in traffic. Only use the functions in such a way that you always maintain complete control over your vehicle in all traffic situations.

Windshield Wipers

- Wiper blades are crucial for safe driving! Only when they are in good condition are they able to clear the windows properly to provide uncompromised visibility. Worn or damaged wiper blades are a safety hazard.
- ► The rain sensor is only designed to assist and support the driver. It remains entirely the driver's responsibility to monitor outside weather conditions and to manually activate the wipers as soon as rain or drizzle reduces visibility through the windshield.
- ► Dirty windshield wiper blades can impair your view. This can lead to accidents.
- ► For your safety, you should replace the wiper blades once or twice a year. See your authorized Audi dealer for replacement blades.

Notes		

Notes		

Audi Truth in Engineering

Q7

2014 | Q7

Audi of America auditechnology.com