

Stop Violence in Health Care

**Workplace
Violence in Hospitals:**
**A Toolkit for Prevention
and Management**



**Oregon Association of Hospitals
Research and Education Foundation**

Acknowledgements

This toolkit was written by:

Lynda Enos, RN, BSN, MS, COHN-S, CPE, Ergonomics/Human Factors Consultant, HumanFit, LLC.

Disclaimer

Oregon Association of Hospitals and Health Systems (OAHHS), the member organizations of the Worker Safety Initiative, and HumanFit, LLC, has made every effort to ensure the information provided in the Work Place Violence (WPV) Toolkit is accurate and complete. However, OAHHS, the member organizations of the Worker Safety Initiative, and HumanFit, LLC, contributors, and their employer organizations, make no representations, guarantees, or warranties as to the accuracy or completeness of the information provided in this toolkit. It is the responsibility of individual healthcare organizations to determine how the information contained in this toolkit is adopted.

OAHHS, the member organizations of the Worker Safety Initiative, and HumanFit, LLC, contributors, and their employer organizations, specifically disclaim any and all liability for any claims or damages that may result from providing this document and the information it contains.

The content of this document is not intended by the OAHHS, the member organizations of the Worker Safety Initiative, and HumanFit, LLC, contributors, and their employer organizations, as an endorsement of any of the products, vendors, consultants, literature citations referenced herein. Nor are they responsible for the content of pages found at any websites referenced. All web addresses referenced in this document were accessible as of the publication date. Any mention of products, vendors, consultants, or published literature is for informational purposes only.

Reproduction and Use of Materials

This material was produced with funding from the Oregon Association of Hospitals Research and Education Foundation.

Permission is granted to use such copyrighted material solely for non-commercial, instructional, personal, or scholarly purposes. The material may be used and incorporated into other workplace safety and health programs on the condition that no fee may be charged for the subsequent use or adaptation of the material. Use of the material for any other purpose, particularly commercial use, without the prior, express written permission of the copyright owner/s is prohibited.

First printed December 2017.

Oregon Association of Hospitals and Health Systems

www.oahhs.org

Background

The Workplace Safety Initiative

In 2014, the Oregon Association for Hospitals and Health Systems (OAHHS) convened the Workplace Safety Initiative (WSI) Work Group to find ways to collaboratively address two of the leading causes of health care worker injury in Oregon - manual patient handling and workplace violence.

Work group members included representatives from SEIU 49, Oregon Nurses Association, and representatives from various OAHHS member hospitals in Oregon.

The Triple Aim group, which is comprised of Legacy Health, Providence Health & Services, Oregon Health & Sciences University, Kaiser Permanente NW, the Oregon Nurses Association, and SEIU, also supported this project.

The goals of the WSI project were to:

- Identify and implement evidence-based programs to reduce injuries from patient handling and workplace violence and foster sustainable cultural change.
- Strengthen relationships with partner organizations around health care worker and patient safety issues.
- Disseminate lessons learned and tools developed to all hospitals in Oregon to assist implementation of sustainable effective workplace safety programs.

To reach these goals, a pilot project working with Oregon hospitals was developed. Eight volunteer hospitals of varying sizes from across the state participated in a total of 10 projects. Five hospitals participated in the Workplace Violence (WPV) project and five in the Safe Patient Handling and Mobility (SPHM) project. Hospitals participating in the projects either had no established WPV or SPHM program or the program was unsustainable and did not achieve the intended results; or had an established WPV or SPHM program that needed strengthening.

Tool(s) that support content in this Section

- i. [Violence Prevention in Health Care: Sharing Lessons Learned from the OAHHS Worker Safety Initiative](#)

[A presentation that describes the Workplace Safety Initiative project; an overview of the process hospitals used to develop their Workplace Violence \(WPV\) Programs; and a summary of lessons learned.](#)

[The presentation was made in March 2017 at the Governors' Occupational Safety and Health Conference \(GOSH\), Portland, Oregon.](#)

Workplace Violence Toolkit - Background

Participating hospitals were in urban and rural areas of the state and included three hospitals with 50 beds or less; three hospitals with 50-150 beds and two with over 300 beds.

A project consultant with expertise in occupational safety, health and ergonomics provided customized project facilitation to meet the level of assistance each needed by each facility.

The overall goals for each participating hospital were to:

- Reduce incidence, risk, and cost of staff injury related to patient handling and mobility and/or workplace violence.
- Implement evidence-based best practices that will assist to sustain SPH and/or WPV efforts at each facility.
- Enhance the culture of safety and empower health care employees to create safe working environments.
- Address patient handling and related ergonomics/safety issues and/or workplace violence proactively.

From June 2015 through May 2017, each facility worked with the WSI consultant to assess and develop a *new or enhance* an existing WPV program or SPHM program.

Each hospital designated a project leader and formed or engaged an existing interdisciplinary committee to manage the project. These committees will also facilitate and provide future oversight of the WPV or SPHM programs.

Implementation of all program elements and evaluation of the WPV programs is in process and a “continuous improvement” approach will be used to sustain and enhance the programs at each facility.

More information about the WSI project and lessons learned is provided in **Tool i**.

Workplace Violence Toolkit - Background

Acknowledgements

WSI Hospitals Partners for the Work Place Violence Prevention Project

Bay Area Hospital

Coos Bay, OR

Mid-Columbia Medical Center

The Dalles, OR

Harney County Health District

Burns, OR

Providence Portland Medical

Portland, OR

Grande Ronde Hospital and Clinics

La Grande, OR

WSI project facilitation and consultation was provided by Lynda Enos, RN, BSN, MS, COHN-S, CPE, HumanFit, LLC.

WSI Work Group Committee Members

Chair

Cheryl Nester Wolfe, RN
President and Chief Executive Officer
Salem Health

Andrea Easton

Associate Vice President of Advocacy and
Government Affairs
Oregon Association of Hospitals & Health
Systems

Members

Jenn Baker
Director of Health Policy and Government
Relations
Oregon Nurses Association

Felisa Hagins
Political Director
SEIU 49

Brian Bennett
Security Manager
Bay Area Hospital

Angela Heckathorn
Manager, Environment of Care, Security
Administration
Legacy Health

Cheryl Cosgrove, RN
Direct Care
Grande Ronde Hospital

Katie Harris
Director of Program Management
Oregon Association of Hospitals & Health
Systems

Larlene Dunsmuir
Advanced Practice Consultant
Oregon Nurses Association

Workplace Violence Toolkit - Background

Troy Larkin
Executive Director of Clinical Education and
Development - Oregon
Providence Health & Services

Elaine LaRoche
Director of Facilities
Grande Ronde Hospital

A special thank you to the following organizations who provided funding for the pilot project.

- Oregon Association of Hospitals Research and Education Foundation
- The Triple Aim group, which includes Legacy Health, Providence Health & Services, OHSU, Kaiser Permanente NW, the Oregon Nurses Association, and SEIU 49.

Questions or Feedback

Contact: Katie Harris, MPH, Director of Program Management

Oregon Association of Hospitals and Health Systems

Email: kharris@oahhs.org

Introduction

Toolkit Development

Each participating hospital in the WSI WPV project followed the same sequential step-by-step process when assessing and developing or strengthening their WPV programs.

Program development was designed to be participatory in nature to engage all stakeholders who are impacted by the WPV program, and to support culture change.

The WPV programs are structured to incorporate the evidence-based core elements that are recommended for development and management of effective and sustainable occupational safety programs, and mitigation of workplace hazards by the Occupational Safety and Health Administration (OSHA) and other professional safety entities. These program elements incorporate program requirements described in the Oregon work place violence law i.e., Oregon Revised Statutes (ORS) 654.412 to 654.423, “Safety of Health Care Employees”.

Other elements that support ongoing program management and communication or social marketing of the WPV program are also included. Program elements are interrelated and provide the foundation for a systematic approach to implementing an effective program to address workplace violence in health care.

Workplace Violence Program Elements

A. Management Leadership	G. Hazard Control and Prevention
B. Employee Participation	a. <i>Engineering Controls</i>
C. Written Violence Prevention Policy	b. <i>Administrative and Work Practice Controls</i>
D. Program Management	H. Education & Training
E. Communications Structure	I. Ongoing Program Evaluation & Improvement
F. Hazard Identification & Assessment	WPV program elements are described further in Section 1 - Understanding Work Place Violence (WPV)

Tool(s) that support content in this Section

ii. [The Workplace Violence \(WPV\) Program Development, Implementation & Evaluation: Suggested Sequence of Activities](#)

Workplace Violence Toolkit – Introduction

The participating hospitals reported that the most frequent *type* of violence observed at each facility is that perpetrated by patients and visitors towards staff. This conclusion is also supported in workplace violence related literature.

Therefore, **the focus** of the WPV project at each facility was prevention and management of violence by **patients and visitors** towards staff within the hospital environment.

However, the participating hospitals have also reviewed or are in the process of reviewing, and developing or strengthening, policies and processes to manage other causes of violence such as, lateral violence or bullying between employees and domestic violence.

Tools and approaches offered in this toolkit are based on extensive review of existing violence prevention literature, evidence-based best practices, relevant standards, and regulations such as, Safety of Health Care Employees ORS 654.412 to 654.423.

Tools were developed in collaboration with the WPV committees at each hospital, and were evaluated and enhanced throughout the project. Lessons learned from implementation of WPV program activities are incorporated in this toolkit.

Purpose and Structure of the Toolkit

The purpose of this toolkit is to provide practical tools, resources and information that can be used by hospitals, and adapted for a range of other health care settings, to develop and sustain effective violence prevention programs. The toolkit is organized into sections and follows the WPV program elements listed above. The contents aim to provide a step-by-step approach to developing or assessing and enhancing a violence prevention program.

Tool ii. ‘Workplace Violence (WPV) Program Development, Implementation & Evaluation: Suggested Sequence of Activities Chart’ provides an overview of the program steps.

The focus of the toolkit is prevention and management of violence by *patients and visitors* towards staff however, references and resources related to other forms of violence in health care can be found in **Section 10 - Additional Resources**.

The toolkit will assist health care leadership and violence prevention committees and other stakeholders to:

- Evaluate the WPV program and individual violence prevention practices at their facility or within their organization, against current best practices in violence prevention.
- Identify and engage stakeholders and enhance the culture of worker and patient safety.

Workplace Violence Toolkit – Introduction

- Develop or strengthen the WPV program and policy by identifying processes that can be implemented to manage or control violence, and can address the risk of violence proactively.

A suggested framework and strategies to aid program implementation, evaluation and sustainability are also offered.

Tools and strategies provided should be customized to an organization's culture and physical environment, and should take into account factors such as, the complexity of the patient population, facility size, resources available, and the barriers and gaps identified in that setting.

Tools are provided in several formats (e.g., Microsoft Word, Excel and/or Adobe PDF) so that they can be used, and/or customized as needed.

Reference articles that have been published within the last 10 years, and links to website resources relevant to program activities discussed in each section of the toolkit, are provided.

It is important to note that in the case of WPV programs, there is *insufficient evidence base* to support what type of program design, or combination of program elements, or approaches, are effective and sustainable in reducing incidence of violence in health care.

Therefore, it is intended that the approach to program development, the tools created, resources provided, and the lessons learned during the WSI WPV project, offer health care facilities a comprehensive resource to *facilitate* the development of WPV programs, and enhance an organization's culture of safety for their employees and patients.

Although this toolkit offers a step-by-step approach to organize your WPV program implementation efforts program steps are not always sequential and are often interdependent. When using a *continuous improvement approach* to program management you may need to develop, implement, evaluate, and enhance some solutions and processes concurrently.

It is recommended that you (together with your WPV committee), read through the entire toolkit before starting to plan your approach to implementing a WPV program. This allows you to determine which sections of the toolkit are more relevant to your efforts, depending on what WPV program elements may already exist, and are effective at your facility.

Consider all phases of WPV program planning and implementation collectively within the context of a systems approach.

Workplace Violence Toolkit – Introduction

Compliance

The following Oregon regulations and rules apply specifically to workplace violence programs in hospitals, ambulatory care centers, and home health services that are owed by hospitals:

- Oregon Revised Statutes (ORS) 654.412 to 654.423, “Safety of Health Care Employees”
- Oregon Administrative Rules (OAR) 437-001-0706, “Recordkeeping for Health Care Assaults”

The following applies if a health care facility has security services that are staffed by employees or by contract personnel:

- OAR Division 60 (OAR 259-060:0005-0600) ‘Private security Services Providers Rules’

When developing and implementing the violence prevention program in addition to complying with the above state regulations and rules, it is essential to ensure compliance with:

- Specific hospital policies and procedures;
- The Joint Commission or DNV GL Health care accreditation requirements; and
- Center for Medicare & Medicaid Services (CMS) rules (e.g. rules that are applicable to the use of restraints and seclusion of patients);
- Any other related Occupational Safety and Health Administration (OSHA) standards such as the ‘General Duty Clause’ where employers have a general duty to “furnish to each of his employees’ employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm to his employees.”; and
- The rules and requirements of other state and federal agencies.

Workplace Violence Toolkit – Introduction

References and Resources

2013 OSHA publications

https://www.osha.gov/dsg/hospitals/mgmt_tools_resources.html

- Safety and Health Management Systems (OSHA) and Joint Commission Standards
- Safety and Health Management Systems: A Road Map for Hospitals

Can it happen here? Oregon OSHA <http://www.cbs.state.or.us/oshapdf/pubs/2857.pdf>

Center for Medicare & Medicaid Services (CMS) <https://www.cms.gov/Regulations-and-Guidance/Regulations-and-Guidance.html>

Department of Public Safety Standards and Training (DPSST).

<https://www.oregon.gov/dpsst/PS/Pages/Executive-Managers.aspx>

DNV GL Healthcare. <http://dnvglhealthcare.com/standards>

Enforcement Procedures for Investigating or Inspecting Workplace Violence Incidents. (2017).

Directive Number: CPL 02-01-058, OSHA.

https://www.osha.gov/OshDoc/Directive_pdf/CPL_02-01-058.pdf

Guidelines for Preventing Workplace Violence for Health Care and Social Service Workers (2015). U.S. Department of Labor Occupational Safety and Health Administration (OSHA).

Publication 3148-04R 2015 <https://www.osha.gov/Publications/osh3148.pdf>

Joint Commission standards - *for purchase only*

https://www.jointcommission.org/standards_information/standards.aspx

OAR 437-001-0706, ‘Recordkeeping for Health Care Assaults’.

<http://osha.oregon.gov/Pages/re/healthcare-assault-log.aspx>

OAR Division 60 259-060-0005:0600 ‘Private security Services Providers Rules’.

http://arcweb.sos.state.or.us/pages/rules/oars_200/oar_259/259_060.html

ORS 654.412 to 654.423, ‘Safety of Health Care Employees’.

<https://www.oregonlaws.org/ors/654.412>

OSH Act of 1970. General Duty Clause. The Occupational Safety and Health Administration

(OSHA). https://www.osha.gov/pls/oshaweb/owasrch.search_form?p_doc_type=oshact

Workplace Violence Toolkit – Introduction

Recommended Practices for Safety and Health Programs (2016). The Occupational Safety and Health Administration (OSHA).

<https://www.osha.gov/shpguidelines/management-leadership.html>

Workplace Violence Incidents – Enforcement Procedures for Investigating or Inspecting.

Program Directive: A-283. Issue: December 1, 2011. Revised: May 31, 2017. Oregon-OSHA.

<http://osha.oregon.gov/OSHARules/pd/pd-283.pdf>

Healthcare facility inspection decision-making flowchart. Oregon-OSHA.

<http://osha.oregon.gov/OSHARules/div1/hal-flowchart.pdf>

Questions about OSHA regulations in Oregon?

Oregon OSHA:

- **Consultation services.** <http://osha.oregon.gov/consult/Pages/index.aspx>
- **Employer essentials.** <http://osha.oregon.gov/essentials/Pages/default.aspx>
- **Worker rights and responsibilities.** <http://osha.oregon.gov/workers/Pages/Worker-rights-and-responsibilities.aspx>

State of Oregon - Ombudsman for Injured Workers.

<http://www.oregon.gov/DCBS/OIW/Pages/index.aspx>

SAIF Cooperation – Workers compensation insurer. <https://www.saif.com/employer.html>

Workplace Violence Toolkit – Section 1

Contents

Understanding Work Place Violence (WPV)	1.1
What is Workplace Violence (WPV)?	1.1
Occurrence of WPV in Health Care	1.2
WPV in Oregon.....	1.5
Why is WPV Underreported in Health Care?	1.5
Causes of WPV in Health Care.....	1.6
The Cost of WPV to Health Care Organizations and Workers	1.8
Solutions to Prevent and Manage WPV	1.9
WPV Legislation and Compliance	1.9
WPV Program Components.....	1.11
WPV Hazard Prevention and Control	1.12
References.....	1.14
Resources Related to this Section – Articles.....	1.16
Resources Related to this Section – Other.....	1.19

Understanding Work Place Violence (WPV)

What is Workplace Violence (WPV)?

The Occupational Health and Safety Agency (OSHA) defines workplace violence as any act or threat of physical violence, harassment, intimidation, or other threatening disruptive behavior, that occurs at the work site. It ranges from threats and verbal abuse to physical assaults and even homicide, and can involve employees, clients, customers and visitors. (OSHA, 2015).

Terms and definitions used to define WPV in occupational safety and violence literature can vary for example, violence that occur between coworkers may be defined as bullying, lateral or horizontal violence or incivility. The definition of assault as related to criminal law also varies by state and federal judicial systems.

Workplace violence in health care can also be defined as intentional e.g., where there is intent by a patient to cause physiological, emotional and bodily harm to an employee, or ‘non -

Definitions of Violence

Harassment – any behavior (*verbal or physical*) that demeans, embarrasses, humiliates, annoys, alarms, or verbally abuses a person, and that is known or would be expected to be unwelcome. This includes use of offensive language, sexual innuendos, name calling, swearing, insults, use of condescending language etc., arguments, gestures, pranks, rumors, intimidation, bullying, or other inappropriate activities.

Verbal or written threats – any expression of an intent to inflict personal pain, harm, damage, and/or psychological harm, either through spoken word or in writing.

Threatening behavior – such as shaking fists, intentionally slamming doors, punching walls, destroying property, vandalism, sabotage, theft, or throwing objects.

Physical attacks or assaults – hitting, shoving, biting, pushing or kicking. Extremes include rape, arson, and murder. Note: ORS 654.412 to 654.423 defines assault as ‘*intentionally, knowingly or recklessly causing physical injury*’.

Aggravated Assault - An unlawful attack by one person upon another for the purpose of inflicting severe or aggravated bodily injury. This type of assault usually is accompanied by the use of a weapon or by means likely to produce death or great bodily harm.

Source: IAHS 2016, Boyle, 2016, OSHA 2015, EEOC 2016, Fell-Carlson, 2008

Workplace Violence Toolkit – Section 1

intentional' e.g., violence by individuals with cognitive impairment associated with dementia, brain injury, or a physiological reaction to anesthesia or medication. The perception of a patient's intent to cause harm and how 'intent' is defined greatly influences reporting of violence by health care workers, as discussed later in this section.

Quick Tip: Use the data provided in this section when educating senior leadership, the WPV committee, and other employees about the scope and impact of workplace violence in health care.

WPV incidents generally fall into four categories:

- ▶ Type I (Criminal Intent): Results while a criminal activity (e.g., robbery) is being committed and the perpetrator has no legitimate relationship to the workplace.
- ▶ Type II (Customer/client): The perpetrator is a customer or client at the workplace (e.g., health care patient) and becomes violent while being served by the worker.
- ▶ Type III (Worker-on-Worker): Employees or past employees of the workplace are the perpetrators.
- ▶ Type IV (Personal Relationship): The perpetrator usually has a personal relationship with an employee (e.g., domestic violence in the workplace).

(OSHA, 2015)

The focus of this toolkit is prevention and control of Type II (customer/client) violence, where violence is perpetrated by patients and visitors toward employees, contract personnel, and volunteers, who work within a hospital and/or clinic setting. However, any WPV prevention programs should also incorporate policies and procedures to address risk of violence of any type and cause such as, bullying, domestic, and criminal activity, that could in any work setting within a health care organization.

Occurrence of WPV in Health Care

In the US, workers in health care experience substantially higher estimated rates of nonfatal injury due to workplace violence compared to workers in all other industries. Health care and social assistance workers are nearly four times more likely to be injured and require time away from work as a result of WPV (OSHA, 2015).

Workplace Violence Toolkit – Section 1

Within health care settings, approximately 24,000 workplace assaults occurred between 2010 and 2013, with most threats and assaults occurring between noon and midnight (Wyatt et. al, 2016).

The Bureau of Labor Statistics reports that while less than 20% of workplace injuries involve health care workers, 50% of work place related assaults involve health care workers.

Type II violence is the most common in health care settings that is, verbal or physical abuse and assaults perpetrated by patients, their family members, and visitors, toward health care workers. Examples include, intentional and non-intentional verbal threats or physical attacks by patients, a distraught family member who may be abusive or even become an active shooter, or gang violence in the emergency department.

- In two studies of Emergency Department nurses 50-100% of respondents reported experiencing verbal or physical violence at work (ENA 2011, Phillips, 2016).
- In another study, of 762 nurses in one large hospital system, 76.0% reported experiencing verbal violence and 54.2% reported experiencing physical violence. (Speroni et al., 2014)
- In a Health Risk Appraisal survey of 3,765 registered nurses and nursing students conducted by the American Nurses Association in 2014, **21 percent** of registered nurses and nursing students reported being physically assaulted, and **over 50 percent** reported being verbally abused in a 12-month period (OSHA, 2015).

In one 2014 survey on hospital crime, Type II violence accounted for 75% of aggravated assaults and 93% of all assaults against employees (Phillips, 2016).

The most common causes of violent injuries resulting in days away from work across several health care occupations were hitting, kicking, beating, and/or shoving (GAO, 2016).

The highest rates of violence occur in emergency rooms and inpatient psychiatric or behavioral health departments or facilities, geriatric long-term care settings, and residential and day social services (OSHA, 2015).

Some health care professions are more at risk for exposure to WPV than others. In 2013, Psychiatric Aides experienced more than 10 times the rate of violent injuries that resulted in days away from work than Nursing Assistants (NAs). NAs experienced more than 3 times the rate of violence than Registered Nurses (RNs) (OSHA, 2015).

Workplace Violence Toolkit – Section 1

However, there is little data to indicate occurrence of violence in other health care units such as intensive care; and in other health care settings such as, outpatient clinics or within many job categories such as emergency medical service workers or diagnostic technologists.

Data collected by the National Institute for Occupational Safety and Health (NIOSH) for 2012 through 2014, shows that injuries resulting from workplace violence appears to be *increasing* among all health care personnel and particularly among nursing assistants and nurses. The

Injury and staff survey data collected during the WSI indicated that:

- A majority of violence is perpetrated by patients.
- Employees reported that verbal abuse is the most common type of violence that they had experienced in the last year.
- Incidence of violence mostly occurred in the ED, Behavioral health, Intensive Care units, and Medical/Surgical units. In one hospital, violence was reported as increased in family birth and in home health units, and 2 hospitals reported an increase in violence in outpatient clinics.

majority of these injuries result from physical assaults on nursing staff (NIOSH, 2016).

The WPV related event that occurs in health care and receives the greatest media and public attention involves *active shootings* however, these events are *uncommon*. The Federal Bureau of Investigation (FBI) recognizes that between 2000 and 2013, there were 160 reported shootings with injury either inside a hospital or on the grounds. Reported motivation for these events include revenge, suicide and mercy killing. In

nearly 20% of the incidents, the perpetrators did not bring their own firearm to the hospital, and in 8% of all events the perpetrator took the gun from a police or security officer. In 28% of events involving firearms, a law enforcement officer shot a perpetrator in the hospital (Phillips, 2016, Aumack, 2017).

FBI Investigations indicate an increasing trend in workplace active shooter incidents for all industries including health care, from an average of 6.4 incidents per year between 2000 and 2006, to 16.4 incidents per year between 2007 and 2013.

In terms of *fatal* workplace violence, the Centers for Disease Control (CDC) report a *decreasing* trend over the past ten years in all non-health care industries, while the numbers of homicides in health care have remained relatively stable (NIOSH, 2015).

WPV in Oregon

Between 2013-2015 there were a total of 1646 work related accepted disabling claims (ADCs) from assault in Oregon. However, in 2015 alone, *only 3.1%* of all ADCs in Oregon were attributed to assault in all industries which likely supports the premise that WPV incidents are vastly underreported.

Health Care and Social Assistance in both the private and public sector accounted for 49% of these claims, which is more than any other industry. A majority of ADCs in the private sector occurred in nursing and residential care facilities. 84% of these injuries occurred as a result of health care workers being hit, kicked, bitten, or shoved. One WPV related homicide occurred between 2012-2016 in Oregon in a nursing and residential care facility. (Oregon OSHA; DCBS 2016).

Why is WPV Underreported in Health Care?

Studies indicate that violence in health care is hugely underreported. In one report, only 30% of nurses and 26% of physicians reported incidents (Philips, 2016).

Bullying and other forms of verbal abuse are more frequently underreported. In these cases, reasons for underreporting include lack of a reporting policy, lack of faith in the reporting system, and fear of retaliation (Blando, 2013).

Table 1.1 lists the factors that influence whether staff report a WPV episode or event in health care.

Employees at hospitals participating in the WSI project reported similar factors or barriers to reporting WPV incidents.

In addition to underreporting of WPV, inconsistencies in data collection and definitions of violence contributes to a lack of knowledge about the frequency and severity of WPV in health care.

Without accurate incident data, development and implementation of effective violence prevention programs and control strategies can be challenging.

Factors that influence reporting of WPV incidents	
<p><i>Incident type and patient condition</i></p> <ul style="list-style-type: none"> ▪ The severity of the incident i.e. whether the employee suffered physical injury requiring medical treatment ▪ The condition of the patient – for example when violence is perceived as unintentional due to the patient’s clinical condition or diagnosis e.g. dementia ▪ Perception of what is ‘violence’ by employees <p><i>Organizational Culture</i></p> <ul style="list-style-type: none"> ▪ Concerns that assaults by patients and visitors may be viewed as a result of poor performance or negligence of the employee ▪ The intense focus on customer service in health care where the “the customer is always” right or the impact of money and profit driven management models <p>Normalizing of WPV – ‘it’s just part of the job’</p>	<p><i>Reporting process</i></p> <ul style="list-style-type: none"> ▪ Whether someone else reported the incident ▪ No clear reporting policy ▪ Complicated reporting process e.g. forms take too long to complete <p><i>Response to Reporting</i></p> <ul style="list-style-type: none"> ▪ Fear of retaliation e.g., from patient and/or their family in smaller communities where everyone knows each other, stigmatization or bullying from co-workers for reporting ▪ Lack of action resulting from reporting e.g. informal report to a supervisor goes no further or there is no response to a formal report or preventative action is not taken ▪ The complexity of the legal system and response from law enforcement when reporting and/or pressing charges <p>Source: ENA 2011, Blando 2013, Arnetz, 2015, OSHA 2015, Philips 2016</p>

Table 1.1

Causes of WPV in Health Care

The cause of WPV in health care is often multifactorial and can be summarized in four broad categories.

1. **Clinical** related risk factors are the most common cause or contributor of violence e.g., patients with poorly managed mental illness, dementia, delirium, developmental impairment, and drug and alcohol intoxication and abuse.
2. **Social and economic** risk factors that contribute to violence include financial stress, domestic violence that extends into the workplace, ethnic conflict, access to weapons; neighborhoods with high crime rates and the increasing presence of gang members. The availability of drugs or money at hospitals, clinics, and pharmacies, makes them likely

Workplace Violence Toolkit – Section 1

robbery targets. The increasing use of prescription opioids and related addiction in the general population is a newer concern for clinics and physician offices.

3. **Environmental** related risk factors include noise, crowded waiting areas, open access of the public in clinics and hospitals; poorly lit spaces.
4. **Organizational** factors include design of financial/billing services, long wait times, dehumanizing, and inhospitable environments, poor communications, staff shortages, lack of or inadequate training, lack of or inconsistent process to identify and respond to undesirable behavior, working alone, working with cash and/or narcotics, use of seclusion/restraints, lack of situational awareness, and inadequate presence of security and mental health personnel on site.

(ENA, 2010, Design Council, 2011, NIOSH 2013, OSHA 2015, Philips 2016)

There is also a vicious cycle or "Revolving Door" Syndrome that sometimes links workplace violence, psychiatric treatment, and the "revolving door" (NIOSH, 2013). This occurs when patients with mental health or substance abuse issues are treated in an emergency room (ER) and released back into the community without follow-up care, so they return to the ER when another mental health or substance abuse crisis occurs.

Community based mental health care is often not available due to lack of funding. This issue also contributes to the increasing use of hospitals by police and the criminal justice system, for criminal holds and the care of acutely disturbed, violent individuals.

The Joint Commission analyzed 33 homicides, 38 assaults and 74 rapes in health care workplaces from 2013 to 2015, and reported that the most common "root causes of these events were:

- Failures in communication
- Inadequate patient observation
- Lack of or noncompliance with policies addressing workplace violence prevention
- Lack of or inadequate behavioral health assessment to identify aggressive tendencies in patients

Source: Wyatt, 2016

Workplace Violence Toolkit – Section 1

The Cost of WPV to Health Care Organizations and Workers

Direct costs of workplace violence injuries include cost of medical treatment for physical injuries sustained and time loss from work.

Speroni, K.G., et al., report that in one study the annual workplace violence costs for the 2.1% of nurses who reported injuries were \$94,156 (\$78,924 for treatment and \$15,232 for indemnity).

There can be a short and/or long-term psychological impact to employees who are the victims of WPV. Some employees may develop post-traumatic stress disorder (PTSD). The psychological impact of WPV is sometimes harder to quantify in terms of cost to the organization and to the affected employees.

Studies have shown that there is an *increase* in the rate of missed workdays, burnout, and job dissatisfaction, along with decreased productivity, and deterioration in staff health by employees involved in episodes of WPV (Philips, 2016, Pestka et. al, 2012).

Workplace injuries and stress are common factors that contribute to employee turnover which can be costly for a health care organization. For example, the estimated cost of replacing a nurse is \$27,000 to \$103,000.

Other organizational costs include increased security needs in terms of equipment and personnel, litigation, increased insurance costs, and property damage.

There is also an indirect relationship between WPV and patient safety. Caregiver fatigue, presenteeism, injury, and stress, are tied to a higher risk of medication errors and patient infections. In hospitals where *fewer* nurses are dissatisfied or burned out, there is *higher levels of patient satisfaction* (OSHA, 2015).

The relationship of worker safety and morale to safe delivery of care and achievement of organizational goals cannot be overstated.

In 2014, the National Patient Safety Foundation published the white paper “Through the Eyes of the Workforce: Creating Joy, Meaning, and Safer Health Care”, which highlights the importance of creating a culture in health care organizations that embraces worker and patient safety as equally important. The paper and subsequent related publications highlight the importance of creating a work environment where there is a goal of zero harm (physical and psychological) to the workforce; where there is a commitment to respect and safe behaviors; an effective system to measure, and a multidisciplinary, reliable process for responding to physical and psychological harm (NPSF, 2013, 2014).

Workplace Violence Toolkit – Section 1

Unfortunately, because WPV is vastly underreported in health care the full extent of the problem and its associated costs are unknown.

Solutions to Prevent and Manage WPV

When developing and implementing a WPV program, it's important to note that individual health care organizations have no or little 'control' of the social and economic factors that contribute to WPV. Nor can they prevent all the clinical factors that contribute to WPV. The goal of a comprehensive WPV program should be to minimize and eliminate where possible the organizational and environmental factors that contribute to WPV and to expedite early and accurate identification and management of clinically related and external risk factors.

Through collaboration with community stakeholders such as public health departments, law enforcement agencies, schools and social service organizations, hospitals may be able to assist in developing healthier social and safer physical environments that contribute to preventing violence in their communities (AHA, 2015).

WPV Legislation and Compliance

Oregon is one of several states that have passed legislation and has program requirements that address workplace violence.

The Oregon WPV law ORS 654.412 to 654.423, "Safety of Health Care Employees" and related (OAR) 437-001-0706, "Recordkeeping for Health Care Assaults" is only applicable to hospitals, ambulatory surgical centers, and home health care services operated by hospitals, and is aimed at preventing violence to employees from intentional assault.

The Oregon WPV law requires specific program components to be implemented.

ORS 654.412 to 654.423, "Safety of Health Care Employees" – Summary of Requirements

- Conduct periodic security and safety assessments to identify existing or potential hazards for assaults committed against employees.
- Develop and implement an assault prevention and protection program for employees based on the assessments.
- Provide assault prevention and protection training on a regular and ongoing basis for employees.
- Maintain a record of assaults committed against employees.

Workplace Violence Toolkit – Section 1

The program components required in the Oregon law are incorporated into the recommendations for a comprehensive WPV program that addresses intentional and non-intentional Type II violence as described in this toolkit.

Federal OSHA is currently considering a standard to protect health care and social assistance workers from violence. Until such a standard is enacted the General Duty Clause of *Occupational Safety and Health Act of 1970* (OSH Act or Act) applies as related to protection of workers against violence in the workplace. The General Duty clause *also* applies to WPV circumstances where the OR WPV law may not be applicable e.g., in cases of non-intentional assault by patients or in cases of lateral violence or bullying.

The General Duty Clause requires employers to provide their workers with a workplace free from recognized hazards that are causing or likely to cause death or serious physical harm; and broadly states that employees cannot be discriminated against if they file a complaint related to work safety or reporting a work-related fatality, injury or illness.

Employers also have an *ethical* responsibility to promote a non-violent work environment that fosters a climate of trust and respect.

Lastly, some 33 states have enacted laws that make it a felony to assault a health care worker (or a specific health care discipline such as nurses). At this time, no such law exists in Oregon.

The Joint Commission's Sentinel Event Alert, *Issue 45* requires health care facilities to comply with certain criteria for the security of patients, staff and visitors (The JC, 2010). For example, accredited hospitals must assess their risk of violence, develop written plans, and implement security measures.

These criteria have also been incorporated into this toolkit. In addition, there are several Joint Commission 'Leadership, Environment of Care, Emergency Management and Rights and Responsibilities of the Individual' standards that directly and indirectly apply related to how a hospital should manage and control violence (OSHA, 2015).

Links to Oregon laws related to WPV and other compliance related considerations can be found in the Toolkit '*Introduction*'.

Other professional organizations such as the American Nurses Association (ANA) and the American Association for Occupational Health Professionals in Health Care (AOHP), have published position statements that state that there should be a Zero Tolerance for incivility, bullying and violence in the workplace (ANA, 2015, AOHP, 2017).

WPV Program Components

The box on the right lists the components of a comprehensive WPV program that provide the foundation to prevent (where feasible), reduce, and control the risk of violence in the workplace.

These program components are explored further in other sections of this toolkit as they relate to prevention of Type II violence. Program recommendations are incorporated from Oregon OSHA, Federal OSHA, The Joint Commission, and other professional associations, in addition to the lessons learned from partner hospitals in the WSI project.

Studies show that occupational injury prevention programs more effective and sustainable when they are multifaceted in nature, incorporated into an organization's overall safety and health program, and into the organization's culture, and assist to meet service delivery goals.

However, there is little supporting evidence to indicate which WPV prevention program elements, or combination of program elements are more effective in preventing and managing violence in health care. This is likely because workplace violence in health care is a relatively 'new' topic which has been openly discussed for the past few years, as compared to other occupational hazards such as needlestick exposure or manual patient handling. In addition, designing experiments to test interventions is challenging in a clinical setting and risk factors for violence can vary from facility to facility.

Fortunately, there is a growing body of published case studies related to best practices for WPV prevention, and an increasing number of research activities are examining the effectiveness of WPV prevention programs.


WPV Program Components

- A. Management Leadership
- B. Employee Participation
- C. Written Violence Prevention Policy
- D. Program Management Organization
- E. Communications Structure
- F. Hazard Identification & Assessment
- G. Hazard Control and Prevention
- H. Education & Training
- I. Ongoing Program Evaluation and Improvement

Workplace Violence Toolkit – Section 1

WPV Hazard Control and Prevention

The approach taken to prevent hazards in many occupational safety, health and ergonomics programs is to first try to eliminate or substitute or replace the hazard before turning to engineering controls that are designed to isolate or protect workers from the hazard. However, in the case of preventing workplace violence, elimination and substitution, while most effective at reducing hazards are extremely challenging. Therefore, a combination of engineering and administrative controls is primarily used within a WPV program to prevent and manage the risk of violence. An example of personal protective equipment (PPE) is the use of gowns, gloves and face masks and shields to protect employees from blood and body fluid exposure that can occur when a patient is physically violent.



Source: NIOSH

Engineering controls that are designed to isolate the worker from the hazard include:

- Improved worksite lighting
- Physical barriers at admitting/reception area
- Controlled access to buildings and units and monitored surveillance systems
- Panic alarms
- Design of waiting area to mitigate noise and overcrowding

Administrative controls which require the worker to change the way they work include:

- Procedures to:
 - Identify, assess and communicate patients/visitors at high risk for violence
 - Respond to incidents of violence and support systems for employees involved in violence

Workplace Violence Toolkit – Section 1

- Facilitate employee reporting of incidents and processes for effective response management
- Investigate incidents and correct hazards or work processes to prevent reoccurrence of a similar incident
- Security systems e.g. use of security personnel and surveillance systems
- Processes to track employees who work alone or with patients at high risk of violence
- Education & Training of all employees that is customized to their job responsibilities and role within the WPV program
- Recordkeeping and documentation

Engineering controls are preferred over administrative and PPE because they are designed to remove the hazard at the source.

Administrative controls and PPE programs may be less expensive to implement than engineering controls but over the long term, can be costly to sustain and require constant monitoring or 'supervision' to ensure desired changes to work practices and processes are maintained.

A more recent approach to worker safety and health that is starting to be embraced within health care is Total Worker Health®(TWH). TWH not only incorporates traditional safety principles to prevent and reduce risk of occupational injury or illness to workers through design and organization of work, tasks performed and organizational culture, but also considers the overall well-being of the worker. TWH considers other factors such as, the impact of shift work, wages, access to benefits, interactions with coworkers, nutrition and fitness. (NIOSH, 2016).

The TWH approach to both protect workers and advance their health and wellbeing should be considered when addressing workplace violence concerns.

Workplace Violence Toolkit – Section 1

References

Guidelines for preventing workplace violence for healthcare and social service workers

(2015). Occupational Safety and Health Administration (OSHA). Retrieved from

<https://www.osha.gov/Publications/osh3148.pdf>

Types of Discrimination - Harassment. U.S. Equal Employment Opportunity Commission (EEOC)

Retrieved from <https://www.eeoc.gov/eeoc/commission.cfm>

Working safely in health care: a practical guide (2007). Fell-Carlson, D. Cengage Learning.

Working towards a definition for workplace violence actions in the health sector (2016).

Boyle, M. J., & Wallis, J. Safety in health, 2(1), 4.

Workplace violence against health care workers in the United States (2016). Phillips, J. P. New

England journal of medicine, 374(17), 1661-1669.

Workplace Violence Toolkit (2010). Emergency Nurses Association. Retrieved from

https://www.ena.org/docs/default-source/resource-library/practice-resources/toolkits/workplaceviolencetoolkit.pdf?sfvrsn=6785bc04_16

Underreporting of workplace violence: Comparison of self-report and actual documentation

of hospital incidents (2015). Arnetz, J. E., Hamblin, L., Ager, J., Luborsky, M., Upfal, M. J.,

Russell, J., & Essenmacher, L. Workplace health & safety, 63(5), 200-210.

Incidence and cost of nurse workplace violence perpetrated by hospital patients or patient

visitors (2014). Speroni, K. G., Fitch, T., Dawson, E., Dugan, L., & Atherton, M. Journal of

Emergency Nursing, Vol. 40, Issue 3, p218–228.

Preventing Workplace Violence in Healthcare. Understanding the Challenge (2015).

Occupational Safety and Health Administration (OSHA). Retrieved from

https://www.osha.gov/dsg/hospitals/workplace_violence.html

Workplace Safety and Health: Additional Efforts Needed to Help Protect Health Care Workers

from Workplace Violence. GAO-16-11: Published: Mar 17, 2016. Publicly Released: Apr 14,

2016. Retrieved from <http://www.gao.gov/products/GAO-16-11>

Firearm discharges in hospitals: an examination of data from 2006-2016 (2017). Aumack, T et.

al. Journal of Healthcare Protection Management. 33:1, 1-8.

Injury Trends from healthcare facilities throughout the US. NIOSH Occupational health safety

network (OHSN). Retrieved from <https://www.cdc.gov/niosh/topics/ohsn/default.html>

Workplace Violence Toolkit – Section 1

NIOSH science blog - Violence in Healthcare 2015. Retrieved from <https://blogs.cdc.gov/niosh-science-blog/2015/03/27/violence-in-healthcare/>

Workplace violence Can it happen where you work? (2016) Oregon OSHA. Retrieved from <http://osha.oregon.gov/OSHAPubs/2857.pdf>

Workers' Compensation Claims Characteristics Calendar Year 2015. Oregon Department of Consumer and Business Services. Retrieved from http://www.cbs.state.or.us/external/imd/rasums/2055/15web/15_2055.html

Barriers to effective implementation of programs for the prevention of workplace violence in hospitals (2015). Blando, J., Ridenour, M., Hartley, D., & Casteel, C. Online journal of issues in nursing, 20(1).

Workplace violence in health care: A critical issue with a promising solution (2016). Wyatt, R., Anderson-Dreves, K., & Van Male, L. M. Jama, 316(10), 1037-1038.

Workplace Violence Prevention for Nurses Workplace Violence Prevention for Nurses
CDC Course No. WB2908 – NIOSH Pub. No. 2013-155. Retrieved from <http://www.cdc.gov/niosh/topics/healthcare/default.html>

Reducing Violence and Aggression in A&E: Through a Better Experience (2011). Council, D. Design Council. Retrieved from https://static1.squarespace.com/static/50730747e4b00907bc1cdda3/t/529494f4be4b006d906127e20/1385469179391/DESIGN+COUNCIL_EVALUATION+SUMMARY.pdf

Enhancing safety in behavioral emergency situations (2012). Pestka, E. L., Hatteberg, D. A., Larson, L. A., Zwygart, A. M., Cox, D. L., & Borgen Jr, E. E. Medsurg nursing, 21(6), 335.

Through the eyes of the workforce: Creating joy, meaning, and safer health care (2013), and Getting Started on Workforce Safety (2014). Lucian Leape Institute at the National Patient Safety Foundation. Retrieved from <http://www.npsf.org/?page=throughtheeyes>

Health Research & Educational Trust. Hospital Approaches to Interrupt the Cycle of Violence (2015, March). American Hospital Association. Chicago, IL. Retrieved from www.hpoe.org

ORS 654.412 to 654.423, 'Safety of Health Care Employees' Retrieved from <https://www.oregonlaws.org/ors/654.412>

OAR 437-001-0706, 'Recordkeeping for Health Care Assaults'. Retrieved from <http://osha.oregon.gov/Pages/re/healthcare-assault-log.aspx>

Workplace Violence Toolkit – Section 1

Sentinel Event Issue 45: Preventing Violence in the Healthcare Setting (2010). The Joint Commission. Retrieved from https://www.jointcommission.org/sentinel_event_alert_issue_45_preventing_violence_in_the_health_care_setting/

Workplace Violence Prevention and Related Goals. The Big Picture (2015). Occupational Safety and Health Administration (OSHA). Retrieved from https://www.osha.gov/dsg/hospitals/workplace_violence.html

Position statement incivility, bullying, and workplace violence (2015). American Nurses Association (ANA): Workplace Violence. Nursing World. Retrieved from <http://www.nursingworld.org/workplaceviolence>

Position Statement Workplace Violence (2017). Association of Occupational Health Professionals in Healthcare. Retrieved from www.aohp.org

Fundamentals of Total Worker Health® Approaches Essential Elements for Advancing Worker Safety, Health, and Well-Being (2016). National Institute for Occupational Safety and Health NIOSH. Retrieved from https://www.cdc.gov/niosh/docs/2017-112/pdfs/2017_112.pdf

Resources Related to this Section – Articles

A national description of violence toward emergency medical services personnel (2016). Gormley, M. A., Crowe, R. P., Bentley, M. A., & Levine, R. Prehospital Emergency Care, 20, 4, 439.

A survey of workplace violence across 65 US emergency departments (2008). Kansagra, S. M., Rao, S. R., Sullivan, A. F., et al. Emergency Medicine. 15 (12):1268–1274. <http://onlinelibrary.wiley.com/doi/10.1111/j.1553-2712.2008.00282.x/epdf>

Clinically assessed consequences of workplace physical violence (2015). De Puy, J., Romain-Glassey, N., Gut, M., Pascal, W., Mangin, P., & Danuser, B. International Archives of Occupational and Environmental Health, 88, 2, 213.

Healthcare managers' perceptions of patient perpetrated aggression and prevention strategies: A cross sectional survey (2016). Baby, M., Swain, N., & Gale, C. Issues in Mental Health Nursing, 37, 7, 507

Hospital-based shootings in the United States: 2000 to 2011 (2012). Kelen, G.D., Catlett, C.L., Kubit, J.G., and Hsieh, Y.H. Annals of Emergency Medicine. 60(6):790-798.

Workplace Violence Toolkit – Section 1

Improving patient and worker safety: opportunities for synergy, collaboration and innovation (2012). Joint Commission, & Joint Commission. Oakbrook Terrace, IL: The Joint Commission, 171. <http://www.jointcommission.org/assets/1/18/TJC-ImprovingPatientAndWorkerSafety-Monograph.pdf>

Incidence and risk factors of workplace violence on psychiatric staff (2015). Ridenour, M., Lanza, M., Hendricks, S., Hartley, D., Rierdan, J., Zeiss, R., & Amandus, H. *Work*, 51(1), 19-28.

New pool finds alarming rates of violence against nurses. (November 2017) Campus Safety. <https://www.campussafetymagazine.com/hospital/new-poll-violence-against-nurses/>

Nothing changes, nobody cares: Understanding the experience of emergency nurses physically or verbally assaulted while providing care (2014). Wolf, L. A., Delao, A. M., & Perhats, C. *Journal of Emergency Nursing*, 40(4), 305-310.

Nursing and aggression in the workplace: a systematic review. Edward K.L. et al. *Br J Nurs*. 2014 23(12):653-4, 656-9.

Occupational injury among hospital patient-care workers: What is the association with workplace verbal abuse? (2014). Sabbath, E. L., Hurtado, D. A., Okechukwu, C. A., Tamers, S. L., Nelson, C., Kim, S. S., Wagner, G. & Sorenson, G. *American Journal of Industrial Medicine*, 2014, 57, 2, 222.

Occupational traumatic injuries among workers in health care facilities—United States, 2012–2014 (2014). Gomaa, A. E., Tapp, L. C., Luckhaupt, S. E., Vanoli, K., Sarmiento, R. F., Raudabaugh, W. M., & Sprigg, S. M. *Health Care*, 2012.

Overview and summary: Patient and visitor violence: What do we know? What can we do? (2013). Rosen, J. *Online J Issues Nurs*. Jan 31;18(1):1. <http://www.nursingworld.org/MainMenuCategories/ANAMarketplace/ANAPeriodicals/OJIN/TableofContents/Vol-18-2013/No1-Jan-2013/Overview-and-Summary-Patient-and-Visitor-Violence.html>

Reducing violence in healthcare facilities (2013). Vellani, K. H. *Journal of healthcare protection management: publication of the International Association for Hospital Security*, 30(1), 21-29.

Patient safety and quality: An evidence-based handbook for nurses (Vol. 3) 2008. Hughes, R. (Ed.). Rockville, MD: Agency for Healthcare Research and Quality. <https://archive.ahrq.gov/professionals/clinicians-providers/resources/nursing/resources/nursesfdbk/nursesfdbk.pdf>

Workplace Violence Toolkit – Section 1

Physical assault, physical threat, and verbal abuse perpetrated against hospital workers by patients or visitors in six US hospitals (2015). Pompeii, L. A., Schoenfisch, A. L., Lipscomb, H. J., Dement, J. M., Smith, C. D., & Upadhyaya, M. (2015). *American journal of industrial medicine*, 58(11), 1194-1204.

Safeguarding health care workers (2014). Benton, D. *The American Journal of Nursing*, Vol.114(12), p.61.

Stressful incidents of physical violence against emergency nurses (2013). Gillespie, G.L. et. al. *Online J Issues Nurs.* Jan 31;18(1):3.
<http://www.nursingworld.org/MainMenuCategories/ANAMarketplace/ANAPeriodicals/OJIN/Ta bleofContents/Vol-18-2013/No1-Jan-2013/Stressful-Incidents-of-Physical-Violence-against-Emergency-Nurses.html>

Underreporting of workplace violence: Comparison of self-report and actual documentation of hospital incidents (2015). Arnetz, J. E., Hamblin, L., Ager, J., Luborsky, M., Upfal, M. J., Russell, J., & Essenmacher, L. *Workplace health & safety*, 63(5), 200-210.

Understanding patient-to-worker violence in hospitals: a qualitative analysis of documented incident reports (2015). Arnetz, J. E., Hamblin, L., Essenmacher, L., Upfal, M. J., Ager, J., & Luborsky, M. *Journal of Advanced Nursing* 71(2), 338–348.

Violence against new graduated nurses in clinical settings: A qualitative study (2016). Ebrahimi, H., Hassankhani, H., Negarandeh, R., Jeffrey, C., & Azizi, A. *Nursing ethics*, 0969733015624486.

Violence against nurses and its impact on stress and productivity (2011). Gates, D. M., Gillespie, G. L., & Succop, P. *Nursing Economics. The Journal for Health Care Leaders.* 29(2), 59-66.

Violence toward nurses, the work environment, and patient outcomes (2010). Roche, M., Diers, D., Duffield, C., & Catling-Paull, C 42(1):13-22. *Journal of Nursing Scholarship*, 42(1), 13-22.

Violence against nurses: An assessment of the causes and impacts of violence in nursing education and practice (5th Report 2007). National Advisory Council on Nurse Education and Practice (NACNEP).
<http://www.hrsa.gov/advisorycommittees/bhpradvisory/nacnep/reports/fifthreport.pdf>

Violence in healthcare facilities - updated 2017. ECRI Institute.
<https://www.ecri.org/components/HRC/Pages/SafSec3.aspx?tab=1>

Workplace Violence Toolkit – Section 1

Workplace assessment of violence risk: Understanding patient-to-worker violence in hospitals: a qualitative analysis of documented incident reports (2015). Arnetz, J. E., Hamblin, L., Essenmacher, L., Upfal, M. J., Ager, J., & Luborsky, M. J Adv Nurs Feb; 71(2):338-348.

Workplace violence against health care workers in the United States (2016). Phillips, J. P. New England Journal of Medicine, 374(17), 1661-1669.

Workplace violence in healthcare settings: risk factors and protective strategies (2010). Gillespie, G.L., et al. Rehabil Nurs. 2010 Sep-Oct;35(5):177-84

Workplace violence and occupational stress in healthcare workers: A chicken-and-egg situation—Results of a 6-Year follow-up study (2014). Magnavita, N. Journal of Nursing Scholarship, 46:5, 366–376

Workplace violence prevention: Improving front-line health-care worker and patient safety (2013). Lipscomb JA & El Ghaziri M. New Solut. 23(2):297-313.

Workplace violence prevention programs in hospital emergency departments (2007). Journal of Occupational & Environmental Medicine, 49(7):756-763, Peek-Asa et al.

Books

(Re)Thinking Violence in Health Care Settings Hardcover (2012). Holmes, D., Rudge, T., & Perron, A. Ashgate January 1, 2012.

Workplace Violence in Mental and General Health Settings (2011). Privitera, M.R., Jones & Bartlett Learning 2011.

Resources Related to this Section – Other

Cost of Community Violence to Hospitals and Health Systems. Report for the American Hospital Association July 26, 2017. Van Den Bos, J, et. al. Milliman Research Report.
<http://www.aha.org/content/17/community-violence-report.pdf>

Centers for Disease Control and Prevention (CDC)

- **Occupational Violence** <http://www.cdc.gov/niosh/topics/violence/>
- **Occupational Violence: Research on Occupational Violence and Homicide**
http://www.cdc.gov/niosh/topics/violence/traumaviol_research.html

Workplace Violence Toolkit – Section 1

IHI Framework for Improving Joy in Work (2017). IHI White Paper. Perlo J, Balik B, Swensen S, Kabcenell A, Landsman J, Feeley D. Cambridge, Massachusetts: Institute for Healthcare Improvement; 2017. www.ihi.org

Occupational Safety and Health Administration (OSHA)

- **Guidelines for Preventing Workplace Violence for Healthcare and Social Service Workers (2015)** <https://www.osha.gov/Publications/osh3148.pdf>
- **Preventing Workplace Violence in Healthcare. Understanding the Challenge (2015)** https://www.osha.gov/dsg/hospitals/workplace_violence.html
- **Workplace Violence Prevention and Related Goals. The Big Picture (2015)** https://www.osha.gov/dsg/hospitals/workplace_violence.html
- **Facts About Hospital Worker Safety (September 2013). OSHA** https://www.osha.gov/dsg/hospitals/documents/1.2_Factbook_508.pdf
- **Workplace Violence – Website** <https://www.osha.gov/SLTC/workplaceviolence/>

The Joint Commission

- **Questions & Answers: Hospital Accreditation Standards & Workplace Violence**
November 17, 2017.
https://www.jointcommission.org/questions_answers_hospital_accreditation_standards_workplace_violence/
- **Work Place Violence Resources**
https://www.jointcommission.org/workplace_violence.aspx
- **Workplace Violence Update.** Presentation on recent incidents in workplace violence.
The 23rd State Hospital Association Forum 2016
https://www.jointcommission.org/assets/1/6/illinois_hospital_assoc_wpv_slides.pdf

Workplace Violence Toolkit - Section 2

Contents

Getting Started	2-1
Introduction	2-1
Define the Need for or Enhancing a WPV Program	2-2
STEP 1	2-2
a. Review best practices for assessing risk, control and prevention of WPV, and related regulations.	2-2
b. Collect baseline incident/injury and cost data related to WPV	2-3
STEP 2	2-3
Analyze data collected to identify units, departments and employee groups, with higher risk of exposure to WPV; and the nature, severity and cost of injuries associated with WPV. Begin to identify hazards/risks & program elements that need to be addressed.....	2-3
Calculating the direct costs of injuries and estimating the indirect costs	2-5
WPV Program Foundation & Management.....	2-8
STEP 3	2-8
Enlist support of senior leadership to develop or enhance a WPV program plan.....	2-8
Preparing for the meeting	2-9
During the meeting	2-9
STEP 4	2-14
Identify a program champion or sponsor, and a program coordinator, and form an interdisciplinary WPV committee	2-14
Identify a program champion or sponsor and a program coordinator	2-14
WPV committee structure	2-14
WPV reporting structure	2-17
WPV committee roles and responsibilities	2-17
Meeting structure	2-18
Effective teams.....	2-18
STEP 5	2-20
Educate the team about WPV in health care, the components of successful WPV programs, the proposed approach to addressing WPV at your facility and function of the team	2-20
References	2.Error! Bookmark not defined.
Resources Related to this Section – Articles	2.Error! Bookmark not defined.
Resources Related to this Section – Other	2.Error! Bookmark not defined.

Getting Started

Introduction

This section describes the steps and tools you can use to define the need for a WPV program, or the need to enhance existing WPV prevention efforts, and to develop the foundation for implementing and managing the program.

As previously discussed, the steps and activities conducted when developing and implementing a WPV program are often not sequential and may be interdependent. The steps described in this section may be performed in a different sequence, or in some cases concurrently. For example, you may feel it necessary to gather information about the frequency and severity of violence in your facility by reviewing incident data, and conducting staff surveys, and completing a gap analysis (described in **Section 3** of this toolkit), before you meet with leadership to establish preliminary support for the program efforts etc.

However, the sequence of program development activities described in this section are based on lessons learned during the WSI project. It is important to ensure that senior leadership support, and are engaged in development or enhancement of a WPV program, before time is spent to draft a program plan, activities are conducted to engage staff in program efforts, and too many resources are used.

Health care organizations must be committed to providing ongoing financial and personnel resources, not only for the changes that may be required to improve physical security of a facility and staff education program, but to support a program that facilitates the changes in work processes and procedures required to minimize the risk of WPV. In general, successful and sustainable safety programs require ongoing organizational commitment and fiscal support.

Tools that support content in this Section

2a. Tracking and analyzing incident and injury data.

- Version 1- contains sample data and analysis
- Version 2 – is a blank sheet that can be populated

2b. Sample injury data summary report

2c. Calculating direct and indirect injury costs

2d. Analyzing injury data and direct costs – how to

2e. Tips for effective committees

2f. Sample project charter

Workplace Violence Toolkit - Section 2

Competing business and service demands together with changing health care reimbursement rules and the impact of health care reform can make ongoing support of comprehensive safety programs such as WPV challenging.

Therefore, it is also critical to assess the organizational culture and readiness for change, so that WPV program activities are prioritized to meet high risk needs, and that barriers to program implementation are anticipated and addressed. Implementing a WPV program that is manageable within an organization's current *business* capabilities, is designed to have a positive impact or contribution to the organization's business goals, and contributes to achieving the organization's mission and stakeholders' (patients, staff) satisfaction, have a greater likelihood of being sustained.

Define the Need for or Enhancing a WPV Program

STEP 1

a. Review best practices for assessing risk, control and prevention of WPV, and related regulations.

The first step in defining the need for or enhancing a WPV program, is to gain an understanding of the issue of violence in health care, why and how it can be addressed, and to start to identify the scope of WPV at your facility or within your organization.

Section 1 of this toolkit '*Understanding Work Place Violence*' provides information and reference material about the scope and impact of workplace violence in health care that you can use to become familiar with the topic. This information can be adapted and used to educate work place violence committees, management and employees about WPV.

Section 6 Education and Training, also contains links to other training resources that provide good background information about WPV in health care such as, the NIOSH '*Workplace Violence Prevention for Nurses*' interactive training course. This free course provides detailed information about the scope and nature of violence in the workplace and can be accessed at https://www.cdc.gov/niosh/topics/violence/training_nurses.html

Review this toolkit and resources provided in its entirety to gain an understanding of best practices for assessing risk, prevention and management of WPV in health care.

Make sure you understand your organization's responsibilities as they relate to protecting workers from WPV under the Oregon work place violence law [ORS 654.412 to 654.423](#), "Safety of Health Care Employees" and [OAR 437-001-0706](#), "Recordkeeping for Health Care

Workplace Violence Toolkit - Section 2

Assaults”.

In addition, it is important to understand other applicable legislation such as, the OSHA General Duty Clause and Joint Commission accreditation standards so that you can educate senior leadership and the work place violence committee about regulatory and accreditation responsibilities.

Review any collective bargaining agreement(s) in your workplace for any provisions about WPV.

Refer to the **Introduction** and to **Section 1** of this Toolkit for more information about relevant laws and standards.

b. Collect baseline incident/injury and cost data related to WPV

Collecting baseline WPV incident and injury data will help you identify the scope of WPV at your facility or within your organization. For example, where and how often does violence occur; what types of violence occur e.g., physical assaults; the nature of assaults such as, biting, kicking etc.; who is the perpetrator of violence; and what are the associated workers compensation costs related to staff injuries?

To be able to examine and predict injury and other data trends, review at least *3 years* of data from OSHA logs, workers compensation reports, and other relevant sources of data as listed in **Table 2.1**. For privacy considerations data provided should not include employee identifiers such as, name and date of birth, or information that is considered confidential under the Health Insurance Portability and Accountability Act (HIPPA).

STEP 2

Analyze data collected to identify units, departments and employee groups, with higher risk of exposure to WPV; and the nature, severity and cost of injuries associated with WPV. Begin to identify hazards/risks & program elements that need to be addressed.

Using the data collected in *Step 1*, identify the following:

- Units and departments or locations where incidents of WPV occur.
- Job tasks and employee groups with higher risk of exposure to and/or with incidents related to WPV.

Workplace Violence Toolkit - Section 2

- The types of violence reported e.g., verbal or physical, and nature of physical violence e.g. kicking, biting, grabbing.
- The perpetrator or status of assailant e.g., patient, behavioral health patient, visitor, employee.
- The nature of employee injuries reported e.g., mild soreness, cuts, large bruises, lacerations, fractures etc.
- The severity of employee injuries related to the number of cases with lost work days, the number of days away from work, and restricted or modified duty days.
- Calculate incident and severity rates of WPV related injuries per 100 employees.
- Calculate the direct costs of injuries and estimate the indirect costs were feasible.

As you evaluate your injury and cost data, determine if definitions and injury related variables and descriptions are *standardized*. For example, is there consistent use of standard terminology to describe WPV related incidents so that they can be accurately measured at the start of your program (baseline), and after the program is implemented and sustained? The **Master Data** spreadsheet in **Tool 2a**, provides an example of how injury data can be standardized to ensure accuracy of data measurement and management.

Sources of employee injury data and departments where the data is usually located	
OSHA 300 log and 300A Summary of Work-Related Injuries and Illnesses)	Human Resources or Employee Health
The Health Care Assault log (Oregon only)	Human Resources; Employee Health or Security Services
DCBS 801 Report to file for workers compensation (Oregon)	Human Resources; Employee Health
Workers compensation loss run reports (includes information about individual injury costs)	Human Resources; Employee Health or directly from the organization's Workers Compensation Carrier or Third-Party Administrator (if self-insured)
Emergency response reports such as Code Gray and Silver reports	Human Resources; Employee Health; Security Services; Quality/Risk Management
Security logs	Security Services

Table 2.1

Tools that can assist you to track, analyze and report workplace injury data

- Tool 2a. Version 1, Tracking and analyzing incident and injury data shows you how injury data can be collected and analyzed.
- Tool 2a. Version 2 is a fillable spreadsheet that you can use to track and analyze all injuries and incidents in your facility in one master spreadsheet. From this WPV injuries can be coded and analyzed.
- Tool 2b. Sample injury data summary. This tool provides an example of how injury data can be reported and the type of graphs you can create to demonstrate WPV illustrate the scope and nature of WPV at your facility.
- Tool 2c. Calculating direct and indirect injury costs. This tool allows you to capture and calculate costs associated with WPV related incidents.
- Tool 2d. Analyzing injury data and direct costs explains how to evaluate your WPV injury and cost data.

Calculating the direct costs of injuries and estimating the indirect costs

The full costs and impact of WPV to a health care organization can be summarized using the Iceberg Model shown in **Figure 2.1**.

To make an effective and ongoing business case that will result in a fully funded and sustainable WPV program, it is often necessary to identify all the costs and benefits of implementing such programs. This allows you to demonstrate a positive return on investment for the organization in terms of financial benefits and contribution to strategic organizational goals and clinical programs.



Figure 2.1 Full Costs of Workplace Injuries

Workplace Violence Toolkit - Section 2

Direct and indirect costs related to employee injuries can be calculated more easily than the impact of WPV on operations.

Measuring operational losses and gains when developing a business case for WPV programs will be described further in **Section 4** of this Toolkit.

Other data such as, date and time of incidents and information about the response to incidents, can be collected at this time if convenient and analyzed later for use during development of the WPV program plan in **Section 3**.

Analyzing the data listed above can:

- Identify the broad scope of violence at your facility.
- Help prioritize which units or departments should be the recipient of initial WPV program efforts or be a pilot unit(s) when initiating a program.
- Provide an initial indication about the general causes of WPV incidents or scenarios that maybe a priority to address e.g. patients in the ED who are in withdrawal from alcohol or drugs.
- Provide the foundation for building a business case for your WPV program and solutions you want to implement.

Direct injury costs include for money paid for medical bills, out of pocket expenses and compensation for time away from work, litigation, and settlement costs, and vocational rehabilitation if required.

Direct cost information including the productive hours needed to calculate injury incident rates, can be gathered from Human Resources, Finance or Payroll, and Risk Management or Legal departments.

Indirect costs are the costs associated with investigation and management of injury claims, and the cost of temporarily replacing an injured employee such as, a nurse who is away from work or performing modified duty. Safety literature indicates that indirect or 'hidden' injury costs that occur as a result of worker injury absence vary between 0.5 and 10 times the direct costs of an injury.

However, rather than estimate these costs, it is better to determine what 'hidden' costs can be measured or captured within an organization for each injury claim.

Indirect cost information about investigation and management of injury claims, wages, benefit burden, and staff replacement costs, can be obtained from Human Resources, Worker Safety and Employee Health departments and Accounting or Payroll Departments.

Workplace Violence Toolkit - Section 2

Gathering incident data also provides an opportunity for you to ***build alliances and collaborate*** with Human Resources, Employee Health, Security, Finance, and other departments that will be able to assist you to gather data throughout development and evaluation of your WPV program. This includes assisting you to build the business case for justification of budget expenditures to prevent and control WPV e.g., physical changes to building, additional staffing or security personnel.

However, it should be remembered that determining true scope and cause of injuries related to WPV cannot be established from a review of OSHA and workers compensation data alone because of underreporting, fraudulent reporting, and misclassification of injuries. In addition, there are other variables that can impact injury claims with days away from work, including lack of work or programs for workers who require temporary restricted duty, and case management protocols used to manage injury claims.

If you determine that analysis of the WPV injury and incident and related cost data ***is not sufficient*** to identify the initial need and solicit preliminary leadership approval to develop or enhance a WPV program at your facility, then review and incorporate information from other sources such as:

- Facility security or safety inspections
- Existing employee survey data e.g. satisfaction surveys
- Feedback from employee suggestion programs
- Minutes from safety meetings
- Employee assistance program usage reports (summary reports which do not identify individuals)
- Oregon OSHA consultation or enforcement reports related to WPV
- Grievances (harassment, discrimination)
- Patient and visitor reports or quality surveys e.g. Press Ganey

Summarize the employee injury data and any information collected for presentation to senior management. **Tool 2b** provides an example of how the injury data can be presented.

WPV Program Foundation & Management

STEP 3

Enlist support of senior leadership to develop or enhance a WPV program plan

The goal of meeting with senior leadership at this stage of WPV program planning is to gain approval and support to:

1. Further determine the scope of WPV at your facility or within your organization and to develop a draft plan to address WPV.
2. Approve resources to assist you achieve (1) above that is to,
 - Form a WPV committee to steer the project
 - Appoint a WPV project or program coordinator
 - Select a WPV program champion or sponsor from senior leadership

In addition, meeting with leadership allows you to understand:

- The overall level of support for the program
- How WPV may support organizational goals
- Potential barriers to implementation of the WPV program such as, other new or potential program initiatives related to patient and/or employee safety that compete for financial and personnel resources etc.
- What are the resources available to support program implementation and management strategies and activities

Overall, meeting with leadership reduces the risk of *wasting* resources, and time to plan and implement WPV program related activities, that may not be fully funded or supported by the organization.

The senior leadership group you meet with will vary depending on the size and structure of your organization. However, it is recommended that the group include decision makers such as, the chief executive, operating and financial officers, chief nursing and medical officers, leaders from human resources, quality and/or risk and patient safety, employee safety and security departments. In some cases, the leadership group includes the Board of Directors for a health care organization.

Workplace Violence Toolkit - Section 2

Preparing for the meeting

Have enough time allocated for the presentation. Leaders may not be familiar with the scope of WPV in health care, and/or with the organization's injury data and statistics that you will present, or the format they are presented in.

Sending a summary of the purpose for the meeting and organization's injury data reports to the leadership group ahead of the meeting can help facilitate discussion. **Tool ii. 'The Workplace Violence (WPV) Program Development, Implementation & Evaluation: Suggested Sequence of Activities Chart'** is another useful document that can be shared as it provides a summary of program planning, implementation, and evaluation. **Section 6 Education and Training**, also contain links to other training resources that provide good background information about WPV for facility leaders.

Personnel in the departments who provided WPV data to you (as described in Steps 1 and 2 above), may be able help you to determine the best way to present data and information, so that it meets the format normally used in your organization.

During the meeting

Communicate clearly and if you cannot answer specific questions during the meeting make sure you follow up with a response afterwards.

Emphasize that a *performance improvement* approach will be used to develop a WPV program, and that there are many resources freely available including this toolkit to help facilitate program efforts.

The following questions and suggested responses can assist you to plan and deliver your presentation (**Table 2.2**):

What do senior management want to know?

Question	Response
1. The purpose of the meeting	<ul style="list-style-type: none">▪ To gain support to determine the scope of the issue, and to develop a plan to address, prevent, and control, WPV at your facility or within your organization (see above).

Workplace Violence Toolkit - Section 2

Question	Response
2. What is WPV?	<ul style="list-style-type: none"> Define WPV with examples of each category or classification of WPV, and the scope of the issue within health care, and specifically within hospitals (<i>Refer to Section 1 of this toolkit</i>).
3. Why is WPV so important?	<ul style="list-style-type: none"> The cost of WPV in terms the impact on the workforce and health care organizations. Approaches to preventing and controlling WPV in health care (<i>Refer to Section 1 of this toolkit</i>).
4. Do I & should I have to do anything about WPV?	<ul style="list-style-type: none"> What you know about the scope of WPV at your facility in terms of injuries and associated monetary costs, and any other data you have collected to this point (<i>Steps 1 & 2</i>). What has the organization done to address WPV to date for example, hiring or security personnel, employee training, or changes to the physical design of the facility to enhance controlled access etc. Include where feasible, information about the impact of these efforts to reduce and/or control WPV. Legislative and accreditation related requirements i.e., Oregon OSHA, the JC, etc. (<i>Refer to Section 1 of this toolkit</i>).
5. How much will it cost?	<ul style="list-style-type: none"> Explain that until you have evaluated the full scope of the issue at your facility and developed your program plan you won't be able to answer this question. However, it may be important to highlight resources likely needed for program elements that you know should be implemented or enhanced e.g., implementation of a robust employee training program.
6. What will the results be?	<ul style="list-style-type: none"> Provide the high-level, broad strategic objectives of the WPV program efforts, and how they can enhance or work in synergy with other programs at the facility, and support the organization's mission and goals e.g., reduce injuries and costs related to WPV, improve employee morale and reduce turnover.
7. What is our strategy?	<ul style="list-style-type: none"> Identify a WPV program champion or sponsor from senior leadership and

Workplace Violence Toolkit - Section 2

Question	Response
	<ul style="list-style-type: none"> ▪ A WPV project or program coordinator. ▪ Form an interdisciplinary WPV committee or team to determine the scope of the issue at your facility. Describe how the scope of the issue will be determined (for example, as suggested in Section 3 of this toolkit). ▪ Develop a draft WPV program plan that will include the recommended scope of the program, how and who will implement and manage the program, the cost and return on investment of program activities, implementation timeline, and how the program will be measured and sustained. ▪ Present the draft plan to the senior leadership group for approval.

Question
8. What do I need to do? (or what do you need from senior management?)
Response
<p>a) That senior management understand that they are responsible for providing visible commitment, accountability, and resources, to ensure a culture of staff <i>and</i> patient safety. That is, a management climate where there is <u>clear commitment</u> that WPV will not be tolerated, and that supports <i>all facets</i> of implementation, ongoing evaluation, and maintenance of the WPV program. Thus, support is given to investigate the scope of WPV at the facility and to recommendations to develop or enhance an existing WPV program plan.</p> <p>b) Identify a WPV program champion or sponsor from senior management who supports the position that WPV in any form will not be tolerated e.g., the chief nurse executive or nursing officer or vice president of quality services.</p> <p>Having a program champion or sponsor from a department such as nursing versus employee safety and health, can assist to aid the integration of WPV efforts within an organization, and promote WPV as an employee <i>and</i> patient safety initiative.</p>

Workplace Violence Toolkit - Section 2

Response
<p>Therefore, this person should be able to facilitate communication and partnership across all departments within a facility or organization, and to senior management. They should be able to remain engaged and effective in their role such as, being able to assist in leading the change management process throughout the organization.</p> <p>The program champion or sponsor assists the WPV committee and program coordinator to be effective by providing resources and visible support to facilitate successful implementation and sustainability of the WPV program. This includes engaging nursing management and staff in program activities, and communicating WPV program needs, progress, and outcomes with executive leadership.</p> <p>In addition, they should be easily accessible to the WPV program coordinator and committee and be able to engage with them on a regular basis.</p>
<p>c) Identify a WPV program coordinator for this initial planning phase, who can organize and manage the WPV committee and facilitate activities. If the program plan is approved a WPV program coordinator will be needed to oversee implementation and management of the program.</p> <p>The program coordinator should ideally have expert knowledge about the topic of WPV, or at least a knowledge of risk management as related to occupational health and safety. Alternatively, ensure that there is at least one person on the WPV committee with expertise in violence prevention and management. The program coordinator should also have proven project management skills. Provide the program coordinator opportunity for the further education about effective WPV programs and project management, etc., as needed.</p> <p>The program coordinator must have the authority and knowledge to convene the committee and require participation; sufficient time and resources to coordinate and lead the program; and the authority to make decisions when planning and implementing the program and ensure its effectiveness.</p> <p>However, it is important that management understand that <i>one person</i> cannot be responsible for implementing and managing the WPV program. All employees or stakeholders must be engaged so that WPV processes such as, patient assessment for risk of violence becomes institutionalized within the organization.</p>
<p>d) Approval and resources to form an interdisciplinary WPV committee and investigate the issue further. This includes allocation of appropriate time for WPV committee members</p>

Workplace Violence Toolkit - Section 2

Response
<p>to attend meetings, scheduling meetings, taking and distributing minutes and action plans etc., and resources to conduct activities such as, surveying employees and analyzing data.</p> <p>Highlight that the benefits of a well-structured and managed interdisciplinary WPV committee can:</p> <ul style="list-style-type: none">▪ Solidify program support▪ Contribute to program compliance▪ Provides more human resources in developing and implementing the program▪ Capitalize and engage a broad base of skills and expertise to ensure consideration of best-practice outcomes (OSACH, 2006) <p>Discuss the tentative structure of the team, how long they may be working together, and specific responsibilities (<i>refer to Step 4 in this Section</i>).</p>
<p>e) Who do they want to see involved on the committee and with program efforts in general? Make sure that leadership approve connecting with community stakeholders such as, local law enforcement and EMS, behavioral health organizations and professionals in the planning phase.</p>
<p>f) How should mid-level management be engaged at this preliminary stage of program planning? For example, how will unit/department directors and manager be notified about initial program efforts such as staff surveys and walkthrough safety and security assessments?</p>
<p>g) Are there upcoming changes within the organization that may compete with resources you are requesting such as, budget for additional security staff; physical changes to a building; commitment to a comprehensive staff training program etc? For example:</p> <ul style="list-style-type: none">– Changes within senior leadership– Addition or change within a service line– Patient safety initiatives or new work processes and or technology that are going to be introduced on a house-wide scale– New building or remodeling projects

Workplace Violence Toolkit - Section 2

Response
<ul style="list-style-type: none">– More opportunity in use of capital budgets or in operating budgets– Revenue focus for the current year on controlling costs versus growth <p>You should request that leadership set the criteria for solutions development in advance, and state what resources are available.</p>
h) What is the timeline for development of a draft WPV plan to be presented to senior management?

Table 2.2

STEP 4

Identify a program champion or sponsor, and a program coordinator, and form an interdisciplinary WPV committee

Identify a program champion or sponsor and a program coordinator - Refer to Step 3 above.

WPV committee structure

Identifying key stakeholders to be part of the WPV program planning committee is important for success. The Joint Commission call for a collaborative and structured approach to address WPV that includes departments such as employee health, quality and security, whose functions and goals may not typically overlap or are sometimes ‘siloe’d’.

Stakeholders are individuals, groups or organizations can affect or be affected by WPV and the WPV program overall or specific program activities.

Ensuring that staff from areas impacted or at risk for WPV are part of the committee can help to define the full scope of the issue at the facility. This can include managers from key departments such as, the emergency room, intensive care and behavioral health units. However, direct care staff such as staff nurses, aides, technicians, and other

staff who have contact with patients and visitors, **must** be involved as they bring important knowledge and perspective about day to day experiences related to WPV to the planning process. Involving these staff facilitates employee buy-in as the WPV program is implemented and supports the culture change that will be needed. In addition, this collaborative approach to

Workplace Violence Toolkit - Section 2

problem solving helps ensure the solutions and strategies chosen are user-centered and applicable to specific work environments.

Figure 2.2, shows the stakeholders (i.e., disciplines, expertise and departments), that may be represented in a WPV committee at this stage of program planning stage.



Figure 2.2 Example of WPV Committee Membership

Although having key stakeholders involved in the planning phase of a WPV is critical, it is important that the committee is not so large that it is a challenge to organize and manage during this 'fact finding' investigation stage of program planning.

To address this, a smaller group of individuals with expertise in employee safety and health, security, behavioral health, human resources, risk management or quality or environment of care, and nursing management, and staff from key areas where violence occurs such as the emergency room, may form the core WPV planning committee. Membership should also include representation from existing WPV threat assessment and response teams.

Workplace Violence Toolkit - Section 2

Other stakeholders can be engaged on an ‘ad hoc’ basis during this investigation stage. Once detailed program planning and implementation begins following approval of the WPV program plan by senior management, committee membership can be expanded as needed.

To facilitate communication during the program planning, implementation, and evaluation process, include stakeholders on the committee (in an ‘ad hoc’ role), that can provide linkage to other patient and employee safety committees.

In smaller organizations, one person may be responsible for multiple services and cover several areas of expertise on the committee.

At least one committee member should have subject matter expertise in violence prevention and/or is willing to attend additional training/education (e.g., de-escalation techniques, behavioral management).

Other ‘ad hoc’ members of the committee should include external stakeholders such as local law enforcement, behavioral health professionals, and the organization’s insurance carriers. Developing a relationship with these stakeholders can assist you when completing WPV risk assessments such as, walkthrough security reviews, and developing WPV prevention processes such as, threat or violence response plans including active shooter protocols, and assistance to develop and conduct employee training.

WPV Committee ‘Ad Hoc’ membership – examples of departments/stakeholders

- Legal and regulatory systems
- Patient/customer services
- Finance
- Pharmacy
- Information technology
- Facilities maintenance
- Admissions
- Patient billing
- Dietary
- Laboratory services
- Transportation
- Environmental services (housekeeping)
- Marketing, communications and public relations support
- Facilities designers & architects
- Purchasing/procurement/material management
- Social work
- Clinical specialty departments: such as physical therapy, respiratory therapy, imaging
- Volunteer services

Workplace Violence Toolkit - Section 2

WPV reporting structure

Typically, a WPV committee reports to, or is a subcommittee of the facility employee safety and health committee. If this is not the case, make sure there is representation/communication between both committees

WPV committee roles and responsibilities

Overall Purpose

To provide interdisciplinary insight and assistance to the WPV program champion, the WPV program coordinator, and other groups of stakeholders in the design, implementation and evaluation of the WPV program.

Table 2.3, lists examples of the roles and responsibilities of a WPV committee.

Specific roles and responsibilities of the committee may be further defined after the WPV program plan is drafted and approved by senior management.

Once the program is implemented and evaluated, the committee structure and function should be reevaluated and membership, role, and activities, defined in relation to maintenance of the WPV program.

WPV committee roles and responsibilities can include:

- Identifying, consulting, and engaging key stakeholders through the activities outlined in this toolkit
- Identifying immediate and future goals and objectives for the WPV program
- Assessing current WPV policies and procedures, job tasks and work processes, and physical work environment, to identify and prioritize areas for improvement
- Identifying solutions to prevent and control WPV
- Assessing organizational readiness for the WPV program and associated changes
- Identifying barriers and facilitators to program implementation and maintenance
- Establishing timelines and deliverables
- Developing a draft WPV program plan

WPV committee roles and responsibilities can include:

- Assisting the WPV program champion and the program coordinator:
 - To solicit appropriate allocation of resources (time, staff and finance)
 - To develop and implement a communication plan
 - With implementation of WPV policies and processes and other interventions
 - To report and address barriers in program implementation and maintenance
 - With ongoing program evaluation, revision and communication (to management and employees) of process and outcome measures
 - To sustain and spread improvements
- Providing guidance, direction and support to the teams such as a threat response team or managers and employees in departments or jobs with higher risk for violence

Table 2.3

Meeting structure

It may be necessary to meet frequently at this stage of program planning e.g., every 1-2 weeks, to get the committee established and educated about WPV, and to collect and analyze data before drafting a WPV program plan. Meeting frequency will also be dependent on direction given by senior management. Meetings could be monthly as the program is implemented and evaluated.

In smaller health care facilities, it may be feasible to have the employee safety and health committee provide WPV program oversight once the program is implemented and evaluated.

Effective teams

Borrill et. al, describes a team as a group of individuals who work together to produce products or deliver services for which they are mutually accountable. Team members share goals and are mutually held accountable for meeting them, they are interdependent in their accomplishment, and they affect the results through their interactions with one another. Because the team is

Workplace Violence Toolkit - Section 2

held collectively accountable, the work of integrating with one another is included among the responsibilities of each member.

The following factors tend to enhance teams in health care:

- Clear and shared goals and vision
- Strong leadership
- Members understand their role and responsibilities
- Effective communication and decision-making processes
- Mutual respect
- Individual accountability for specific actions
- Shared accountability for team outcomes

Individual members of the WPV committee will vary in their experiences and approaches to working as part of a team. There will be perceived differences in hierarchy and status for example between front-line employees and managers or leaders on the committee and between members from non-clinical and clinical disciplines.

Tool 2e, provides some tips for effective meetings and to assist committees in their work together

The following resources provide more information about developing and managing effective committees:

- **Working with Task Groups. Working Efficiently with Committees and Teams (2010).** The Benchmark Institute.
http://www.benchmarkinstitute.org/t_by_t/free_stuff/working_with_task_groups.pdf
- **Productive Work Teams. HR Council for the Nonprofit Sector (HR Council).**
<http://hrcouncil.ca/hr-toolkit/workplaces-teams.cfm>
- **Team Working and Effectiveness in Health Care (2002). Findings from the Health Care Team Effectiveness Project.** Borrill et al.
<http://homepages.inf.ed.ac.uk/jeanc/DOH-glossy-brochure.pdf>

Workplace Violence Toolkit - Section 2

STEP 5

Educate the team about WPV in health care, the components of successful WPV programs, the proposed approach to addressing WPV at your facility and function of the team

Once the WPV committee is formed provide them with information about the:

1. Scope and impact of workplace violence in health care, and elements of programs to prevent and control WPV. Use information provided in this toolkit including free web based videos such as the NIOSH '*Workplace Violence Prevention for Nurses*' interactive training course listed in **Section 6 Education and Training**.
2. Steps taken to start WPV program development at the facility
3. Purpose of the WPV program and proposed strategy to develop a draft program plan – Use information developed in **Step 3** and an understanding of requirements by senior management as identified in **Step 3**.
4. Understanding of how a WPV program can support the organization's strategic goals and mission.
5. Roles and responsibilities among the members of the WPV committee; of the WPV program champion and the program coordinator etc.
6. Meeting schedule and communication methods between team members and the project coordinator etc.

Develop a draft project charter for the committee. Use your organization's existing project charter template (if one exists).

A project charter demonstrates the commitment of the organization and senior management to the WPV program and committee activities, and provides formal agreement about the project details. A charter assists as a communication tool to employees about this commitment and goals, scope and high-level deliverables of the WPV program overall.

It also assists the WPV committee to *stay on course* during program development and implementation.

Typically, a project charter summarizes the:

- Need for a WPV program
- Program objectives

Workplace Violence Toolkit - Section 2

- Role of the program champion
- Authority of the WPV manager
- Main stakeholders
- Committee function and roles etc.

Once the WPV program draft planned is completed, the project charter can be updated to include the:

- Performance improvement approach to problem solving
- Potential barriers to a successful WPV program
- Anticipated resources
- Project milestones
- Specific performance measures and improvement goals
- **Tool 2f**, provides an example of a project charter for a WPV committee.

The charter should be amended as needed and approved by senior leadership as part of the process to finalize your WPV program plan (**Refer to Section 4**).

Workplace Violence Toolkit - Section 2

References

Workplace Violence Prevention and Related Goals. The Big Picture (2015). Occupational Safety and Health Administration (OSHA). Retrieved from https://www.osha.gov/dsg/hospitals/workplace_violence.html

Making the business case to initiate, sustain and evaluate safe patient handling programs Part 1 (2011). Enos, L.A. American Journal of Safe Patient Handling and Movement, 1, (3): 8-15

Making the business case to initiate, sustain and evaluate safe patient handling programs Part 2 (2011). Enos, L.A American Journal of Safe Patient Handling and Movement, 1, (4): 8-16.

Preventing HealthCare Workplace Violence Toolkit (April 2017). Washington State Hospital Association. Retrieved from http://wsa.wpengine.com/wp-content/uploads/FINAL_2017_05_12_WS_Toolkit.pdf

A Guide to the Development of a Workplace Violence Prevention Program (2006). Ontario Safety Association for Community & Healthcare, North York, ON, Canada. Retrieved from <http://www.osach.ca/>

Improving patient and worker safety: opportunities for synergy, collaboration and innovation (2012). Oakbrook Terrace, IL: The Joint Commission, 2012. Retrieved from <https://www.jointcommission.org/assets/1/18/TJC-ImprovingPatientAndWorkerSafety-Monograph.pdf>

Team working and effectiveness in health care (2000). Borrill, C., West, M., Shapiro, D., & Rees, A. British Journal of Healthcare Management, 6(8), 364-371.

Toolkit for Using the AHRQ Quality Indicators. Content last reviewed March 2017. Agency for Healthcare Research and Quality, Rockville, MD. Retrieved from <http://www.ahrq.gov/professionals/systems/hospital/qitoolkit/index.html>

Optimizing a Business Case for Safe Health Care: An Integrated Approach to Safety and Finance (2017). Institute for Healthcare Improvement / National Patient Safety Foundation. Cambridge, Massachusetts: Institute for Healthcare Improvement; 2017. Retrieved from <http://www.ihl.org/resources/Pages/Tools/Business-Case-for-Safe-Health-Care.aspx>].

Preventing and Managing Violence in the Workplace (2009) Registered Nurses' Association of Ontario. Retrieved from <http://rnao.ca/bpg/guidelines/preventing-and-managing-violence-workplace>

Workplace Violence Toolkit - Section 2

Resources Related to this Section – Articles

A decade of hospital-based violence intervention: Benefits and shortcomings (2016). Juillard, C., Cooperman, L., Allen, I., Pirracchio, R., Henderson, T., Marquez, R., Orellana J, & Dicker, R. A. *Journal of Trauma and Acute Care Surgery*, 81(6), 1156-1161.

A framework for translating workplace violence intervention research into evidence-based programs (2013). McPhaul, K., London, M., Lipscomb, J. *Online J Issues Nursing*, 18(1).
<http://nursingworld.org/MainMenuCategories/ANAMarketplace/ANAPeriodicals/OJIN/TableofContents/Vol-18-2013/No1-Jan-2013/A-Framework-for-Evidence-Based-Programs.html>

Barriers to effective implementation of programs for the prevention of workplace violence in hospitals (2015). Blando, J., Ridenour, M., Hartley, D., & Casteel, C. , 20(1).
<http://www.nursingworld.org/MainMenuCategories/ANAMarketplace/ANAPeriodicals/OJIN/TableofContents/Vol-20-2015/No1-Jan-2015/Articles-Previous-Topics/Barriers-to-Programs-for-the-Prevention-of-Workplace-Violence.html>

Dealing with workplace violence in emergency primary health care: a focus group study (2015). Morken, T., Johansen, I. H., & Alsaker, K. (2015). *BMC family practice*, 16(1), 51.

Does administrative support negate the consequences of nurse abuse? (2016). Azar, M., Badr, L. K., Samaha, H., & Dee, V. *Journal of Nursing Management*, 24(1), E32-E43.

Hospital violence and the role of the occupational health nurse. Brown B.G. & Burns C. *Workplace Health Saf.* 2013 Nov; 61(11):475-8.

Implementation of a comprehensive intervention to reduce physical assaults and threats in the emergency department. (2014). Gillespie, G. L., Gates, D. M., Kowalenko, T., Bresler, S., & Succop, P. *Journal of Emergency Nursing*, 40(6), 586-591.

Leadership's role in eliminating workplace violence and changing perceptions in the emergency department (2015). Doby, V. *Journal of Emergency Nursing*, Volume 41 , Issue 1 , 7.

Measurement and monitoring of health care worker aggression exposure (2013). Lennaco J.D.et. al. *Online J Issues Nurs.* Jan 31;18(1):3.
<http://www.nursingworld.org/MainMenuCategories/ANAMarketplace/ANAPeriodicals/OJIN/TableofContents/Vol-18-2013/No1-Jan-2013/Measurement-and-Monitoring-Worker-Aggression-Exposure.html>

New Jersey department of health and senior services. Evaluation of safety and security programs to reduce violence in health care settings. Final report January 2007. Peek-Asa, C. et

Workplace Violence Toolkit - Section 2

al. Sponsored by the National Institute for Occupational and Environmental Health. (NIOSH contract 200-2001-08014 and NIOSH R01-OH007934)

<http://www.cdc.gov/niosh/topics/violence/>

Prevention of injury and violence in the USA (2014). Haegerich, T. M., Dahlberg, L. L., Simon, T. R., Baldwin, G. T., Sleet, D. A., Greenspan, A. I., & Degutis, L. C. *The Lancet*, 384(9937), 64-74.

Stopping the pain: The role of nurse leaders in providing organizational resources to reduce disruptive behavior (2013). Yragui, N. *American Nurse Today*. Vol. 8 No. 10.

<http://www.americannursetoday.com/stopping-the-pain-the-role-of-nurse-leaders-in-providing-organizational-resources-to-reduce-disruptive-behavior/>

Understanding workplace violence: the value of a systems perspective (2014). Bentley, T. A., Catley, B., Forsyth, D., & Tappin, D. *Applied Ergonomics*, 45(4), 839-848.

BOOK

Workplace violence: Planning for prevention and response (2010). Kerr, K. Butterworth-Heinemann.

Resources Related to this Section – Other

The Agency for Healthcare Research and Quality (AHRQ)

- **AHRQ Webinar: Reducing Workplace Violence with TeamSTEPPS® (2016)**
<https://www.ahrq.gov/teamstepps/events/webinars/dec-2016.html>
- **The Comprehensive Unit-based Safety Program (CUSP) toolkit– *Tools for Engaging Senior Executives***
<https://www.ahrq.gov/professionals/education/curriculum-tools/cusptoolkit/index.html>

The American Hospital Association (AHA)

- **"Hospitals Against Violence" Resources from the AHA.**
<http://www.aha.org/advocacy-issues/violence/index.shtml>

Workplace Violence Toolkit - Section 2

The American Organization of Nurse Executives (AONE)

- **Mitigating Violence in the Workplace (2014).** The American Organization of Nurse Executives Guiding Principles, AONE with the Emergency Nurses Association.
http://www.aone.org/resources/PDFs/Mitigating_Violence_GP_final.pdf

Emergency Nurses Association (ENA)

- **Workplace Violence Resources**
<http://www.ena.org/IENR/Pages/WorkplaceViolence.aspx>
- **Workplace Violence Toolkit** https://www.ena.org/docs/default-source/resource-library/practice-resources/toolkits/workplaceviolencetoolkit.pdf?sfvrsn=6785bc04_16

Health Employers Association of British Columbia (HEABC)

- **Violence Prevention Resources** <http://www.heabc.bc.ca/Page4270.aspx#.VS1r8qN0w6Y>
- **Health Authority & Providence Health Care Employees - E-Learning Modules**
<http://www.heabc.bc.ca/Page4272.aspx#.WUwTe2ciz8o>
- **Provincial Violence Prevention Initiative Final Report – July 2012.**
http://www.heabc.bc.ca/public/HSIA/HSIA_Initiative4_FinalReport.pdf

The Joint Commission

- **The Essential Role of Leadership in Developing a Safety Culture. Sentinel Alert Issue 57, March 1, 2017.** https://www.jointcommission.org/sentinel_event.aspx
- **Preventing violence in the health care setting (2010).**
http://www.jointcommission.org/assets/1/18/SEA_45.PDF
- **Emerging Health Care Concern: Preventing Workplace Violence**
Presentation on Workplace Violence
https://www.jointcommission.org/assets/1/6/PreventingWPV_081816.pdf

Workplace Violence Toolkit - Section 2

Minnesota Department of Health

- **Prevention of Violence in Health Care Toolkit**
<http://www.health.state.mn.us/patientsafety/preventionofviolence/toolkit.html>
- **St. Cloud - Committee Structure and Purpose**
<http://www.health.state.mn.us/patientsafety/preventionofviolence/stcloudcommitteest ructurepurpose.pdf>
- **HealthEast - Violence Prevention and Intervention Presentation (PDF)**
<http://www.health.state.mn.us/patientsafety/preventionofviolence/healtheastviolprevin terventionpresentation.pdf>

Minnesota Department of Labor and Industry

- **Workplace Violence Resources** <http://www.doli.state.mn.us/wsc/Wvp.asp>
- **Workplace violence prevention A comprehensive guide for employers and employees**
<http://www.doli.state.mn.us/wsc/PDF/WorkplaceViolencePreventionGuide.pdf>

U.S. Department of Labor Occupational Safety and Health Administration (OSHA)

- **Hospital Safety and Health Management System Self-Assessment Questionnaire (2013)**
https://www.osha.gov/dsg/hospitals/mgmt_tools_resources.html
- **Guidelines for Preventing Workplace Violence for Health Care and Social Service Workers. 2015.** <https://www.osha.gov/Publications/osha3148.pdf>
- **Caring for Our Caregivers. Preventing Workplace Violence: A Road Map for Healthcare Facilities (December 2015).** <https://www.osha.gov/Publications/OSHA3827.pdf>
- **OSHA Hospital Safety e-Tool, Workplace Violence Module**
<https://www.osha.gov/SLTC/etools/hospital/hazards/workplaceviolence/viol.html>
- **OSHA's Safety and Health Management Systems and Joint Commission Standards - Comparison** https://www.osha.gov/dsg/hospitals/documents/2.2_SHMS-JCAHO_comparison_508.pdf

Washington State Department of Labor and Industries

- **Workplace Violence Prevention in Health Care Settings**
<http://lni.wa.gov/Safety/Topics/AtoZ/WPV/wpvhealthcare.asp>

Workplace Violence Toolkit – Section 3

Contents

Step 6 Hazard Identification and Assessment	3.1
Introduction.....	3.1
WPV hazard identification and assessment activities.....	3.2
Gap Analysis	3.3
Why conduct a Gap Analysis?	3.3
Completing the Gap Analysis.....	3.4
The Gap Analysis Tool	3.6
Conducting WPV Employee Surveys	3.7
The goal of conducting WPV Employee Surveys	3.7
When to conduct employee surveys	3.7
Developing an WPV employee survey	3.7
Conducting WPV employee surveys	3.8
Analyzing and reporting the WPV survey data	3.10
Safety and Security Assessment of the Physical Work Environment	3.11
The goal of conducting a walkthrough safety and security assessment.....	3.11
When to conduct a walkthrough safety and security assessment	3.11
Conducting a walkthrough safety and security assessment.....	3.12
Tips for conducting a WPV walkthrough assessment	3.12
Analyzing and prioritizing data collected during a WPV walkthrough safety and security assessment	3.13
Step 7 Analyze all data collected and prioritize hazards and needs	3.14
Step 8 Developing solutions to address and control hazards	3.16
Developing Solutions.....	3.16
Assessing Readiness for Change	3.20
Step 6.....	1
Hazard Identification and Assessment.....	1
Introduction	1
Gap Analysis	3
Why conduct a Gap Analysis?	3
Completing the Gap Analysis	4
The Gap Analysis Tool.....	6

Workplace Violence Toolkit – Section 3

Conducting WPV Employee Surveys	7
The goal of conducting WPV employee surveys.....	7
When to conduct employee surveys.....	7
Developing an WPV employee survey.....	7
Conducting WPV employee surveys.....	8
Analyzing and reporting the WPV survey data	10
Safety and Security Assessment of the Physical Work Environment	11
The goal of conducting a walkthrough safety and security assessment.....	11
When to conduct a walkthrough safety and security assessment	11
Conducting a walkthrough safety and security assessment	12
Analyzing and prioritizing data collected during a WPV walkthrough safety and security assessment.....	13
Step 7.....	14
Analyze all data collected and prioritize hazards and needs	14
Step 8.....	16
Developing solutions to address and control hazards	16
Hospital Safety and Health Management System Self-Assessment Questionnaire (2013). U.S. Department of Labor Occupational Safety and Health Administration (OSHA). https://www.osha.gov/dsg/hospitals/mgmt_tools_resources.html	22
References and Resources Related to this Section – Other.....	3.Error! Bookmark not defined.

Workplace Violence Toolkit – Section 3

Step 6

Hazard Identification and Assessment

Introduction

Initial and ongoing identification and assessment of hazards for WPV provides the foundation of a comprehensive violence prevention program by:

1. Identifying risk factors that increase the likelihood that violence will occur.
Although no one specific diagnosis or type of patient is a predictor of future violence, a thorough hazard assessment can identify combinations of risk factors that increase the risk for employee exposure to WPV. For example, working in an emergency room with patients who are withdrawing from drugs or alcohol abuse. (OSHA 2015).

Tools that support content in this Section

- 3a. Gap analysis tool
 - 3b. Employee WPV survey sample
 - 3c. Employee WPV survey report contents and sample format
 - 3d. Employee WPV survey summary report sample
 - 3e. Employee WPV survey marketing flier
 - 3f. Safety and security assessment checklist
 - 3g. Prioritizing level of risk for WPV and solutions
 - 3h. Tips for choosing solutions
 - 3i. Project template
-

2. Providing a basis for prioritizing problems by risk and severity or likely outcome, and informs decision making when choosing and implementing controls to prevent and manage WPV.
3. Identifying barriers to removing the risk factors and formulating approaches to address barriers (McPhaul et. al., 2013).
4. Allowing comparison of the current state of WPV prevention activities in your facility and within individual units and departments and comparing them to recommended best practices in violence prevention.
5. Providing an opportunity to engage employees in the development and ongoing management of a WPV program, and allow the WPV committee with leadership support, to tailor a program that will serve the needs of your facility.

As discussed in **Sections 1 and 2** evidence shows that using a multidisciplinary approach that engages employees and is supported by management, can facilitate the success of occupational safety and health programs.

Workplace Violence Toolkit – Section 3

Hazard identification and assessment is an ongoing process within a WPV program. Continuous program evaluation is discussed further **Section 8**.

WPV hazard identification and assessment activities

This section of the toolkit focuses on the primary hazard identification and assessment activities that hospitals in the WSI project conducted in addition to analysis of WPV injury and incident data as described in **Section 2**. The following assessment activities are highly recommended because they capture a broad range of critical information and facilitate evaluation of current WPV prevention activities and determination of future desired activities from a systems perspective.

- Comprehensive Gap Analysis of existing WPV program efforts and related policies (this includes assessment of an organization's culture and readiness for change)
- Employee survey to engage employees and determine their perception of WPV
- Safety and Security Assessment of the Physical Work Environment to identify hazards that may increase the likelihood of violence occurring

The following are examples of additional data sources that can also be used to assess the risk of WPV in your facility. What data source you choose to evaluate will depend on availability and quality of data, and resources available to evaluate the data.

- Formal employee focus groups
- Existing employee survey data e.g. satisfaction surveys
- Feedback from employee suggestion programs
- Minutes from safety meetings
- Employee assistance program usage reports (summary reports which do not identify individuals)
- Patient focus groups and/or surveys to elicit information about what triggers may contribute to violence and what would make them feel the most comfortable and safe
- Patient and visitor reports or quality surveys e.g. Press Ganey
- Oregon OSHA consultation or enforcement reports related to WPV

Workplace Violence Toolkit – Section 3

- Security and safety rounding and inspection reports (conducted by facility staff and/or external agencies e.g. law enforcement, insurance carriers etc.)
- Police reports if available
- Grievances (harassment, discrimination)

Once completed, information collected from **the Gap Analysis together with data from the employee survey and walkthrough hazard assessment** and the earlier review of **WPV injury and incident data** etc., will provide a framework to develop or a violence program or enhance an existing program. *Refer to Step 7 for more information.*

Gap Analysis

Why conduct a Gap Analysis?

The purpose of a gap analysis is to determine current state or *what's actually happening* and desired future state or *vision* of a WPV program. The Gap Analysis tool provided includes details of published recommended elements and current best practices of effective WPV programs, including the elements of a WPV program that are required by Oregon law.

Conducting a gap analysis allows the WPV committee and other stakeholders to determine:

- What violence prevention best practices exist
- Completeness and effectiveness of existing WPV policy and procedures
- Which WPV program elements and practices should be developed and implemented.

Conducting a Gap Analysis also provides an opportunity to **assess organization culture and readiness for change**. Determining culture and assessing readiness for the implementation or enhancement of a WPV program and associated processes, is important to help the WPV committee determine and prioritize implementation strategies.

The organization's culture and readiness for change should be evaluated and discussed throughout the WPV program planning process, so that the WPV committee can develop strategies to address potential barriers that can then be discussed when presenting the draft WPV program plan to senior leadership.

Workplace Violence Toolkit – Section 3

Change in a health care organization's leadership and/or delivery of business services necessitates that an organization's culture and readiness for change is evaluated on an ongoing basis after WPV program implementation.

Refer to **Figure 3.1**, for more information on assessing your organization's culture. Determining how **ready a health care facility** is to implement a WPV program is discussed at the end of this section.

The first section of the Gap Analysis tool provided i.e., 'Violence Prevention Program Foundation and Management', identifies behaviors and practices that help determine if a culture of patient and employee safety exists, and the potential barriers to implementation of a successful program and associated procedures.

It is recommended that a gap analysis is also completed periodically as a part of an ongoing program evaluation, and as a tool to facilitate program sustainability as discussed in **Section 8** of this toolkit.

Completing the Gap Analysis

Have each member of the Workplace Violence committee (WPV committee) and any other key stakeholders complete the entire gap analysis or assign program section(s) to individuals for completion. This allows you to gather different perspectives on current violence prevention practices within your facility before establishing program priorities.

Once individual responses are collected use a brainstorming approach to review responses to each question as a committee and discuss overall 'gaps' identified in each program component section to arrive at consensus to determine what program elements and activities:

- Exist and are functioning well
- Are only partially implemented
- Need to be developed
- Will not be implemented or are not applicable

Once complete, rank items in each program component section by:

1. Need to be developed
2. Are only partially implemented

3. Exist and are functioning well
4. Will not be implemented or are not applicable (note you may want to review these items again in the future to determine if they are applicable or should be addressed)

Assessing an organization's culture

Assessing the organization's culture and readiness for change involves reviewing the organization's approach to a 'culture of safety'. OSHA summarizes an organization's culture as the product of individual and group beliefs, values, attitudes, perceptions, competencies, and patterns of behavior that determine the organization's commitment to objectives such as quality and safety. Healthcare organizations that foster a "culture of safety" characterized by an atmosphere of mutual trust, shared perceptions of the importance of safety, confidence in the efficacy of preventive measures, and a no-blame environment are more successful at implementing programs that reduce injuries to both patients and workers.

Typical attributes of a culture of safety include:

- Staff and leaders who value transparency, accountability, and mutual respect
- Safety as everyone's first priority
- Not accepting behaviors that undermine the culture of safety
- A focus on finding hazardous conditions or "close calls" at early stages before injuries occur
- An emphasis on reporting errors and learning from mistakes
- Careful language to facilitate conversation and communicate concern
- Principles of High Reliability Organization (HRO) and Just Culture are embraced

The following provides a good review about HROs and Just Culture and the relationship to a culture of safety and will assist you to review the culture of safety at your facility.

- **The essential role of leadership in developing a safety culture.** Sentinel Event Alert. The Joint Commission. Issue 57, March 1, 2017
https://www.jointcommission.org/sea_issue_57/
- **Workplace Violence Prevention and Related Goals. The Big Picture.** OSHA 2015.
<https://www.osha.gov/Publications/OSHA3828.pdf>

Figure 3.1 Assessing an organization's culture

Workplace Violence Toolkit – Section 3

The next step is to determine as a committee what you think must be done to move from the current state to desired future state of the violence prevention program at your facility or within your organization. *This is discussed in Step 8 on page 16.*

The Gap Analysis Tool

The WPV Gap Analysis tool provided, highlights the important components of a violence prevention program to *address violence from patients and visitors*. You can use the checklist to help identify those components of your violence prevention program that are well developed, as well as those that need further development.

The *Gap Analysis* tool was developed from several resources (provided as references) and includes all elements of the assault prevention program required by Oregon State law ORS [654.412 to 654.423](#) ‘Safety of Health Care Employees’.

The tool is provided in several formats however, the MS Excel version allows you to prioritize responses to individual questions and then offers a project planning format to identify specific strategies to address identified gaps; potential barriers and how anticipated problems will be averted or minimized?); those responsible to carry out the strategies; timeline for implementation and resources needed.

The Gap Analysis tool can be customized by adding or deleting components specific to your facility for example, smaller hospitals may not have resources to hire security staff, etc.

This tool focuses primarily on violence prevention programs in hospitals. Additional information may be needed if reviewing a violence prevention program for a home health services as defined in ORS 654.412 to 654.423.

Conducting WPV Employee Surveys

The goal of conducting WPV employee surveys

The goal of conducting employee surveys is to gain further insight about the type and frequency of violence in the facility, and employee perceptions of violence and of prevention efforts. This activity will further help to identify potential hazards that may lead to violent incidents and related ‘gaps’ in WPV prevention processes and procedures. Surveying employees can also provide insight into changes they deal with on a daily basis related to WPV, and solicit feedback from employees about the ways they think WPV can be addressed in their work area.

Conducting employee surveys is one method to engage employees in the WPV program and prepare employees for changes in work practices that is, a culture change.

When to conduct employee surveys

Employee surveys can be used as part of WPV program planning and during periodic evaluation of the WPV program (**Refer to Section 8**).

Developing an WPV employee survey

The **Employee Survey tool (3b)** provided, was developed using information from current WPV literature and input from the hospitals in the WSI project. It is a comprehensive survey, in that it aims to solicit employee responses about all major elements of a WPV program. Additionally, the survey was designed to be completed by employees in any department in a hospital.

Your WPV committee should review the survey and adapt it to your program needs. Consider how the data will be used and frame questions in a way that will elicit the most helpful information. Consider the stakeholder audience and departments you are targeting in your program efforts. Ensure language and terminology used can be understood by the employees you are surveying.

Once drafted, senior management, and in some facilities the legal department, will need to approve the survey content before launching the survey.

Note: The sample survey provided takes about 20-25 minutes to complete if conducted as a computer based survey.

Workplace Violence Toolkit – Section 3

WPV employees survey – topics included	
<ul style="list-style-type: none">▪ Demographics▪ Employees overall experience related to WPV at the facility▪ Types of violence employees have experienced and their perception of cause▪ The perpetrators of WPV▪ Frequency of exposure to violence▪ Management support and employee awareness of WPV program efforts	<ul style="list-style-type: none">▪ Risk assessment▪ Education & training▪ Incident response▪ Knowledge about how to report and respond to WPV▪ Response post incident▪ WPV prevention▪ Additional questions for Home Health Employees related to Oregon WPV law if applicable

Conducting WPV employee surveys

In addition to designing a survey that is meaningful and readily understood by employees, marketing the survey well is critical to gaining a good response rate from employees.

Tool 3e, is a **sample flier** that can be adapted to market your survey. Find out the most effective method(s) used in your facility to communicate with employees in various departments e.g., bulletin boards, newsletters, email and management and employee meetings, etc.

Make sure all department/unit managers have been notified about the survey launch and rationale. **Employees** should have a clear understanding of why the survey is being conducted; the importance of their participation; and how data collected will be used. Communicate that you will provide a summary report of survey findings (see below), and the projected timeline for publication of that report.

Timing the launch of a survey is also critical. If your facility is already conducting or planning to conduct other surveys that impact your target audience such as, Press Ganey surveys, then these activities may negatively impact the response rate to the WPV survey. Health care employees are often surveyed regularly on a broad range of topics leading to ‘survey fatigue’.

Offering the survey via web based applications such as 'Survey Monkey®' can facilitate response rate and assist to expedite data analysis. Check with the Information Technology (IT) department at your facility to find out what application is available to help conduct the survey.

It is recommended that surveys are conducted on a **voluntary basis**, and are confidential and anonymously so that employees feel comfortable sharing their responses and experiences etc. You can add the option of allowing employees to provide their name and contact information if they choose to so that you can find out more about their responses as needed.

Include the contact information of the WPV program coordinator or other member of the WPV committee on the survey as a resource for employees that may have questions about contents of the survey or survey process etc.

Allowing employees to **complete surveys on work time** can also increase participation.

It's suggested that the survey is conducted for 2-4 weeks and then demographic data reviewed, to determine if more responses are desired from specific departments or units, shifts and/or job categories. Consider marketing the survey again and allowing another 2 weeks to increase response rate as needed.

Who should complete a WPV survey?

When planning a new, or enhancing an existing WPV program, it can be beneficial to survey all staff within a facility, versus just those who provide direct care to patients or have direct contact with patients and families etc.

This allows you to gain information about the prevalence and scope of *all* types of violence that employees may be experiencing i.e., violence from patients, visitors, coworkers and domestic relationships.

Although patient/visitor to employee violence was the focus of the WSI project, participating hospitals found that conducting a WPV survey of all staff was helpful in highlighting the need for violence prevention efforts related to lateral violence or bullying in specific work areas.

If conducting periodic survey of all employees is not feasible as part of WPV program evaluation e.g., due to lack of available resources, then target surveys to groups of employees who are impacted by program interventions. For example, conducting follow up surveys of employees in departments where the presence of security staff and surveillance equipment was enhanced and/or a WPV patient assessment tool was implemented.

Analyzing and reporting the WPV survey data

An important facet of planning to conduct the survey is to **identify who and how data will be analyzed and a report(s) developed**. Some survey tools such as Survey Monkey will provide analysis of data and supporting graphs, but often additional analysis is needed especially when analyzing data for specific units. Find out if your IT department or departments who survey employees regular such as, Quality or Human Resources, can assist you with data analysis and report development.

Contents of the comprehensive WPV survey reports developed for hospitals in the WSI project is provided **(Tool 3c)** together with a sample survey summary **(Tool 3d)**.

The comprehensive written report is typically shared with the WPV committee and senior management (as requested), and the written survey summary is designed to be shared with all

employees. In addition, meeting with management and employee groups to share survey findings helps to engage leadership and employees in program development efforts.

A summary of staff survey data from participating hospitals in the WSI project can be found in *Tool i*.

‘Violence Prevention in Health Care: Sharing Lessons Learned from the OAHHS Worker Safety Initiative’.

Safety and Security Assessment of the Physical Work Environment

The goal of conducting a walkthrough safety and security assessment

To assess the physical design and layout of the hospital or work environment, and identify existing or potential conditions or hazards, that may increase the likelihood of violence occurring in a specific location.

Work environment assessments can also assist the WPV committee to ‘fill gaps’ or expand their understanding about information collected from the review of injury data and existing WPV related policies, the employee survey, and the gap analysis. For example, to further identify patient characteristics that might be a risk factor for violence, and work tasks, point of-care work, clinical or nursing practices and procedures, that may put employees at a higher risk of exposure to violence.

Employees have knowledge and familiarity with facility operations, process activities and potential threats for WPV. Therefore, interviewing employees during a walkthrough assessment provides invaluable insight about hazards and procedural activities that they feel can increase their risk for violence in their workspace. They can also provide suggestions for changes to the physical environment and procedural changes, that may reduce the risk of violence and/or improve response when managing violence. Thus, work environment assessments also provide another opportunity to engage employees in the WPV program and prepare them for change.

When to conduct a walkthrough safety and security assessment

A walkthrough safety and security assessment should be conducted at the start of the WPV program during the planning phase, and then periodically as part of a proactive approach to hazard prevention.

Safety and security assessments can also be used as part of the investigation process following a workplace violence related incident to help determine if the physical design or maintenance of the work environment and/or procedural issues contributed to the event and can be changed to prevent further incidents etc.

Workplace Violence Toolkit – Section 3

Conducting a walkthrough safety and security assessment

The ‘Walkthrough Safety and Security Assessment’ tool provided was developed from multiple resources (See *References* at the end of this section) and is focused on acute care facilities. The tool can be customized for other health care environments as needed such as outpatient clinics and/or additional security related measures can be added as needed.

WPV Walkthrough Assessment Tool – Work Areas Included	
A. Exterior Building Areas	G. Other treatment areas/offices where patients are interviewed etc.
B. Parking Areas	H. Other Rooms and Storage Areas
C. Interior Building (Non-Patient Care Units/Treatment Areas)	I. Individual Offices
D. In Patient Care Units (use only as a basic list for behavioral health)	J. Files/Records in non-patient unit areas.
E. Emergency Room	K. Cafeterias
F. Pharmacy	L. Other areas as identified during the walkthrough

Tips for conducting a WPV walkthrough assessment

- Before conducting an assessment, have the WPV committee (or at least the members who will be involved in the walkthrough), review the assessment tool to become familiar with it, and to make any relevant additions. They should also be familiar with the work areas, tasks, and patient populations, you have identified as a ‘risk’ during the review of incident data etc., in **Section 2**.
- Communicate the purpose of the assessment with unit and department managers and determine when the assessment is to be scheduled. When scheduling the assessments consider when it will be the best time to gain access to all areas of the unit or department and to interview employees.
- Have a small group or several small groups from your WPV committee conduct the assessment. Small groups are least disruptive when assessing busy work areas such as the emergency department.
- Conducting the assessment during all shifts also helps to engage employees and will highlight variations in work tasks and demands, and procedures.

Workplace Violence Toolkit – Section 3

- In a larger facility it can be helpful to divide assessment activities by units or areas of a facility e.g., the exterior of the facility; interior building non-patient care/treatment areas and patient care units, and assign a group to review a specific work area.
- Having committee members with differing professional expertise involved in the assessment process can provide a broad insight about the work area being reviewed. In addition, committee members can become familiar with the worksite from a safety perspective and gain insight into employee's perspectives about WPV. Information gathered from the employee survey (if completed) can also be clarified or investigated further during the walkthrough.
- Ideally employee safety and security staff should be involved in assessment of all work areas, and at least one person should have experience of, or be familiar with work environment audits for safety and security purposes.
- It's helpful to have at least one person in each group be familiar with the work area being reviewed to expedite the assessment process, share insight into procedural activities, and ensure the complete work space is reviewed. The unit or department manager can assist in this role.
- Members of local law enforcement and the organization's workers compensation or general business insurance carrier, may also be able to assist the walkthrough assessment process. This is particularly helpful if a hospital doesn't have internal security expertise.
- Note potential solutions while completing the assessment. If there are any issues that need to be addressed immediately make sure that this occurs.
- The assessment should be conducted without assigning fault or blame for deficiencies that may be found. The process should be considered as an opportunity to improve the environment (ASIS, 2010).

Analyzing and prioritizing data collected during a WPV walkthrough safety and security assessment

After completing the walkthrough assessment:

- List the items that are identified as needing to be addressed.
- As a committee (or a subgroup of the WPV committee) discuss the items you identified as needing to be corrected.

Workplace Violence Toolkit – Section 3

- Rank or prioritize the risks identified to determine the most serious safety hazards or issues that could contribute to or facilitate WPV and that should be addressed first. That is, prioritize these items based on risk level considering the *consequence* if an item is not addressed i.e., the likelihood of that item contributing to or facilitating a negative event (WPV related event), and the *seriousness* of the outcome if this event occurred.

The walkthrough safety and security assessment form (Tool 3f) is provided in document and spreadsheet format. The spreadsheet version of this tool allows you to sort checklist responses, so you can easily list and prioritize items that may need to be addressed. The tool also offers a project planning format to identify corrective action to be taken and the associated fiscal impact, those responsible for the corrective action, and deadline for completion.

For example, employees such as ED staff who work with patients with poorly managed mental illness or drug and alcohol intoxication and abuse, may be a higher risk of physical WPV that may result in a serious injury, is typically a high priority when developing solutions, than medical billing specialists who are exposed to frequent verbal abuse by patients via telephone or written correspondence.

Tool 3g provides examples of how to categorize risk.

Step 7

Analyze all data collected and prioritize hazards and needs

Once injury/incident and cost data; completion of the Gap Analysis, employee surveys, walkthrough safety and security assessment, and any other data, is collected and analyzed, the WPV committee will need to summarize findings to describe areas of concern/risk and program gaps, and where WPV prevention efforts are to be directed overall.

Workplace Violence Toolkit – Section 3

An example of the work or task related characteristics, culture and program elements that may be included in a **risk assessment summary** is shown below.

Risk Assessment Summary Work or Task Related Characteristics, Culture and Program Related	
<ul style="list-style-type: none"> ▪ Department(s) ▪ Work area(s) within each department ▪ Job categories/titles of employees at risk ▪ Job tasks/activities/point of-care work practices where violence occurs ▪ Time of shift/day ▪ Characteristics of high risk patients ▪ How often violence occurs ▪ Type of violence reported; perpetrator; the nature and severity of employee injuries reported and associated incident rates ▪ Direct costs of injuries and estimate the indirect costs were feasible ▪ Management leadership i.e., organizational/safety culture <ul style="list-style-type: none"> – Within senior leadership and within units identified. Consider unit level work organization: job demands, overtime, staffing, supervisor support for safety, team work, employee training competence ▪ Employees participation -employee perception of WPV and knowledge of prevention processes etc. ▪ Written WPV policy ▪ Program management organization 	<ul style="list-style-type: none"> ▪ Communications structure (<i>Addressed in Section 4</i>) ▪ Hazard identification/assessment processes ▪ Hazard control and prevention - <i>Engineering Controls</i>: Physical environment ▪ Hazard control and prevention <i>Administrative and Work Practice Controls</i>: <ul style="list-style-type: none"> – Incident reporting – Identifying and tracking Patients/visitors at high risk for violence – Tracking employees working alone or in secure areas – Entry procedures – Employee dress code – Transportation procedures – Security rounding – Incident response/post incident procedures – Incident investigation – Other controls as identified – For Home Care employees if applicable ▪ Education & training (<i>Addressed in Section 6</i>) ▪ Ongoing program evaluation and improvement

Workplace Violence Toolkit – Section 3

Step 8

Developing solutions to address and control hazards

Developing Solutions

WPV committee will then need to:

1. Determine what WPV program elements, processes and environmental changes (i.e. program activities) need to be developed and implemented to reduce hazards and risk factors, and achieve a comprehensive and successful WPV program. You will have likely started to discuss and note which program activities need to be addressed during completion of the Gap Analysis and Safety and Security Assessment.

Determine goals and develop measurable outcome(s) for each program activity identified. These will be important when conducting ongoing program evaluating and continuous improvement.

More information about measuring program activities can be found in **Section 8** of this toolkit.

Quick Tip: The sample project plans found in the Emergency Nurses Association (ENA) **Workplace Violence Toolkit** offer excellent examples of goals and outcome statements https://www.ena.org/docs/default-source/resource-library/practice-resources/toolkits/workplaceviolencetoolkit.pdf?sfvrsn=6785bc04_16

2. Prioritize the program activities identified above with consideration to addressing any high hazard or risk issue that creates an immediate and/or emergent threat to employee safety. When prioritizing risk consider:
 - How often an employee is exposed to the situation or conditions i.e., frequency of exposure
 - The probability or likelihood that the situation will occur
 - The degree (severity) of harm likely to result from the exposure
 - How many or percentage of employees that are exposed to the situation or risk

The risk assessment methods offered in **Tools 3g and 3h** can be used to assist you to prioritize activities.

ORS 654.412 to 654.423 'Safety of Health Care Employees' Overall WPV Program Elements Required

1. Conduct periodic security and safety assessments to identify existing or potential hazards for assaults committed against employees
2. Develop and implement an assault prevention and protection program for employees based on assessments conducted above with consideration to
 - a. Physical attributes of the health care setting;
 - b. Staffing plans, including security staffing;
 - c. Personnel policies;
 - d. First aid and emergency procedures;
 - e. Procedures for reporting assaults; and
 - f. Education and training for employees.
3. Provide assault prevention and protection training on a regular and ongoing basis for employees. Minimum training content is detailed.
4. Required records of assaults against employees as required in OAR 437-001-0706, "Recordkeeping for Health Care Assaults"
5. Protection of employee of health care employer after assault by patient.
6. Refusal to treat certain patients by home health care employee
7. Use of physical force by home health care employee in self-defense against assault

3. Determine potential strategies/solutions (and supporting rationale) for each of the program activities identified.

Consider the following:

- Are there some solutions/strategies that must be implemented before other recommendations? *For example*, in work areas where a higher incident of violence is identified through a review of incident and injury data, the WPV employee survey, and from feedback from employees during a walkthrough hazard assessment.

Workplace Violence Toolkit – Section 3

- Solutions or program elements that should be implemented to meet ORS 654.412 to 654.423 'Safety of Health Care Employees' that pertains to prevention of *intentional assault* of health care workers that can be found in Tool 3a, the Gap Analysis tool or accessed at <http://www.orosha.org/standards/ORS654.htm>
- Are there solutions/strategies that are based on a higher level of evidence than others? *For example*, research indicates that the program foundation components as outlined in the gap analysis tool, and patient assessment for violence processes, are evidenced based program elements that contribute to program sustainability, culture change and violence prevention.
- Will some solutions/strategies take longer to implement? *For example*, hiring security personnel, training all employees, and/or developing a patient assessment alert system in an electronic health record.
- Are there hazards or risks that can be easily corrected? Effective solutions to highly visible safety issues that are implemented early in program adoption can assist to gain employee and/or management "buy in" to program efforts.

Tool 3h provides Tips for Solution Development. **Section 5** provides information about specific solutions and processes to control and prevent WPV.

Note the rationale or evidence that supports your decision to identify specific hazards as high hazard and the interventions chosen e.g., prior WPV incidents that could have been avoided or outcomes less severe if specific WPV controls had been in place, or an intervention that is strongly supported by published evidence or required by law. Noting the rationale will help gain support for the intervention that may be needed when requesting and justifying budget and resources from senior leadership.

4. Identify potential barriers to implementation of solutions/strategies identified and how they will be addressed.

Quick Tip: Refer to the following resources to assist with developing solutions:

- Tool 3g. for ways to prioritize program needs
 - Tool 3h. for tips on choosing solutions
 - Tool 3a the Gap Analysis and the
 - Tool 3g the Safety and security assessment checklist tool and
 - Section 5 Solutions to Address and Controls Hazards for details about recommended program elements and design of the physical environment etc.
-

Workplace Violence Toolkit – Section 3

Barriers can be related to budget, skills, leadership, workload and staff resources, competing projects, cultural or attitudinal issues. Refer to ‘*Assessing Readiness for Change*’ at the end of this Section for more information to assist you with identifying potential barriers to program implementation.

5. Identify the person(s) willing and able to carry out the strategies.
6. Identify strategies and resources that will be needed to implement, evaluate, and maintain strategies/solutions. Consider budget, staff, sample documents & templates, external assistance etc. Refer to **Sections 7 and 8** for more information about implementing and evaluating the WPV program.
7. Draft a proposed timeline for implementation and completion; how the strategies/solutions will be monitored, evaluated and revised as needed.

Quick Tip: When identifying barriers to developing and implementation WPV solutions, use the diverse expertise within your committee and have members share their experience and lessons learned related to implementation and maintenance of other employee and patient safety initiatives or programs.

The above activities provide the framework for your draft WPV program plan that you will present to senior leadership (refer to **Section 4**).

Solicit assistance from appropriate stakeholders on your team to address issues e.g., from security, human resources, safety, nursing and leadership, to determine and implement solution(s).

You will likely find that 1 or 2 specific strategies/solutions identified may address several individual program elements.

Don’t wait until the WPV program plan is approved by leadership to address serious WPV related issues.

It may be necessary to continue development of some solutions and/or implementation strategies, resources required and timelines as the committee finalizes the draft WPV program plan and starts program implementation. More research may be needed related to feasibility of some solutions, and stakeholder feedback during program implementation may require you to adapt plans and timelines etc.

A sample project management form is provided in **Tool 3i**.

Assessing Readiness for Change

As the WPV committee is prioritizing needs and developing solutions, they should evaluate the organization's readiness for change i.e., to implement and sustain a WPV program. Solicit input as needed from non-committee members who are or will be impacted by the WPV program including senior leaders.

Ensuring readiness prior to beginning the finalization and implementation of the WPV program plan, eliminates potential time and resources wasted, and further identifies gaps in the safety culture and organizational structure that may need to be addressed.

The following is a summary of key questions to consider when assessing readiness for change (Adapted from various AHRQ Toolkits – refer to References at the end of this Section).

The WPV committee should have addressed some of the questions below as they completed the program planning activities described in **Sections 2 and 3**.

- Does senior administrative leadership support this initiative?
- Who will take ownership of this effort?
- What is your current state, what do you want to accomplish, and why?
- Which WPV prevention and management practices do you want to use?
- What resources are needed?
- How will you measure WPV program practices implemented and program management strategies?
- How do you sustain an effective WPV program?
- What are the challenges and opportunities that you are facing?
- Is the organization ready for change?

Quick Tip: Appendix 3.1 – Facilitators and Barriers: Questions to Guide You in the Registered Nurses' Association of Ontario (RNAO) guide to **Implementation of Best Practice Guidelines (2nd ed.)**, provides a good review of how to address barriers to change when implementing new programs and practices.

<http://rnao.ca/bpg/resources/toolkit-implementation-best-practice-guidelines-second-edition>

Workplace Violence Toolkit – Section 3

- How will you prepare the organization for and manage change?
- Does your organization have the right infrastructure to begin the intended change process?
- Does your organization have the right culture to embrace the work?
- What if you are not ready and unable to implement some of the program elements recommended?

When reviewing the above questions consider how your organization has implemented new patient and employee safety programs and associated best practices in the past.

Determine as a team which element of a WPV program are most important for success, and which elements may be harder to implement at the current time and in the future, due to resource or cultural related challenges. This will increase the likelihood of approval of the WPV program plan by senior leadership and successful implementation of program elements.

Quick Tip: The Agency for Health Care Research and Quality Indicators (AHRQ) have published several toolkits related to patient safety initiatives that provide good information about how to assess and healthcare organization's culture and readiness for change that can be adapted for use with any patient or employee safety program or initiative. Refer to 'Reference' for links to AHRQ resources and guides from other organizations that provide further information about approached to project management in healthcare.
www.ahrq.org

Workplace Violence Toolkit – Section 3

References and Resources Related to this Section – Articles

A Framework for Translating Workplace Violence Intervention Research into Evidence-Based Programs (2013). McPhaul, K.M, London, M., & Lipscomb, J.A. Online J Issues Nurs. 2013;18(1).

Environmental Evaluation for Workplace Violence in Healthcare and Social Services (2008). McPhaul, K.M. et. al. Journal of Safety Research 39; 237–250.

References and Resources Related to this Section – Other

Assessing the Risk of Workplace Violence (2007). Nova Scotia Labour and Workforce Development. Occupational Health and Safety.

Developing Workplace Violence and Harassment Policies and Programs: A Toolbox (2010). Workplace violence prevention series. Occupational Health and Safety Council of Ontario (OHSCO). <http://www.wsps.ca/Information-Resources/Topics/Violence-Harassment.aspx>

Elements of a Best Practice Violence Prevention Program for BC Healthcare (2005). The Occupational Health and Safety Agency for Healthcare in BC (OHSAB). http://www.heu.org/sites/default/files/uploads/2008_healthsafety/OHSAB%20Violence_Prevention_Guide.pdf

Guidelines for Preventing Workplace Violence for Health Care and Social Service Workers (2015). U.S. Department of Labor Occupational Safety and Health Administration (OSHA) Publication 3148-04R. <https://www.osha.gov/Publications/osa3148.pdf>

Healthcare Facility Workplace Violence Risk Assessment Tools (2014). American Society for Healthcare Risk Management (ASHRM). <http://www.ashrm.org/ashrm/education/programs/Workplace-Violence/index.shtml>

Hospital Safety and Health Management System Self-Assessment Questionnaire (2013). U.S. Department of Labor Occupational Safety and Health Administration (OSHA). https://www.osha.gov/dsg/hospitals/mgmt_tools_resources.html

Implementation of Best Practice Guidelines (2nd ed.). (2012). Registered Nurses' Association of Ontario (RNAO). Toronto, Ontario, Canada. <http://rnao.ca/bpg/resources/toolkit-implementation-best-practice-guidelines-second-edition>

Workplace Violence Toolkit – Section 3

Managing Disruptive Behavior and Workplace Violence in Healthcare (2010). The ASIS Healthcare Security Council. ASIS International. www.asis.com

Optimizing a Business Case for Safe Health Care: An Integrated Approach to Safety and Finance (2017). Institute for Healthcare Improvement / National Patient Safety Foundation. Cambridge, Massachusetts. www.ihl.org

The OSSIE Toolkit for the implementation of The Australian Guidelines for the Prevention of Infection in Health Care (2010). Australian Commission on Safety and Quality in Healthcare. <https://www.safetyandquality.gov.au/publications/the-ossie-toolkit-for-the-implementation-of-the-australian-guidelines-for-the-prevention-of-infection-in-health-care-2010/>

Preventing and Managing Violence in the Workplace (2009). Registered Nurses' Association of Ontario (RNAO). Toronto, Ontario, Canada. http://rnao.ca/sites/rnao-ca/files/Preventing_and_Managing_Violence_in_the_Workplace.pdf

Preventing Violence in Health Care 5 Steps to an Effective Program (2005). Worksafe BC. www.worksafebc.com

Preventing Violence in Health Care Gap Analysis Tool (2014). Minnesota Department of Health, MN. <http://www.health.state.mn.us/patientsafety/preventionofviolence/>

Preventing HealthCare Workplace Violence Toolkit (2017). Washington State Hospital Association, Seattle, WA. www.WSHA.org

Tips and Suggestions for Enhancing Organizational Readiness. Content last reviewed April 2016. Agency for Healthcare Research and Quality, Rockville, MD. <http://www.ahrq.gov/teamstepps/readiness/abouttips.html>

Toolkit for Using the AHRQ Quality Indicators (2016). Agency for Health Care Research and Quality, Rockville, MD. <https://www.ahrq.gov/professionals/systems/hospital/qitoolkit/index.html>

TeamSTEPPS Implementation Guide (2014). Agency for Health Care Research and Quality. Rockville, MD. <https://www.ahrq.gov/sites/default/files/wysiwyg/professionals/education/curriculum-tools/teamstepps/instructor/essentials/impguide.pdf>

Workplace Violence Risk Assessment Template for Adult Residential Centres/ Regional Rehabilitation Centres (2007). The Nova Scotia Association of Health Organizations. <https://novascotia.ca/lae/healthandsafety/docs/WorkplaceViolence-ARC-RRC-RiskAssessmentGuide.pdf>

Workplace Violence Toolkit – Section 3

Workplace Violence Risk Assessment Toolkit for Acute Care (2017). The Public Services Health and Safety Association (PSHSA), Ontario, Canada.

<http://www.pshsa.ca/wp-content/uploads/2017/05/VPRASAEN0417-Workplace-Violence-Risk-Assessment-Acute-Care-Toolkit-V1.1-2017.04.25.pdf>

Workplace Violence Survey (2010). OHSCO Workplace Violence Prevention Series.

Occupational Health and Safety Council of Ontario (OHSCO) April 2010.

http://www.iapa.ca/main/documents/2010_april_violence_toolkit.pdf

Workplace Violence Toolkit (2010). Emergency Nurses Association (ENA).

https://www.ena.org/docs/default-source/resource-library/practice-resources/toolkits/workplaceviolencetoolkit.pdf?sfvrsn=6785bc04_16

Contents

Step 9 Develop communications and education and training plans and zero tolerance WPV policy	4.1
Communications Plan	4.2
Why develop a Communications Plan for a WPV program?	4.2
Developing the Communications Plan	4.3
Education and Training Plan	4.8
Why develop an Education and Training Plan for the WPV program?	4.8
Workplace Violence Policy	4.9
Purpose.....	4.9
Developing the WPV Policy.....	4.11
Step 10 Complete the draft WPV program plan	4.13
Step 11 Obtain approval of the WPV plan and draft policy from senior leadership	4.15
Step 12 Finalize the WPV program plan and policy	4.17
References and Resources Related to this Section – Articles.....	4.18
References and Resources Related to this Section – Other.....	4.18

Developing the WPV Program Plan

Step 9

Develop communications plan, education and training plan, and zero tolerance WPV policy

Section 3 described how to identify and assess hazards and risks for WPV in your facility, and a process for determining solutions to address hazards and identify WPV program elements that require implementation.

This Section (4) discusses how to finalize your WPV program plan by developing the plans and policy that provide a critical foundation for your WPV program efforts.

- Developing a Communications plan provides you with a key tool that will help to facilitate culture change (e.g., required changes in practices and procedures), and guide efforts to implement and sustain the program.
- Developing an education and training plan at this stage allows you to determine resources (budget, personnel etc.) needed, that you will request from leadership to implement an ongoing employee/stakeholder WPV training program.
- Developing or updating an existing zero tolerance WPV policy allows the organization to clearly state to all employees that prevention of WPV is paramount for employee and patient/visitor safety. It defines how the organization will respond to WPV in any form and roles and responsibilities of employees in the prevention and control of WPV.

Tools that support content in this Section

[4a. Communications plan](#)

[4b. WPV policy sample that includes a summary of program elements](#)

[4c. WPV Program plan summary template](#)

[Refer to Section 6 for the Education and Training Plan](#)

Communications Plan

Why develop a Communications Plan for a WPV program?

Effective ongoing communications or social marketing to all employees in a health care facility is essential to facilitate and manage change within an organization.

There are many people who are interested in and affected by the WPV program and outcomes.

WPV program management is as much about **organizational culture change** as it is about implementing and/or enhancing violence prevention strategies. Therefore, to aid in facilitation of culture (or behavior) change, it is essential that all stakeholders of the program are informed of their role within the program, and about program progress and accomplishments. Developing and implementing a communications or social marketing plan helps to achieve that goal.

The message should be tailored to fit the audience. Examples of success stories related to WPV efforts within the organization, on a unit, and the progress of the WPV Committee, should be disseminated regularly. Positive reinforcement of good work practices and behaviors is encouraged. Recognition is given to employees that develop solutions to improve employee and patient safety. Communication efforts to groups outside of the hospital or organization are also important and can strengthen the relationship between the facility and local community.

Developing a **communications plan** provides the WPV project coordinator and the committee with a road map for getting your message to your audience or stakeholders i.e., those affected by the WPV program plan and related activities. Sharing well developed and meaningful information with managers and employees about what is happening within their departments and units, as well as across the organization, helps them align with and participate in achieving WPV program goals.

A WPV program communications plan:

- Gives you a structure to determine whom you need to reach and how
- Helps to ensure that all stakeholder groups are identified and included in the plan
- Helps to determine what each target group needs to know
- Makes your communication efforts more efficient, effective, and lasting

Creating the plan at this stage of program planning, facilitates project management during the implementation and management stages of the WPV program. The plan also provides a foundation for developing the WPV program education and training plan.

Workplace Violence Toolkit – Section 4

As with management of a WPV program, the communications plan and your communication efforts should be evaluated periodically and revised as needed.

Developing the Communications Plan

Tool 4a, the sample WPV Program Communication Plan can be used as a template when developing your communications plan.

1. **As a committee, determine how is information is communicated within your facility currently and if there are methods of communication that are more effective than others?**
Does effectiveness vary by stakeholder group e.g., senior leadership vs. direct care staff? All employees may have access to work email but are some stakeholder groups (or target audience) more likely to read their email and in a timely manner than others? This would be important to consider before implementing a broad email based communication effort.

It can be helpful to identify methods of communication as listed in **Table 4.1**.

2. **Determine what the objectives of communications related activities are.** What are the results you want to achieve through your communications about the program, program goals and WPV in general?
3. **Identify your audience** i.e., the WPV program stakeholders (*see Table 4.2*): All employee groups, contractors, students, patients, families, other visitors, volunteers, community agencies, etc., who may be impacted by the WPV program policies and procedures. You should have identified your primary stakeholders when building the WPV committee, however, additional stakeholders may be identified as a result of hazard assessment activities.
4. **What do you want to communicate (the message)?**
 - a. What do they need to know? For example:
 - i. The scope of WPV in health care and current trends in preventing WPV.
 - ii. Why a WPV program is being developed or enhanced at your facility (i.e., the rationale for why a change is needed). This may include a summary of WPV incident and injury data, the staff survey, and the information gathered from the analysis and assessment of the physical environment.
 - iii. The goal of the WPV program or vision of future outcomes after the initiative is completed.

Workplace Violence Toolkit – Section 4

- iv. An overview of the WPV program plan and activities that is, what, how, and when will the program will be implemented and sustained.
- v. Where they can get more information, assistance as needed, and provide feedback about the program activities during and after the program is implemented etc.
- vi. Updates on the status of program implementation and management, including success stories.

Methods of communication		
<i>On a unit/dept.</i>	Within the hospital	External
<ul style="list-style-type: none">▪ Face to face▪ Staff meetings▪ Shift change handoff▪ Safety huddles▪ Email▪ Intranet▪ Notice boards/posters in staff restrooms▪ FAQs▪ Executive rounding	<ul style="list-style-type: none">▪ Employee safety and/or Environment of Care Committee▪ WPV resource/training intranet page▪ Newsletters▪ Hallway information boards▪ Director/manager meetings▪ Executive rounding	<ul style="list-style-type: none">▪ Community newsletter▪ Local media when program established▪ School of nursing and/or other disciplines

Table 4.1.

5. What do you want to communicate (the message)?

- a. What do they need to know? For example:
 - i. The scope of WPV in health care and current trends in preventing WPV.
 - ii. Why a WPV program is being developed or enhanced at your facility (i.e., the rationale for why a change is needed). This may include a summary of WPV incident and injury data, the staff survey, and the information gathered from the analysis and assessment of the physical environment.
 - iii. The goal of the WPV program or vision of future outcomes after the initiative is completed.

Workplace Violence Toolkit – Section 4

- iv. An overview of the WPV program plan and activities that is, what, how, and when will the program will be implemented and sustained.
- v. Where they can get more information, assistance as needed, and provide feedback about the program activities during and after the program is implemented etc.
- vi. Updates on the status of program implementation and management, including success stories.

WPV Stakeholder Groups - Example	
<ul style="list-style-type: none"> ▪ CEO and Administration ▪ Committee or group that the WPV committee report to (if applicable) e.g. employee safety committee ▪ WPV Program Committee and ▪ Program Coordinator ▪ Directors and Unit Managers - all ▪ Unit RNs and CNAs including Float Pool Nurses & CNAs ▪ Other direct care staff such as MAs in outpatient clinics etc., (if applicable) ▪ Home Health staff (if applicable) ▪ Physicians and other medical providers e.g. NPs, PAs etc. ▪ Contract staff e.g. traveling nurses; physician; support services; building contractors etc. ▪ Other staff groups e.g., rehab/therapy; imaging staff, respiratory therapy; lab, transportation, etc., who may have direct contact with patients and perform care related tasks 	<ul style="list-style-type: none"> ▪ Support service staff – environmental svcs, maintenance, food services, information technology, biomed, administrative personnel, etc. ▪ Security (if applicable) ▪ Clinical Education/Professional development staff ▪ Union/Labor representatives ▪ Patient population and families (community) ▪ Nursing Students (and/or other student groups) ▪ Emergency Medical Services ▪ Volunteers ▪ Law Enforcement ▪ External behavioral health treatment facilities or clinics (not operated by this hospital) in the community; other community agencies

Table 4.2

Workplace Violence Toolkit – Section 4

- b. How will the WPV program and associated practices and procedures be meaningful to each stakeholder group or audience?
 - i. The stakeholder's role in the initiative - what specific behaviors and activities are expected during and after implementation of the WPV program (including the organization's expectations related to behaviors and activities) in the initiative.
 - ii. The impact of the WPV program and related procedures on the day-to-day activities of managers and employees (what will they have to do?), and job functions, if applicable.
 - iii. Identify 'what's in it for them' or how will it benefit them. Will the benefits of the program and how it will impact the stakeholder outweigh the costs?

Consider that some benefits of the WPV program may not be tangible or have a direct impact on some groups of individuals. For example, loss of comfortable or preferred behaviors, time to learn new practices, or the emotional investment inherent in learning and behavior change. When the costs outweigh the perceived benefits, unacceptable trade-offs can prevent new practice. Planning attractive and motivating exchanges that are customized to each stakeholder group can assist to solicit stakeholder 'buy-in' and understanding that the benefits outweigh the cost of changes required that impact practice or work procedures etc. (RNAO, 2012).

6. The best method(s) to communicate to each customer group

- a. Identify direct and indirect methods of communications using multiple media as appropriate. Customize the content to each stakeholder group as needed.
- b. Consider developing a theme or brand for the program with a logo and 'eye-catching' promotions if feasible to help distinguish the program from other safety efforts and promote communication. When creating your message, consider content, mood, language, and design.
- c. Use multiple media to disseminated information than a single delivery method e.g., showing positive program trends on visibly displayed large wall charts together with conducting brief updates at staff meetings and program information in newsletters.

Using multiple methods to deliver information about WPV program activities and processes etc., will help facilitate engagement in the program, and help ensure that employees on all shifts will receive the information you are sharing.

7. When does the communication need to be conducted/sent and how often?

For example, at the beginning of WPV initiative, then frequently and consistently throughout the entire implementation process and then periodically after implementation in an ongoing basis.

Frequency of communication depends on progress of program implementation and questions or concerns of stakeholders. The important thing is to maintain regular two-way dialogue with all stakeholders about the WPV program and related activities especially those that impact them directly to ensure all stakeholder questions are addressed.

8. Who will develop the communication?

- a. Do you need assistance from other departments e.g. marketing or communications department?

9. Who will conduct and distribute the communications

- a. Do you need assistance from other departments e.g. education, IT etc.

A study by a company that conducts research on change examined the success factors associated with change initiatives in 288 organizations located in 51 countries. It was found that employees perceived the most effective sources of communication about change were as follows:

- i. Their immediate supervisor (most effective)
- ii. The organization's President/CEO
- iii. Other organizational executives (i.e., COO, CNO, CFO)
- iv. Senior managers (i.e., Vice-Presidents, Directors)
- v. Department heads and charge nurses
- vi. Change implementation team member (i.e., change team member)
- vii. Change implementation team leader (i.e., change team leader) (least effective)

Therefore, communicating and training leaders and managers about WPV and the program plan etc., should occur before other employee stakeholder groups so that they understand why the WPV program is necessary, and the related benefits, and their role in the implementation of the program. This assists to enlist leader and manager support

Workplace Violence Toolkit – Section 4

for the change during the employee rollout, including delivering communications to their employees.

10. **Is follow up needed to review if the communication/message and delivery method was effective** i.e., were your objectives achieved? If ‘yes’ how and who will perform this task?

Implementation of the WPV Communications Plan will be discussed in **Section 7**.

Hospitals participating in the WSI project learned that it is important to follow-up communication efforts and don’t assume that staff on all shifts are aware of the WPV program and implementation progress. For example, at one facility information about WPV program planning efforts was disseminated through the staff survey process, newsletters, email, and department staff meetings.

However, it was found that not all staff who worked nightshifts and weekends in the Emergency department (ED) were aware of the WPV program goals and plans etc. Some staff had been away on vacation or personal leave, or away from work due to occupational injury, or were just were not aware of the communications sent.

To address this issue, one of the ED staff nurses adapted information from a PowerPoint presentation about the WPV program that the facility WPV committee had shared with other staff groups. She then shared the information with her colleagues in the ED during staff meetings and huddles and had her colleagues disseminated the information to their coworkers on each shift etc.

Education and Training Plan

Why develop an Education and Training Plan for the WPV program?

Education and training are critical elements of a successful WPV program. The goal of education in a WPV program is to facilitate employee understanding of the scope, and principles of WPV prevention as related to their work environment and the organization as a whole. Education reinforces that violence is not an acceptable part of health care work and the scope of the organization’s WPV policy.

Training provides employees with the skills to identify and report potential hazards and risks for WPV, and to learn how to protect themselves, their coworkers, and their patients.

Workplace Violence Toolkit – Section 4

Overall, an ongoing WPV education and training program engages employees in development, implementation and sustainability of the WPV program

Developing a draft education and training plan allows you to identify resources (budget, personnel, time for development of training materials, and scheduling of training, etc.), that will be needed to implement an ongoing WPV training program. Developing a plan allows you to identify what training resources are available, and where there are gaps in resources in needed. For example, can you develop and conduct WPV training required for all stakeholder groups (as identified in your Communications Plan) using internal resources, or do you need find an external provider etc.?

After developing your plan, you can draft an education and training budget that will be presented to leadership as part of the WPV program proposal.

Development and implementation of an education and training program plan for a WPV Program is discussed in detail in **Section 6** of this toolkit. **Tool 6a**, provides a sample education and training program plan together with links to training materials that are available in the public domain.

Workplace Violence Policy

Purpose

The foundation of an effective WPV program is the creation and implementation of a well written zero-tolerance WPV policy and supporting procedures, that is actively enforced, followed, and maintained.

A WPV policy should:

- Provide a clear statement of the organization’s position on workplace violence i.e., violence in any form is not acceptable in the workplace and that all threats or incidents of violence will be taken seriously.
- Clearly define the scope of WPV i.e., acts of physical violence, harassment, intimidation, and other disruptive behavior.
- Explicitly state the consequences of violation of the WPV policy by employees i.e., the consequences of making threats or committing acts of violence in the workplace.

Workplace Violence Toolkit – Section 4

- Inform patients, visitors, and others of their responsibilities and the conduct that is expected of them.
- Encourage employees to report incidents or related concerns and explain the reporting process.
- Demonstrate senior management's commitment to dealing with potential violence, response to reported threats or violent events, and providing constructive support procedures after the event, without fear of reprisal for reporting incidents.
- Reference specific WPV regulations e.g., ORS 654.412 to 654.423 - Safety of Health Care Employees.
- Instruct all employees that they are responsible for complying with the policy.

The policy also provides an opportunity to communicate to staff that employee safety and security are as important as patient safety.

Many professional health care organizations and associations such as the American Nurses Association, the Association of Nurse Executives and the Emergency Nurses Association promote the development of a "Zero Tolerance" WPV policy.

Instituting a zero-tolerance workplace violence policy sends a clear message to everyone working in the organization, that all threats or incidents of violence will be taken seriously, and the consequences of WPV.

However, when determining if, and how your organization will use the term "zero tolerance" in your WPV policy, consider the language that is used to clarify the consequences or penalties of violating the WPV policy and specific violence related behaviors. For example, the consequence for violating the policy will lead to penalties "up to and including termination". This allows for flexibility in dealing with a variety of violence incidents and circumstances. In addition, the appearance of inflexibility can discourage employees from reporting incidents because they do not want to get their coworker fired in the case of lateral violence or bullying i.e., they just want the behavior stopped. The appearance of inflexibility also may discourage early intervention in potentially violent situations involving patients who are unintentionally verbally or physically violent towards employees e.g., patients with dementia or severe brain injury (FBI 2004, Farrell, 2014).

Lastly, as discussed in Section 1 'Understanding WPV', you cannot always prevent violent incidents, but you can reduce the risk by planning and being prepared to act swiftly to deal with threats, intimidation, and other disruptive behavior at an early stage.

Workplace Violence Toolkit – Section 4

Consult with your organization’s human resources and legal departments when drafting your WPV policy and reviewing potential legal implications.

Developing the WPV Policy

- Use committee resources to gather existing policies and procedures related to WPV and facility/environmental security. You may find that there are policies that overlap or are related and reside in different departments such as Human Resources, Quality/Risk Management, Security and Employee Health.

WPV policies can vary greatly in scope and content. **Tool 4b**, provides an example of a WPV policy template chosen and developed by some of the hospitals in the WSI project.

Other examples are provided in the **References** at the end of this Section.

If you have policies that overlap or are redundant, consider combining, simplifying them, and storing them in a location that is easily accessible for employees.

- Determine the structure of the policy. For example, do you want to develop a brief and simple policy statement and provide information about related procedures in supporting operating manuals, or keep program and procedural details within the policy document?
- Use a policy template that is approved by the organization if applicable. As you develop your draft policy determine what information will be included in the policy appendices, or referred to via cross reference (e.g., via intranet link) to another policy document that exists.
- Other written procedures that should be reviewed and enhanced, or developed to address WPV, may have been identified during the *Gap Analysis* review described in **Section 3** of this toolkit. For example:
 - i. Procedures specific to clinical areas such as critical care, emergency room, behavioral health, mother and baby, outpatient clinics, transportation and home health
 - ii. Procedures for specific patient populations such as behavioral health patients; patients in withdrawal; and patients with dementia/Alzheimer’s
 - iii. Procedures to address for violence perpetrated by visitors/family

Workplace Violence Toolkit – Section 4

A list of other related safety and security policies and procedures that should be reviewed can be found in **Tool 3a - the Gap Analysis checklist**.

As you review and develop your WPV policy, ensure that procedures for managing aggressive behavior/violence meet current law and regulations such as, OAR 259-060-0130 ‘use of force’ rules and CMS, Joint Commission and DNV rules for Restraint and Seclusion of patients.

Elements that can be included in a WPV policy are listed in **Table 4.3**.

Example of the elements that can be included in a WPV policy	
<ul style="list-style-type: none">▪ Objectives or Purpose▪ Policy Statement about intent of the violence prevention program and organizations’ executive management commitment to support the program etc.▪ Scope of the policy▪ Definitions of violence (well defined with examples)▪ Reference to Oregon law (including rules for home health if applicable) e.g. ORS 654.412 to 654.423 and OAR 259-060-0130 (if security personnel exist)▪ Non-retaliation policy▪ Information about violence in health care e.g., the prevalence of violence, where violence can occur, and the perpetrator (i.e., patients, visitors etc.; types of violence)▪ Roles and responsibilities of specific groups within the program e.g., executives and management, clinical and non-clinical employees, violence prevention committee, threat assessment and response team, security personnel, etc.	<ul style="list-style-type: none">▪ Investigation considerations▪ Post incident review including protection of employee of health care employer after assault by patient*▪ Employee support resources*▪ Education plan*▪ Program evaluation▪ Record keeping/data analysis*▪ Specific procedures for Home Health employees per ORS 654.412 to 654.423*▪ Policy review timeline▪ Appendices, checklists, tools etc. This may include detailed information about:<ul style="list-style-type: none">– Code silver and code gray protocols– Criteria for restraint/seclusion application– Other security related policies as applicable– Links to other related information/resources for employees e.g., ORS 654.412 to 654.423; employee assistance programs; incident reporting access; WPV program webpage.

Workplace Violence Toolkit – Section 4

Example of the elements that can be included in a WPV policy	
<ul style="list-style-type: none">■ Risk assessment protocols*■ A summary of technology/processes used or hazard control (e.g., personal alarms, lock down ability etc.) *■ Reporting and response procedures including code grey, code silver, use of force etc.*	<i>*Program elements that must be addressed per ORS 654.412 to 654.423 Safety of Health Care Employees</i>

Table 4.3

The WPV policy is typically reviewed with employees and implemented at the start of program.

Implementation and evaluation of the policy and associated procedures will be discussed further in **Sections 7 and 8**.

Step 10

Complete the draft WPV program plan

By this stage of program development, you have already identified and prioritized hazards and risks for WPV (**Step7**); drafted solutions to address and control hazards; and determined potential barriers to implementing the program plan and specific solutions (**Step 8**).

If you have not done so already you should have organized the above information in a project planning format (**Tool 3i**, provides a sample format).

The communications, education and training plans, and the WPV policy, should be kept with the plan and integrated as needed to guide program implementation.

The WPV committee should then determine how the project plan and draft zero tolerance WPV policy will be communicated to senior leadership for approval. Use approved protocols that already exist in your organization for presenting and gaining project approval by senior leaders.

Tool 4c provides a sample of how the WPV program can be summarized for presentation to leadership. **Tool 4b** - the sample WPV policy with program elements could also be adapted for this purpose. Your project charter (if developed) could also be expanded to provide a summary of the overall program etc. (**Tool 2f**)

Some recommendations to address hazards may need to be supported by formal cost justification and demonstration of return on investment e.g., hiring additional security

Workplace Violence Toolkit – Section 4

personnel, or installing comprehensive security surveillance systems or structural changes to the physical environment. Factors to consider when identifying benefits versus costs of solutions are shown in **Table 4.4**.

It is worth reminding leadership that because WPV is vastly underreported in health care, the full extent of the problem and its associated costs at your organization cannot likely be fully calculated.

If you are presenting your plan during a regularly scheduled leadership meeting or during a stand-alone meeting, make sure to schedule your presentation well in advance and request sufficient time for the presentation and discussion etc., to avoid delay of program implementation.

Factors to consider when demonstrating the financial value of WPV related solutions	
Benefits vs. Costs	
Financial Benefits of Solution(s) i.e., Reduced:	Cost of the Program & Solution(s)
<ul style="list-style-type: none">▪ Direct costs of workplace violence related injuries e.g., workers compensation costs▪ Indirect injury costs e.g., associated with employee temporary replacement; incident investigation and management etc.▪ Operational Losses:<ul style="list-style-type: none">○ Staff turnover and associated costs○ Decreased productivity associated with burnout and job dissatisfaction○ Costs related to short and/or long-term psychological impact post-traumatic stress disorder(PTSD).○ Impact on patient safety associated with error, and omission or delay in care, due to caregiver fatigue, presenteeism, injury, and stress.○ Negative impact on quality of service/care provide leading to decreased patient satisfaction.○ Health care worker fatigue contributing to other occupational injuries such as, accidents from slips, trips and falls due inattentiveness, and/or musculoskeletal disorders.	<ul style="list-style-type: none">▪ Direct Equipment costs▪ Facility Design - Workplace adaptations and upgrades/equipment installation▪ Structural expense/Storage▪ Maintenance (preventative and as needed)▪ Cost of replacement parts for equipment due to breakage, loss or theft, or ‘life’ of equipment and/or components▪ Cost of borrowing money if financed▪ Employee training time, supplies, staff backfill, etc. (Refer to your Education and Training plan)▪ Initial

Workplace Violence Toolkit – Section 4

Factors to consider when demonstrating the financial value of WPV related solutions	
Benefits vs. Costs	
<ul style="list-style-type: none">○ Regulatory & Legal consequences e.g. citations and fines by Oregon OSHA.○ Other - include increased security needs in terms of equipment and personnel, litigation, increased insurance costs, and property damage. <p>Refer to Tool 2c for more information on calculating costs of WPV incidents and Tool 3h for determining effectiveness of a solution to eliminate or reduce the risk factors versus cost effectiveness of a solution.</p>	<ul style="list-style-type: none">▪ Periodic▪ As needed▪ Program administration

Table 4.4

Step 11

Obtain approval of the WPV plan and draft policy from senior leadership

Formally presenting the WPV plan and policy to senior leadership for approval (or sign-off) provides leadership an opportunity to ask questions, clarify issues, and be fully prepared and informed about their role in implementation of the WPV program. Presenting the draft plan to leadership allows the WPV committee to adapt or adjust the plan as needed based on additional input.

A formal presentation may also assist to increase commitment and leadership buy-in, and enables a means for them to actively demonstrate their commitment to implementing the WPV program and preventing WPV.

Leadership should be familiar with the WPV initiative if they have been engaged as described in **Step 3** (refer to **Section 2**), and have received updates about development of the WPV program plan and related activities from your program champion.

Workplace Violence Toolkit – Section 4

Ideally, any concerns from leadership about proposed project activities related to resources and timeline for implementation, will have been passed along to the WPV committee and considered when developing the draft WPV program.

Review the ***‘Tips for presenting to Leadership’*** that are described in **Section 2** of this toolkit when planning your presentation.

Your presentation should enable leadership to have a clear understanding of the following:

- A summary of why the WPV program is needed and what leadership agreed to (in **Step 3** Enlist support of senior management to develop or enhance a WPV program plan) and the goal of the meeting.
- The program planning steps completed to date
- The scope of the program
- Goals (short and long term) of the WPV program and likely outcomes
- Recommendations (i.e., what program activities need to be implemented and related rationale)
- How recommendations will be implemented including resources needed and cost justification as applicable
- Any potential barriers that have been identified and how they will be addressed
- Roles and responsibilities
- How the program will be managed and sustained, and outcomes and process evaluated
- Proposed timeline

Quick Tip

The Institute for Healthcare Improvement / National Patient Safety Foundation offers a free toolkit to guide collaboration among health professionals and financial leaders to demonstrate the value and return on investment for safer, quality care.

The ***‘Optimizing a Business Case for Safe Health Care: An Integrated Approach to Safety and Finance’*** toolkit, can assist you develop business case for employee and patient safety initiatives and can be accessed at <http://www.ihl.org/resources/Pages/Tools/Business-Case-for-Safe-Health-Care.aspx>

Workplace Violence Toolkit – Section 4

Provide the leadership group with your program summary that you developed in **Step 10** and have project details (electronic or printed) available upon request.

Step 12

Finalize the WPV program plan and policy

Based on recommendations received from senior leadership you should be ready to finalize the WPV program plan and zero tolerance WPV policy, and communicate them to all employees as detailed in your Communications Plan as you start to implement the program.

Workplace Violence Toolkit – Section 4

References and Resources Related to this Section – Articles

An evaluation of a “best practices” musculoskeletal injury prevention program in nursing homes (2014). Collins, J. W., Wolf, L., Bell, J., & Evanoff, B. *Injury Prevention*, 10(4), 206-211.

Do zero tolerance policies deskill nurses? (2014). Farrell G.A. & Salmon P. *Nursing Times*. 110(6):14-16.

Long work hours, extended or irregular shifts, and worker fatigue. OSHA. Retrieved from <https://www.osha.gov/SLTC/workerfatigue/hazards.html>

Violence against nurses and its impact on stress and productivity (2011). Gates, D. M., Gillespie, G. L., & Succop, P. *Nursing Economics. The Journal for Health Care Leaders*. 29(2), 59-66.

Violence at the workplace increases the risk of musculoskeletal pain among nursing home workers (2011). Miranda H, Punnett L, Gore R, & Boyer J. *Occup Environ Med* 68(1); 52-57.

Violence toward nurses, the work environment, and patient outcomes (2010). Roche, M., Diers, D., Duffield, C., & Catling-Paull, C. *Journal of Nursing Scholarship*, 42(1), 13-22.

Workplace violence issues in response (2004). Critical Incident Response Group National Center for the Analysis of Violent Crime, FBI Academy, Quantico, Virginia. Retrieved from <https://www.fbi.gov/file-repository/stats-services-publications-workplace-violence-workplace-violence/view>

Work-related violence policy: A process evaluation (2005). Sinclair S. *Workplace Health & Safety*, 53(8), 360.

References and Resources Related to this Section – Other

Caring for Our Caregivers. Preventing Workplace Violence: A Road Map for Healthcare Facilities (December 2015). U.S. Department of Labor Occupational Safety and Health Administration (OSHA). <https://www.osha.gov/Publications/OSHA3827.pdf>

Developing Workplace Violence and Harassment Policies and Programs: A Toolbox (2010). Workplace violence prevention series. Occupational Health and Safety Council of Ontario (OHSCO). <http://www.wsps.ca/Information-Resources/Topics/Violence-Harassment.aspx>

Workplace Violence Toolkit – Section 4

Implementation of Best Practice Guidelines (2nd ed.). (2012). Toolkit. Registered Nurses' Association of Ontario (RNAO). Toronto, ON. <http://rnao.ca/bpg/resources/toolkit-implementation-best-practice-guidelines-second-edition>

Mitigating Violence in the Workplace (2014). The American Organization of Nurse Executives Guiding Principles, AONE with the Emergency Nurses Association.
http://www.aone.org/resources/PDFs/Mitigating_Violence_GP_final.pdf

Optimizing a Business Case for Safe Health Care: An Integrated Approach to Safety and Finance (2017). Institute for Healthcare Improvement / National Patient Safety Foundation. Cambridge, Massachusetts. www.ihl.org

The OSSIE Toolkit for the implementation of The Australian Guidelines for the Prevention of Infection in Health Care (2010). Australian Commission on Safety and Quality in Healthcare.
<https://www.safetyandquality.gov.au/publications/the-ossie-toolkit-for-the-implementation-of-the-australian-guidelines-for-the-prevention-of-infection-in-health-care-2010/>

Preventing and Managing Violence in the Workplace (2009). Registered Nurses Association Ontario, Canada (RNAO). http://rnao.ca/sites/rnao-ca/files/Preventing_and_Managing_Violence_in_the_Workplace.pdf

Prevention and Management Violence and Aggression in Health Services (2017 2nd edition). Worksafe Victoria, Australia.
https://www.worksafe.vic.gov.au/data/assets/pdf_file/0006/210993/ISBN-Prevention-and-management-of-violence-and-aggression-health-services-2017-06.pdf

Violence in HealthCare (2017). ECRI Institute General information about WPV. Includes links to policies for members only. <https://www.ecri.org/components/HRC/Pages/SafSec3.aspx>

Workplace Violence Prevention: A Comprehensive Guide for Employers and Employees (2010). Minnesota Department of Labor and Industry.
<http://www.doli.state.mn.us/wsc/PDF/WorkplaceViolencePreventionGuide.pdf>

Workplace Violence Toolkit (2010). Emergency Nurses Association (ENA).
https://www.ena.org/docs/default-source/resource-library/practice-resources/toolkits/workplaceviolencetoolkit.pdf?sfvrsn=6785bc04_16

Workplace Violence Prevention Resources. California Hospital Association
<http://www.calhospital.org/resource/workplace-violence-prevention-resources>

Workplace Violence Toolkit – Section 4

Workplace Violence Prevention Guidelines and Program for Health Care, Long Term Care and Social Services Workers (2012). North Carolina Department of Labor, Occupational Safety and Health Division

<https://www.labor.nc.gov/documents/ig-051-workplace-violence-prevention-guidelines-and-program-health-care-long-term-care-and>

Minnesota Department of Health

Workplace Violence Toolkit

<http://www.health.state.mn.us/patientsafety/preventionofviolence/toolkit.html>

Examples of WPV policy

- [Metro Compact - Violence Prevention Toolkit \(PDF\)](#) - **Management of Violence in the Healthcare/Workplace Setting Template**
- [Cloquet Hospital - Violence Prevention Policy \(PDF\)](#)
- [Essentia Health - Violence Prevention Policy \(PDF\)](#)
- [HealthEast - Workplace Violence Policy \(PDF\)](#)
- [High Pointe Surgery Center - Violence Prevention Policy \(PDF\)](#)
- [Mille Lacs - Violence Prevention Policy \(PDF\)](#)
- [Zero Tolerance Policy \(PDF\)](#)

Policy – Specific Topics

- [HealthEast - Code Silver Policy \(PDF\)](#)
- [Parkwest Medical Center - Staff Alert Violent Behavior \(PDF\)](#)
- [Policy - Support for Staff Involved in Violent Incidents \(PDF\)](#)
- [St. Cloud - Code Green Policy \(PDF\)](#)
- [St. Cloud - Metal Detection Policy \(PDF\)](#)
- [St. Cloud - Weapons Policy \(PDF\)](#)
- [Essentia Health - Weapons Policy \(PDF\)](#)

Workplace Violence Toolkit – Section 5

Contents

Step 8 <i>continued</i>	5.1
Hazard Control and Prevention	5.1
Introduction.....	5.1
Physical and environmental safety and security measures	5.3
Identifying and tracking patients/visitors at high risk for violence	5.5
Violence reporting procedures	5.7
Incident response (includes active shooter resources)	5.9
Policy & procedures for addressing violence risk with specific patient populations	5.15
Post incident management and incident investigation	5.16
The role and management of security staff	5.17

Step 8 (continued from Section 3)

Hazard Control and Prevention

Introduction

The overall approach to controlling and preventing workplace violence in health care is described in **Section 1**.

Solutions and strategies reported in research literature and by health care organizations including, those in the WSI project, demonstrate that implementation strategies must be carefully planned and used in combination.

A combination of engineering and administrative controls is primarily used within a WPV program to control and prevent the risk of violence:

Tools that support content in this Section

5a. WPV Risk assessment tool

5b. WPV Incident report

5c. Management of Difficult Behavior Flow Chart

5d. Code Grey debrief form

5e. Example of hospital signage about WPV

5f. Job description contract security officer

Workplace Violence Toolkit – Section 5

- **Engineering controls** such as,
 - Physical and environmental safety and security measures e.g., controlled access to buildings and patient care units, and monitored surveillance systems
 - Design of the physical environment to
 - provide barrier protection for staff, and allow for quick access to assistance and egress;
 - Reduce risk of furniture and equipment being used as weapons;
 - Create a less stressful environment for patients and visitors
- **Administrative controls** such as,
 - Identifying, tracking and managing patients/visitors at high risk for violence
 - Violence reporting and incident response processes
 - Post incident management and incident investigation
 - Policy and procedures for employee groups who are at higher risk for exposure to violence e.g., employees working alone or in secure areas
 - Proactive safety and security audits and security rounding
 - Education and training for employees including protective behavior training (de-escalation)

A well written zero-tolerance WPV policy and supporting procedures, that is actively enforced, followed, and maintained, provides the foundation and assists to facilitate the effectiveness of solutions to control and prevent WPV.

The following *Sections* in this toolkit, provide more information about developing and implementing strategies to control and prevent workplace violence:

- **Section 3: Step 8 Developing solutions to address and control hazards**
- **Section 4: Developing the WPV Program Plan**
- **Section 6: Education and Training**
- **Section 7: Implementing the program**

Workplace Violence Toolkit – Section 5

This Section provides a list of existing resources with links to tools where possible, that will assist you to develop solutions and strategies to address WPV in your health care facility.

Examples of tools developed by the hospitals in the WSI project are also provided as resources.

Physical and Environmental Safety and Security Measures

Tool 3a. Gap analysis tool and **Tool 3f. Safety and security assessment checklist**, provide examples of solutions to control and prevent WPV.

Refer to **Section 9** for references and resources related to Facilities Design i.e., standards and guidelines that address employee and patient security and safety needs, when designing and building behavioral health, emergency and other departments within health care facilities.

References and Resources Related to this Section – Other

Association for Healthcare Security & Safety (IAHSS). <http://www.iahss.org/>

- **HealthCare Security Industry Guidelines 2016.**

Caring for Our Caregivers. Preventing Workplace Violence: A Road Map for Healthcare Facilities (December 2015). Occupational Safety and Health Administration (OSHA). <https://www.osha.gov/Publications/OSHA3827.pdf>

Developing Workplace Violence and Harassment Policies and Programs: A Toolbox (2010). Workplace violence prevention series. Occupational Health and Safety Council of Ontario (OHSCO). <http://www.wsps.ca/Information-Resources/Topics/Violence-Harassment.aspx>

Elements of a Best Practice Violence Prevention Program for BC Healthcare (2005). The Occupational Health and Safety Agency for Healthcare in BC (OHSAB). http://www.heu.org/sites/default/files/uploads/2008_healthsafety/OHSAB%20Violence_Prevention_Guide.pdf

Emerging Health Care Concern: Preventing Workplace Violence

Presentation on Workplace Violence

https://www.jointcommission.org/assets/1/6/PreventingWPV_081816.pdf

Guidelines for Preventing Workplace Violence for Health Care and Social Service Workers (2015). U.S. Department of Labor Occupational Safety and Health Administration (OSHA) Publication 3148-04R. <https://www.osha.gov/Publications/osa3148.pdf>

Workplace Violence Toolkit – Section 5

Healthcare Facility Workplace Violence Risk Assessment Tools (2014). American Society for Healthcare Risk Management (ASHRM).

<http://www.ashrm.org/ashrm/education/programs/Workplace-Violence/index.shtml>

Improving Patient and Worker Safety: Opportunities for Synergy, Collaboration and Innovation (2012). Joint Commission, & Joint Commission. Oakbrook Terrace, IL: The Joint Commission, 171.

<https://www.jointcommission.org/assets/1/18/TJC-ImprovingPatientAndWorkerSafety-Monograph.pdf>

Preventing and Managing Violence in the Workplace (2009). Registered Nurses Association Ontario, Canada (RNAO). http://rnao.ca/sites/rnao-ca/files/Preventing_and_Managing_Violence_in_the_Workplace.pdf

Prevention and management violence and aggression in health services (2017 2nd edition). Worksafe Victoria, Australia.

https://www.worksafe.vic.gov.au/_data/assets/pdf_file/0006/210993/ISBN-Prevention-and-management-of-violence-and-aggression-health-services-2017-06.pdf

Workplace Violence Risk Assessment Toolkit for Acute Care (2017). The Public Services Health and Safety Association (PSHSA), Ontario, Canada.

<http://www.pshsa.ca/wp-content/uploads/2017/05/VPRASAEN0417-Workplace-Violence-Risk-Assessment-Acute-Care-Toolkit-V1.1-2017.04.25.pdf>

Caring for Our Caregivers. Preventing Workplace Violence: A Road Map for Healthcare Facilities (December 2015). Occupational Safety and Health Administration (OSHA).

<https://www.osha.gov/Publications/OSHA3827.pdf>

Improving patient and worker safety: opportunities for synergy, collaboration and innovation (2012). Joint Commission, & Joint Commission. Oakbrook Terrace, IL: The Joint Commission, 171. <https://www.jointcommission.org/assets/1/18/TJC-ImprovingPatientAndWorkerSafety-Monograph.pdf>

Book

Hospital and Healthcare Security, Sixth Edition (March 10, 2015). Tony W York and Don MacAlister. Butterworth-Heinemann; Elsevier. Oxford, UK

Workplace Violence Toolkit – Section 5

Webinars (can be accessed free of charge)

WIHI: Workplace Violence in Health Care Can't Be the Norm (August 10, 2017). Institute for Healthcare Improvement / National Patient Safety Foundation. Cambridge, Massachusetts: Institute for Healthcare Improvement.

<http://www.ihl.org/resources/Pages/AudioandVideo/WIHI-Workplace-Violence-in-Health-Care-Can't-Be-the-Norm.aspx>

Hospitals Against Violence: Reducing Health Care Violence by Innovative Training and Valuable Partnerships (June 2017). American Organization of Nurse Executives (AONE).

<http://www.aone.org/resources/Reducing-Health-care-Violence-by-Innovative-Training-and-Valuable-Partnerships>

Identifying and Tracking Patients/Visitors at High Risk for Violence

References and Resources Related to this Section – Articles

Assessing the risk of violence: Development and validation of the Brøset Violence Checklist (2008). Thesis. Almvik, R. Norwegian University of Science and Technology.

Development of a data collection instrument for violent patient encounters against healthcare workers. (2012). Kowalenko, T., Hauff, S., Morden, P. et al. _Western Journal of Medicine 13(5):429-33.

Mental health-related risk factors for violence: using the evidence to guide mental health triage decision making (2012). Sands, N., Elsom, S., Gerdtz, M., & Khaw, D. Journal of Psychiatric and Mental Health Nursing, 2012, 19(8), 690-701.

Screening for violence risk in military veterans: predictive validity of a brief clinical tool (2014). Elbogen, E.B., et. al. Am J Psychiatry. Jul;171(7):749-57.

The Brøset violence checklist (BVC) (2002). Woods, P., & Almvik, R. Acta Psychiatrica Scandinavica, 106(s412), 103-105.

The Brøset violence checklist: clinical utility in a secure psychiatric intensive care setting (2010). Clarke, D. E., Brown A. M., & Griffith, P. Journal of psychiatric and mental health nursing, 17(7), 614-620.

Workplace Violence Toolkit – Section 5

The validity and reliability of the Violence Risk Scale: A treatment-friendly violence risk assessment tool (2006). Wong, Stephen C. P.; Gordon, Audrey Psychology, Public Policy, and Law, Vol 12(3), Aug 2006, 279-309. <http://psycnet.apa.org/doi/10.1037/1076-8971.12.3.279>

Use of a violence risk assessment tool in an acute care hospital: effectiveness in identifying violent patients (2006). Kling, R. et. al. AAOHN Journal 54(11) 481-487.

Understanding aggressive behaviour across the lifespan (2013). Liu, J., Lewis, G., & Evans, L. Journal of Psychiatric and Mental Health Nursing, 20(2), 156-168.

Usefulness of Aggressive Behaviour Risk Assessment Tool for prospectively identifying violent patients in medical and surgical units (2012). Kim, S. C., Ideker, K., & Todicheeney-Mannes, D. Journal of advanced nursing, 68(2), 349-357.

References and Resources Related to this Section – Other

Association of Threat Assessment Professionals www.atapworldwide.org/

A non-profit membership association including mental health professionals, law enforcement, corporate safety specialists, lawyers, probation officers, and others concerned with threat and violence risk assessment. Topic areas include threats, stalking, and homeland security.

Completing the Violence/Aggression Assessment Checklist (VAAC) for Emergency Departments(ED) or Emergency Medical Services (EMS). (2016). Public Services Health and Safety Association (PSHSA). Toronto, Ontario, Canada.

https://www.pshsa.ca/wp-content/uploads/2013/02/VAACEtoo_instruction.pdf.pdf

Directive 2010-053 – Patient Record Flags (2010). Veterans Health Administration.

<https://www.va.gov/vhapublications/>

High Risk Screening. Emergency Nurses Association. <https://www.ena.org/practice-research/Practice/>

Individual Client Risk Assessment Toolkit for Health Care Settings 2017. Public Services Health and Safety Association (PSHSA). Toronto, Ontario, Canada.

<http://www.pshsa.ca/wp-content/uploads/2017/05/VPRASEEN0417-ICRA-Toolkit-Resource-Manual-V1.1-2017.04.25-Final.pdf>

Minnesota Department of Health

Workplace Violence Toolkit – Section 5

Prevention of Violence in Health Care Toolkit

<http://www.health.state.mn.us/patientsafety/preventionofviolence/toolkit.html>

Risk Identification

- [Broset Tool Utilization - Article \(PDF\)](#)
- [HealthEast Threat - Assessment Worksheet \(PDF\)](#)
- [St. Cloud - Environmental Checklist Screenshot \(PDF\)](#)

Risk assessment made easy The Bröset Violence Checklist (BVC) 2015. PowerPoint presentation. Roger Almvik, Dr. Philos.

<http://restraintreductionnetwork.org/wp-content/uploads/2015/06/10-Roger-Almvik-2015.pdf>

Prevention and Management Violence and Aggression in Health Services (2017 2nd edition). Worksafe Victoria, Australia.

https://www.worksafe.vic.gov.au/data/assets/pdf_file/0006/210993/ISBN-Prevention-and-management-of-violence-and-aggression-health-services-2017-06.pdf

The University of Nebraska Public Policy Center "Threat Assessment Glossary" (2013). Bulling, D, & Scalora, M. Paper 123. <http://digitalcommons.unl.edu/publicpolicypublications/123>

Threat assessment in action Psychologists are leaders in the growing field of threat assessment, working with law enforcement and security professionals to prevent violence before an attacker strikes (2014). Miller, A., American Psychological Association. Monitor Staff February 2014, Vol 45, No. 2 Print version: page 37.

<http://www.apa.org/monitor/2014/02/cover-threat.aspx>

Violence Reporting Procedures

Information about Oregon OSHA recordkeeping requirements related to WPV related workplace injuries can be found in **Tool 2d: Analyzing Injury Data and Direct Injury Costs**

References and Resources Related to this Section – Articles

Reporting violence to a health care employer: A cross-sectional study (2005). Findorff, M. J. et. al. AAOHN Journal, 53(9), 399-406.

Workplace Violence Toolkit – Section 5

Development of a data collection instrument for violent patient encounters against healthcare workers (2012). Kowalenko, T., Hauff, S., Morden, P. et al. Western Journal of Medicine 13(5):429-33.

Workplace violence in the emergency department: giving staff the tools and support to report (2015). Stene, J., Larson, E., Levy, M., et al. The Permanente Journal. 19(2)113-117.
https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4403590/pdf/permj19_2pe113.pdf

Measures for incident reporting of patient violence and aggression towards healthcare providers: A systematic review (2015). Campbell, C. L., Burg, M. A., & Gammonley, D. Aggression and violent behavior, 25, 314-322.

References and Resources Related to this Section – Other

California Hospital Association

Workplace Violence Prevention Resources

<https://www.calhospital.org/workplace-violence-prevention>

- [Workplace Violence Incident Case Number Assignment Form](#)
- [Violent Incident Log](#)
- [Violent Incident Reporting](#)

Confidential Incident Report Forms. U.S. Department of Labor Occupational Safety and Health Administration (OSHA).

<https://www.osha.gov/SLTC/etools/hospital/hazards/workplaceviolence/confidentialreportform.html>

Johns Hopkins Safe-at-Work Program

- [Johns Hopkins Continuum of Disruptive Behaviors at Work](#)

Minnesota Department of Health

Prevention of Violence in Health Care Toolkit

<http://www.health.state.mn.us/patientsafety/preventionofviolence/toolkit.html>

Workplace Violence Toolkit – Section 5

Accurate and Concurrent Reporting

- [Development of a Data Collection Instrument Article \(PDF\)](#)
- [Injury Severity Levels \(PDF\)](#)
- [Incident Types \(PDF\)](#)
- [St. Cloud - Aggressive Incident Dashboard FY11-FY14 \(Excel\)](#)
- [St. Cloud - Aggressive Incident Dashboard Template \(Excel\)](#)
- [Suggested Data Collection Elements \(PDF\)](#)

Sample Safety Event Form. Emergency Nurses Association. Sample incident report filled out with example responses. This resource is part of the Association's Workplace Violence Toolkit. https://www.ena.org/docs/default-source/resource-library/practice-resources/toolkits/workplaceviolencetoolkit.pdf?sfvrsn=6785bc04_30

Workplace Violence Incident Report Form. Civil Service Employees Association, Local 1000, AFSCME, AFL-CIO. <https://cseany.org/wp-content/uploads/2013/02/Incident-Report.pdf>

Workplace Violence Prevention Program Guidelines. New York State Department of Labor Appendix 2 contains a Workplace Violence Incident Report. <http://tinyurl.com/q6x5t3s>

Incident Response (includes Active Shooter Resources)

Refer to **Section 4** for additional WPV policy related resources.

References and Resources Related to this Section – Articles

A co-operative inquiry into generating, describing, and transforming knowledge about de-escalation practices in mental health settings (2016). Berring, L. L., Hummelvoll, J. K., Pedersen, L., & Buus, N. Issues in mental health nursing, 37(7), 451-463.

Coping with violence in mental health care settings: patient and staff member perspectives on de-escalation practices (2016). Berring, L. L., Pedersen, L., & Buus, N. Archives of psychiatric nursing, 30(5), 499-507.

De-escalation techniques for managing aggression (2016). Spencer, S., & Johnson, P. The Cochrane Library. <http://onlinelibrary.wiley.com/doi/10.1002/14651858.CD012034/pdf>

Workplace Violence Toolkit – Section 5

Key components of de-escalation techniques: A thematic synthesis (2012). Price, O., & Baker, J. International journal of mental health nursing, 21(4), 310-319.

Management of the Violent Patient in the Emergency Department (2017). Monograph.

Boulger et. al. Relia. AHCMedia.

<https://www.ahcmmedia.com/articles/140623-management-of-the-violent-patient-in-the-emergency-department>

Predictors of effective de-escalation in acute inpatient psychiatric settings (2016). Lavelle, M., Stewart, D., James, K., Richardson, M., Renwick, L., Brennan, G., & Bowers, L. Journal of clinical nursing, 25(15-16), 2180-2188.

Reducing Violence in the Emergency Department: A Rapid Response Team Approach (2014).

Kelley, E.C. Journal of emergency nursing, 40(1), 60-64.

The assessment and management of the violent patient in critical hospital settings (2013).

Tishler, C. L., Reiss, N. S., & Dundas, J. (2013). General hospital psychiatry, 35(2), 181-185.

<http://www.health.state.mn.us/patientsafety/preventionofviolence/assessmanageviolentpatientarticle.pdf>

Verbal de-escalation of the agitated patient: consensus statement of the American Association for Emergency Psychiatry Project BETA De-escalation Workgroup (2012).

Richmond, J. S., et. al. Western Journal of Emergency Medicine, 13(1), 17.

Searchable book

Strategies to De-escalate Aggressive Behavior in Psychiatric Patients (2016). Gaynes, B. N., et.

al. <https://www.ncbi.nlm.nih.gov/books/NBK379399/>

References and Resources Related to this Section – Other

The Agency for Healthcare Research and Quality (AHRQ)

- **AHRQ Webinar: Reducing Workplace Violence with TeamSTEPPS® (2016)**

<https://www.ahrq.gov/teamstepps/events/webinars/dec-2016.htm>

California Hospital Association

Workplace Violence Prevention Resources

<https://www.calhospital.org/workplace-violence-prevention>

Workplace Violence Toolkit – Section 5

- [Disruptive Behavior Algorithm](#)
- **Disruptive Behavior Guidelines – Assessment, Intervention, Documentation**
https://www.calhospital.org/sites/main/files/file-attachments/disruptive_behavior_guidelines.pdf

Code White- Psychiatric Emergency (2013). CAMH Centre for Addiction and Mental Health.
<http://bidders.camhx.ca/Code%20White%20%E2%80%93%20Caution%20%E2%80%93%20Threatening%20Person%20with%20Weapon.pdf>

Code White Review (2014). PowerPoint Presentation. Adult Mental Health, London Health Science Centre, Ontario, Canada
http://www.lhsc.on.ca/Research_Training/Student_Affairs/orientation/CodeWhiteLHSCDecember2015.pdf

De-Escalation Tips. Crisis Prevention Institute. (2015).
<https://www.crisisprevention.com/Resources/Knowledge-Base/De-escalation-Tips>

Emergency Department Security and Safety (2011). Sanson, T, & Tavernero, T. American College of Emergency Physicians.
https://www.acep.org/uploadedFiles/ACEP/Meetings_and_Events/Educational_Meetings/EDDA/Phase_II/17%20Sanson%20-%20ED%20Safety%20and%20Security.pdf

Gentle Persuasion Approach: A Nurse's Experience Caring for Persons with Responsive Behaviours in the Acute Care Setting (2013). PowerPoint Presentation. Lee Ringer, RN MN GNC (C). Regional Geriatric Program, St. Michael's Hospital.
www.mountsinai.on.ca/education/continuing-education-and.../lee-ringer-119.pdf

Guidelines Code White: A Component of Prevention and Management of Aggressive Behaviour in Healthcare (2009). Worksafe BC. <http://www.phsa.ca/Documents/Occupational-Health-Safety/GuideGuidelinesCodeWhiteResponse.pdf>

Minnesota Department of Health

Workplace Violence Prevention Resources

<http://www.health.state.mn.us/patientsafety/preventionofviolence/toolkit.html>

Treatment Plans

- [St. Cloud - Unique Treatment Plan Policy \(PDF\)](#)
- [St. Cloud - Unique Treatment Plan Policy and Example \(PDF\)](#)

Workplace Violence Toolkit – Section 5

Incident Response

- [Assessment and Management of Violent Patient - Article \(PDF\)](#)
- [Enhancing Safety in Behavioral Emergency Situations - Article \(PDF\)](#)
- [Essentia Health - Response Policy \(PDF\)](#)
- [HealthEast - Behavioral Emergency Code Green Presentation \(PDF\)](#)
- [Metro Compact - Incident Response Team Make-Up \(PDF\)](#)
- [Metro Compact - Sample Incident Response Form \(PDF\)](#)
- [St. Cloud - Acronyms for De-escalation \(PDF\)](#)
- [St. Cloud - Active Threat Response Plan \(PDF\)](#)
- [St. Cloud - Active Threat Situation Presentation \(PDF\)](#)
- [St. Cloud - Lockdown Procedures \(PDF\)](#)
- [St. Cloud - Patient Belongings and Room Search Policy \(PDF\)](#)
- [Verbal De-escalation on the Agitated Patient - Article \(PDF\)](#)

Preventing HealthCare Workplace Violence Toolkit (2017). Washington State Hospital Association, Seattle, WA. www.WSHA.org.

Prevention and Management of Aggressive Behaviour (PMAB) - Fraiser Health
<http://www.fraserhealth.ca/media/Prevention and Management of Aggressive Behaviour-PMAB-April2008.pdf>

Secure Rooms and Seclusion Standards and Guidelines: A Literature and Evidence Review (2012). BC Ministry of Health, British Columbia, Canada.
<http://www.health.gov.bc.ca/library/publications/year/2012/secure-rooms-seclusion-guidelines-lit-review.pdf>

Sentinel Event Alert 56: Detecting and treating suicide ideation in all settings. February 24, 2016. The Joint Commission. https://www.jointcommission.org/sea_issue_56/

Top 10 De-Escalation Tips. Crisis Prevention Institute. (2016).
<http://resources.crisisprevention.com/CPIs-Top-10-De-Escalation-Tips.html?code=EBIT01DT&src=Resources>

Workplace Violence Toolkit – Section 5

U.S. Department of Veterans Affairs

- [Prevention and Management of Disruptive Behavior - Training overview and basic information](#)
- [Preventing Patient Violence in VA Health Care](#) (2.6 MB, PDF) on pages 14-15 in Vanguard magazine.

Active Shooter Preparedness

Refer to Section 6 Education and Training for video resources

3 Echo: concept of operations for early care and evacuation of victims of mass violence (2014). Autrey, A., Hick, J., Bramer, K., et al. Prehospital Disaster Medicine. 29(4):421-8.

Active Shooter and Intentional Mass-Casualty Events: The Hartford Consensus II. Bulletin of the American College of Surgeons.

<http://bulletin.facs.org/2013/06/improving-survival-from-active-shooter-events/#.WjMttU0iz8o>

Active shooters in health care settings: prevention and response through law and policy (2014). Hodge, J. G., & Nelson, K. The Journal of Law, Medicine & Ethics, 42(2), 268-271.

Active Shooter Drill Materials. Hospital Association of Southern California.

<http://www.hasc.org/active-shooter-drill-resources>

Active Shooter Planning and Response in a Healthcare Setting (2017). Healthcare and Public Health Sector Coordinating Council. [https://www.fbi.gov/file-](https://www.fbi.gov/file-repository/active-shooter-planning-and-response-in-a-healthcare-setting.pdf)

[repository/active shooter planning and response in a healthcare setting.pdf](https://www.fbi.gov/file-repository/active-shooter-planning-and-response-in-a-healthcare-setting.pdf)

Active Shooter Response Toolkit (2015). Healthcare Staff Training. MCHC and Hillard Heintze

<http://www.aha.org/content/16/2015mchcactiveshooterresource.pdf>

Active Shooter: Tools/Resources. New York State Health Emergency Preparedness Coalition

<https://www.urmc.rochester.edu/emergency-preparedness/preparedness-and-response-tools-resources/active-shooter.aspx>

Hospital Code Silver Activation; Active Shooter Planning Checklist. California Hospital Association.

<https://www.calhospitalprepare.org/post/hospital-code-silver-activation-active-shooter-planning-checklist>

Workplace Violence Toolkit – Section 5

Improving Survival from Active Shooter Events: The Hartford Consensus (2013). Jacobs, L., McSwain, N., Rotondo, M., et al. The National Association of Emergency Medical Technicians.

Incorporating Active Shooter Incident Planning into Health Care Facility Emergency Operations Plans (2014). U.S. Department of Health and Human Services.

www.phe.gov/preparedness/planning/Documents/active-shooter-planning-eop2014.pdf.

The Active Shooter Response Toolkit for Healthcare Workers (2016). Lisa Terry, CHPA, CPP. HC PRO. <https://hcmarketplace.com/active-shooter-response-toolkit>

The Joint Commission

Work Place Violence Resources

https://www.jointcommission.org/workplace_violence.aspx

- **Active Shooters in the Hospital Setting** – PowerPoint Presentation
https://www.jointcommission.org/assets/1/6/wpv_Active_Shooters_Hospital_setting.pdf
- **Active Shooters in the Hospital Environment** – PowerPoint Presentation
https://www.jointcommission.org/assets/1/6/wpv_DOH_active_shooter_presentation_Mar_25.pdf
- **Emergency Management Resources - Security/Violence/Active Shooter (July 2016)**
https://www.jointcommission.org/emergency_management_resources_violence_security_active_shooter/

Quick Safety: Preparing for Active Shooter Situations (July 2014). The Joint Commission
https://www.jointcommission.org/assets/1/23/Quick_Safety_Issue_Four_July_2014_Final.pdf

Minnesota Department of Health

Work Place Violence Resources

<http://www.health.state.mn.us/patientsafety/preventionofviolence/toolkit.html>

- [Mille Lacs - Active Shooter Policy \(PDF\)](#)

United States Active Shooter Events from 2000 to 2010: Training and Equipment Implications (2013). Blair, J.P. and Martaindale, M.H. School of Criminal Justice. Texas State University
<https://www.urmc.rochester.edu/MediaLibraries/URMCMedia/flrtc/documents/ActiveShooterEvents.pdf>

Workplace Violence Toolkit – Section 5

Policy & Procedures for Addressing Violence Risk with Specific Patient Populations

References and Resources Related to this Section – Articles

Aggressive behavior in children and adolescents (2011). Zahrt, D.M., and Melzer-Lange, M.D. Pediatrics in Review August 2011, 32(8).

Enhancing safety in behavioral emergency situations (2012). Pestka, E. L., Hatteberg, D. A., Larson, L. A., Zwygart, A. M., Cox, D. L., & Borgen Jr, E. E. Medsurg nursing, 21(6), 335

Interventions to reduce the risk of violence toward emergency department staff: current approaches (2016). Ramacciati, N., Ceccagnoli, A., Addey, B., Lumini, E., & Rasero, L. Emergency Medicine: OAEM, 8, 17. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4886301/>

Stop the escalation before it begins by using the pediatric Behavior Response Team protocol (2012). Adkins-Bley, K., Shaw, B. K., Smith, J., & McMyler, E. Journal of healthcare risk management, 32(1), 30-33.

References and Resources Related to this Section – Other

Behavioral health resources for the emergency department. California Hospital Association
<http://www.calhospital.org/emergency-department-toolkit>

Care of the Psychiatric Patient in the Emergency Department (2130). White Paper
https://www.ena.org/docs/default-source/resource-library/practice-resources/white-papers/care-of-psychiatric-patient-in-the-ed.pdf?sfvrsn=3fc76cda_6

Screening Tools for Older Adults in the Emergency Care Setting (May 2017) Emergency Nurses Association. https://www.ena.org/docs/default-source/resource-library/practice-resources/topic-briefs/screening-tools-for-older-adults-in-the-emergency-care-setting.pdf?sfvrsn=979a0c8f_10

Violent Behavior in Children and Adolescents (2015). American Academy of Child and Adolescent Psychiatry.
http://www.aacap.org/AACAP/Families_and_Youth/Facts_for_Families/FFF-Guide/Understanding-Violent-Behavior-In-Children-and-Adolescents-055.aspx

Workplace Violence Toolkit – Section 5

WorkSafe BC.

- **Dementia: Understanding Risks and Preventing Violence (2010).**
http://www.worksafebc.com/publications/health_and_safety/by_topic/assets/pdf/bk125.pdf
- **Working with Dementia patients**
<http://www2.worksafebc.com/Publications/Multimedia/Videos.asp?ReportID=35664>

Post Incident Management and Incident Investigation

References and Resources Related to this Section – Articles

Personal resilience as a strategy for surviving and thriving in the face of workplace adversity: a literature review (2007). Jackson, D., Firtko, A., & Edenborough, M. Journal of advanced nursing, 60(1), 1-9.

References and Resources Related to this Section – Other

The Agency for Healthcare Research and Quality (AHRQ)

- **Learn from Defects Tool CUSP Toolkit**
<https://www.ahrq.gov/professionals/education/curriculum-tools/cusptoolkit/toolkit/learndefects.html>

California Hospital Association

Workplace Violence Prevention Resources

<http://www.calhospital.org/resource/workplace-violence-prevention-resources>

- [Investigation of Workplace Violence Incidents](#)

ED Workplace Violence Project Plan: Post-Incident Response Program. Emergency Nurses Association. <https://www.ena.org/practice-research/Practice/ViolenceToolKit/Documents/ENAActionplan16.doc>

Workplace Violence Toolkit – Section 5

Guidelines for Preventing Workplace Violence for Health Care and Social Service Workers (2015). U.S. Department of Labor Occupational Safety and Health Administration (OSHA) Publication 3148-04R. <https://www.osha.gov/Publications/osha3148.pdf>

Worksafe BC

www.worksafebc.com

- Incident investigations in health care: Focusing on change instead of blame (2012).
- Incident investigation case example: Violence (2012)

Minnesota Department of Health

Workplace Violence Prevention Resources

<http://www.health.state.mn.us/patientsafety/preventionofviolence/toolkit.html>

- [Policy - Support for Staff Involved in Violent Incidents \(PDF\)](#)
- [Violent Incident Staff Aftercare Checklist \(PDF\)](#)

The Role and Management of Security Staff

References and Resources Related to this Section – Articles

A data-driven model for estimating industry average numbers of hospital security staff (2015). Vellani, K. H., Emery, R. J., & Reingle, J. G. Journal of healthcare protection management: publication of the International Association for Hospital Security, 31(1), 51-63.

Emergency department workers' perceptions of security officers' effectiveness during violent events (2012). Gillespie, G.L. et. al. Work 42 (2012) 21–27.

Examining the Joint Commission's Sentinel Event Alert No. 57 for healthcare security practitioners (2017). Campus Safety.
http://www.campusafetymagazine.com/article/joint_commission_sentinel_event_alert_no._5_7_for_healthcare_security/hospital

Impact of hospital security programmes and workplace aggression on nurse perceptions of safety (2013). Bland, J.D. et. al. Journal of nursing management, 21(3), 491-498.

National violence prevention training standards for hospital security officers are overdue (2012). Martindell, D. Pennsylvania Patient Safety Advisory, 9(2): 65-66.

Workplace Violence Toolkit – Section 5

Security personnel practices and policies in US hospitals: findings from a national survey (2016). Schoenfisch, A. L., & Pompeii, L. A. Workplace Health & Safety, 64(11), 531-542.

Security customer services: the tangibles and intangibles (2014). Bailey J.O. Journal of Healthcare Protection Management. Vol. 30 (1), 73-76.

Should you outsource your hospital's security services? Some things to consider (2014). DiNapoli, David V; Journal of Healthcare Protection Management, 30(1): 46-54.

The changing face of hospital security: re-tooling for the future (2013). Luizzo, A & Scaglione, B.J. Journal of Healthcare Protection Management, 29(1): 1-7.

The TASERs Are Coming, the TASERs Are Coming—Conducted Electrical Weapons: Tools to Manage and Prevent ED Violence? (2014). Lefton, C. Journal of Emergency Nursing, 40(2), 174–176.

The 15 most common types of hospital security officer training (October 2017). Campus Safety. <https://www.campus safetymagazine.com/hospital/the-15-most-common-types-of-training-for-hospital-security-officers/>

References and Resources Related to this Section – Other

California Hospital Association

Workplace Violence Prevention Resources

<http://www.calhospital.org/resource/workplace-violence-prevention-resources>

- [Hospital Guard Review Form](#)

Minnesota Department of Health

Workplace Violence Prevention Resources

<http://www.health.state.mn.us/patientsafety/preventionofviolence/toolkit.html>

- [Essentia Health - Security Management Policy \(PDF\)](#)

Membership organizations: Safety and Security That offer a variety of publications

ASIS International <https://www.asisonline.org/>

Organization for security professionals worldwide.

Workplace Violence Toolkit – Section 5

Association for Healthcare Security & Safety (IAHSS). <http://www.iahss.org/>

- HealthCare Security Industry Guidelines 2016.
- Journal of health care protection management

The International Association of Professional Security Consultants (IAPSC)

<https://iapsc.org/tag/hospital-security/>

Campus Safety magazine- Journal and other publications.

<https://www.campussafetymagazine.com>

Workplace Violence Toolkit – Section 6

Contents

WPV Education and Training	6.1
Elements of effective WPV Education and Training programs.....	6.1
Requirements for WPV Education and Training programs in Oregon.....	6.3
Developing the WPV Education and Training Plan	6.5
References	6.9
Resources Related to this Section – Articles	6.10
Resources Related to this Section – Other	6.10

WPV Education and Training

As discussed briefly in **Section 4**, education and training are critical elements of a successful WPV program.

Tool that support content in this Section

6a. Education and Training plan

The goal of WPV **education** is to provide employees with information about the topic of WPV in health care, the organization's WPV program, and the rationale for policy and procedures that exist or are to be implemented, that prevent and control WPV. WPV **training** should provide employees with a specific set of skills for example, how to report incidence of WPV and how to use de-escalation techniques to manage a violent patient or visitor.

Developing a WPV education and training plan allows you to identify the stakeholder groups that should receive training, training content, and the resources, that will be needed to implement an ongoing WPV training program, and to determine other training related logistics.

Elements of effective WPV Education and Training programs

Information and evidence base related to what training content should be included in WPV education and training programs, how content should be delivered, and overall effectiveness of these programs is scarce.

Of the few studies published, evidence indicates that the following are more effective at increasing staff situational and environmental awareness as well as increased confidence and improved technical skills for preventing and managing violence or aggression (Heckemann et. al., 2016).

- Training programs should be tailored to staff groups/disciplines.
- Training programs should be tailored to stratified risk levels related to work roles within the organization.
- Training programs should have clearly defined goals with measurable outcomes.
- Training methods for the prevention of clinical aggression should, where possible, be evidence based, cost-effective and reflective of local need.
- Promotes a culture of continuous quality improvement underlies prevention of clinical aggression training and responses (Knott, J., et. al., 2014).

Workplace Violence Toolkit – Section 6

- A hybrid training module that is, use of computer based or on-line learning coupled with interactive class based table top exercises. This design provides essential initial learning and foundation in the topic (on-line) and the interactive class based activities support application and synthesis of the topic (Martindell, 2012; Gillespie et al., 2014; & Parker, 2016).
- Table top exercises or vignettes provide information that is directly applicable to the staff's work environment e.g. the emergency room, in-patient care unit, clinic etc.
- Discussion and collaboration with interprofessional colleagues on how to best manage the incident of workplace violence depicted in case studies or vignette.
- On-line training that staff can complete over a period of time (e.g., 2 months), and is flexible to allow staff to take modules over several sessions and start where they left off.

Evidence also indicates that content of WPV training programs is highly variable. However, topics that are **commonly lacking** in programs include a facility's policies, protocols, and environment; 'costs' associated with aggression; pharmacological management of aggression; issues around the use of restraint; seclusion; management of non- intentional violence e.g. dementia; and managing the emotional impact of WPV (Peek-Asa, C. et. al., 2007; Hartley, D. et. al., 2015; Arbury et. al., 2017).

Chapter 4 'Select and Tailor Implement Interventions and Strategies' of The Implementation of best practice guidelines (2nd ed.). (2012). *Toolkit: by the ON: Registered Nurses' Association of Ontario (RNAO), provides further discussion about evidence based education and training strategies that work in health care*
<http://rnao.ca/bpg/resources/toolkit-implementation-best-practice-guidelines->

In addition, 'packaged' training programs are frequently used by health care organizations. These typically **do not** include information about the hospital's specific policies, procedures, and potential risk factors. In addition, some *employee* groups (e.g., physicians and contract personnel), are often excluded from training, and training length is insufficient to cover necessary material (Arbury et. al., 2017).

No published evidence is found related to ***how often*** WPV training should occur so that staff can retain and refine skills etc. Nor is there any reported analysis of costs and benefits of online versus face to face training (Knott, J., et. al., 2014).

Requirements for WPV Education and Training programs in Oregon

1. **ORS 654.412 to 654.423 Safety of Health Care Employees** requires that employers (that is, hospitals and home health services if owed by a hospital, and ambulatory surgical centers), must conduct assault prevention and protection training for employees where existing or potential hazards for assaults exists. ‘Assault’ is defined as actions that intentionally, knowingly, or recklessly causing physical injury to an employee:

Training must be conducted:

1. On a regular and ongoing basis, e.g. annually. *ORS 654.414 (1) c*
2. Within 90 days of the employee’s initial hiring date. *ORS 654.414 (4) b*

ORS 654.414 4(A) Assault prevention and protection training, requires that the following topics are addressed:

- a. General safety and personal safety procedures; e.g. all hazard control and preventions strategies and procedures that have been implemented nature and extent of risks associated with specific jobs/location;
- b. Escalation cycles for assaultive behaviors; (including identify non-patients/visitors at risk or exhibiting at risk behaviors for violence;
- c. Factors that predict assaultive behaviors;
- d. Techniques for obtaining medical history from a patient with assaultive behavior;
- e. Verbal and physical techniques to de-escalate and minimize assaultive behaviors;
- f. Strategies for avoiding physical harm and minimizing use of restraints;
- g. Restraint techniques consistent with regulatory requirements;
- h. Self-defense, including:
 - i. The amount of physical force that is reasonably necessary to protect the employee or a third person from assault; and
 - ii. The use of least restrictive procedures necessary under the circumstances, in accordance with an approved behavior management plan, and any other methods of response approved by the health care employer;
- i. Procedures for documenting and reporting incidents involving assaultive behaviors;

Workplace Violence Toolkit – Section 6

- j. Programs for post-incident counseling and follow-up;
- k. Resources available to employees for coping with assaults; and
- l. The health care employer's workplace assault prevention and protection program.

Additional topics to consider:

- Possible medical and psychological effect of violence aggression on employees;
- Addressing management of patients who do not intend to assault employees e.g., confused elderly, patients recovering from anesthesia.

A health care employer may use classes, video recordings, brochures, verbal or written training, or other training that the employer determines to be appropriate, based on an employee's job duties, under the assault prevention and protection program developed by the employer per *ORS 654.414 (4c)*.

2. If an employer i.e., a health care organization employs or utilizes at least one individual (including contract security services) whose primary responsibilities include providing private security services, then the employer must comply with **Oregon Administrative Rules Division 60 (OAR 259-060:0005-0600) 'Private security Services Providers Rules'**.

These rules state that the employer:

- Must designate an individual to perform the duties of an executive manager at all times as described in Division 60 Rules. An employer may obtain licensure for more than one executive manager; and
- The executive manager has met and maintains the *training and certification* requirements required in OAR Division 60 Rules and the Department of Public Safety Standards and Training (DPSST).

In addition, any security personnel have met and maintain the training and certification requirements required in OAR Division 60 Rules and the Department of Public Safety Standards and Training (DPSST).

It is important to note that goal of the training required above, is to ensure the executive manager and security personnel have knowledge of the Oregon law related to use of force when managing WPV incidents. These personnel should also receive WPV training that is specific to a health care organization's WPV policy and procedures etc.

Workplace Violence Toolkit – Section 6

Developing the WPV Education and Training Plan

Tool 6a, the sample **WPV Education and Training Plan** can be used as a template when developing your plan. Your **WPV Communications Plan (Tool 4a)**, can also be used to assist you build your Education and Training Plan as some of the content is related to training needs.

Determine the following:

1. **The employee and non-employee groups who should receive WPV education and training.** Use your WPV Communications plan (**refer to Section 4**) to assist you to identify groups of stakeholders who should receive training.
2. **The overall objectives of WPV education and training activities.** For example, *what are the results you want to achieve* such as, all employees are aware of WPV program and program goals. They know how identify risk for WPV in their work area, and how to address and report incidents of violence etc.
3. **Specific education and training objectives and content for each group (Refer to Tool 6a).** Make sure content is customized to your facility and meets regulatory requirements.
4. **How training objectives will be measured** e.g., at the end of a training session and periodically after training is conducted, to evaluate if training was effective i.e., the ‘transfer of training’.
5. **The best method(s) to deliver training to each group** e.g., computer based training, classroom with lecture, simulations and drills.

Determine how training is conducted within your facility currently and if there are methods of delivering training content that are more effective than others?

6. **When training needs to be conducted for each group, and how often** e.g., at program implementation, and then periodically, for new hires, when violence prevention processes/procedures are changed, or new processes implemented, and when employees are transferred to a new unit that have different training requirements.
7. **If a train-the trainer model could be used to reduce costs and expedite employee training etc.**

Workplace Violence Toolkit – Section 6

- 8. Who will develop the education and training and/or there are existing resources available.** (Refer to **Tool 6a** and **Resources** at the end of this Section for a list of freely available WPV related training tools).

Consider how training materials and delivery will be developed to meet the recipient's educational, language, and cultural needs etc.

If you developed a 'brand' for your WPV program and communications make sure to incorporate that into your training materials and related advertising.

- 9. Who will conduct the training?** Consider how you will ensure that trainers have appropriate knowledge base and skills to conduct training. Will you need assistance from the Clinical Education department if not already involved in program planning, etc.
- 10. If training will be mandatory for each group identified.** Identify a process to address employee non-compliance with mandatory training policy.
- 11. The length of training classes/sessions and capacity for each session that will facilitate maximum learning.**
- 12. The budgetary cost and resources required to implement and evaluate the WPV education and training program.**
- 13. The barriers to implementing the WPV education and training plan and approaches to address them.** For example, the cost of using external training

Some hospitals in the WSI project conducted employee meetings to discuss WPV in health care, introduce the WPV program, and to solicit employee feedback about program activities.

When asked how long should basic WPV training should be for employees:

- Nurses and other direct care staff said 2 hours is preferred. They thought that a computer based module that could be completed over a period, followed by classroom based training with a focus on deescalation to address 'real' world WPV related scenarios would be most effective.
- More in-depth competency based training with simulation should be conducted for Threat Response Teams etc.
- Support service staff such as, EVS employees requested that they also receive training on deescalation techniques that could be offered during staff meetings in addition to completing computer based training.

Workplace Violence Toolkit – Section 6

programs and providers, and/or the time for employees to attend training including cost to provide extra staffing coverage.

You should have identified some of these barriers during the Gap Analysis assessment.

Quick Tip: Offering continuing credit education to nurses and other licensed professionals can help facilitate attendance to training classes. Having a variety of candy available helps too!

14. General logistics of implementing an education and training plan. For example,

- How will you communicate the WPV education and training requirements and advertise classes to employees?
- How and who will employees register for classes and how will attendance be tracked?

- What training space and materials including audiovisual equipment, handout materials etc., will be needed, and who will address these needs?
- Where and how will training records be kept, and for how long? (It is recommended that training records should include the subject matter, time, date, duration of training, instructor's name and affiliation, and competency verification).

Quick Tip: If you do not have the in-house resources with expertise to train employees on every aspect of your WPV program, then the following outside sources may be able to assist you:

- Local Police
 - The Sheriff's department
 - Community based behavioral health groups, clinics and mental health department
 - Oregon OSHA consultation
 - Your worker's compensation insurance carrier (they may also know of other resources)
 - Private training companies Note: Private companies often have strict requirements for class length and frequency for attendees and for hospital based trainers. Make sure classes offered can be customized to incorporate an organization's WPV policy and procedure and the Oregon WPV law.
-

Note: there is no specific requirement in Oregon to maintain WPV training records.

Workplace Violence Toolkit – Section 6

Periodically review and update your WPV Education and Training plan based on feedback from attendees and measurement of objectives.

Implementation of the WPV Education and Training Plan will be discussed in **Section 7**.

Employee and non-employee groups who should receive WPV Education and Training

Hospitals in the WSI project identified the following employee and non-employee groups as needing some degree of WPV Education and Training.

- Hospital in-patient care
 - Staff who will respond to WPV events, such as Code Grey, and/or work in departments/units where risk of patient violence is higher. For example, Emergency and Behavioral Health departments, Intensive care and Medical-Surgical units, Security, Threat Assessment team members, Emergency Management Director.
 - Staff who provide clinical, medical or nursing care to patients, including temporary /contract personnel., e.g., nurses, aides, therapists, medical assistants, social/case workers, diagnostic technicians, medical providers, and religious/spiritual counselors.
- Support staff who work directly with patients/or the public and who may be at risk for violence. For example, patient admissions, discharge coordinators, unit clerks, volunteers, students, pharmacists, transporters, and laboratory technicians.
- Support staff who do not work directly with patients/or the public. For example, Environmental services, Dietary, Linen services, Facilities, Biomed, and information technology.
- Other Staff Groups. For example, senior leadership, directors, managers and supervisors, the WPV committee and program coordinator, patients and visitors, Emergency Medical Services, Union/Labor representatives, local law enforcements and community behavioral health treatment facilities or clinics (not operated by this hospital) in the community; other community agencies.
- Outpatient clinics (if applicable) – all employees
- Home Health (if applicable) – all employees

References

The participant's perspective: learning from an aggression management training course for nurses. Insights from a qualitative interview study (2016). Heckemann, B., Breimaier, H. E., Halfens, R. J., Schols, J. M., & Hahn, S. Scand J Caring Sci; 2016; 30; 574–585.

A workplace violence educational program: A repeated measures study (2014). Gillespie, G. L., Farra, S. L., & Gates, D. M. Nurse Education in Practice 14 (2014) 468-472.

Workplace violence and safety response (2016). Parker, T. Nursing Management; May 2016 31-34.

Violence prevention training for ED staff (2012). Martindell, D. American Journal of Nursing; September 2012, Vol. 112.

Violence prevention and management. Standards for development of training and organisational responses in Victorian health services (2014). Knott, J. Gerdtz, M, Daniel, K, & Dearie, V, & Holsheimer. The Department of Health and Human Services Victoria. Retrieved from https://www2.health.vic.gov.au/getfile/?sc_itemid=%7b16868f1f-cf28-46ca-99ec-9db8ab8786e2%7d&title=Violence%20prevention%20and%20management%3A%20standards%20for%20development%20of%20training%20and%20organisational%20responses%20in%20Victorian%20Health%20Services

Nurses under threat: A comparison of content of 28 aggression management programs (2005). Farrell, G & Cubit, K. International Journal of Mental Health Nursing (2005) 14, 44-53

Workplace violence prevention programs in hospital emergency departments. (2007). Peek-Asa, C., Casteel, C., Allareddy, V., Nocera, M., Goldmacher, S., OHagan, E., Blando, J., Valiante, D., Gillen, M. and Harrison, R., Journal of occupational and environmental medicine, 49(7), 756-763.

Workplace violence prevention for nurses on-line course: Program development (2015). Hartley, D., Ridenour, M., Craine, J., & Morrill, A Work. 2015 June 9; 51(1): 79–89.

Workplace violence training programs for health care workers: an analysis of program elements (2017). Arbury, S., Hodgson, M., Zankowski, D., & Lipscomb, J. Workplace Health & Safety, 65(6), 266-272.

Ensuring staff safety when treating potentially violent patients (2016). Roca, R. P., Charen, B., & Boronow, J. Jama, 316(24), 2669-2670.

Workplace Violence Toolkit – Section 6

ORS 654.412 to 654.423, 'Safety of Health Care Employees' Retrieved from
<https://www.oregonlaws.org/ors/654.412>

OAR Division 60 259-060-0005:0600 'Private security Services Providers Rules'. Retrieved from
http://arcweb.sos.state.or.us/pages/rules/oars_200/oar_259/259_060.html

Resources Related to this Section – Articles

Evaluation of an education and training program to prevent and manage patients' violence in a mental health setting: A pretest-posttest intervention study (2016). Guay, S., Goncalves, J., & Boyer, R. Healthcare (Vol. 4, No. 3, p. 49). Multidisciplinary Digital Publishing Institute

Mayo workers train for workplace violence (Aug 16, 2017). Brian Arola. Mankatofreepress.
http://www.mankatofreepress.com/news/mayo-workers-train-for-workplace-violence/article_eacb6c6c-82c8-11e7-8eba-efb395b73f56.html

Workplace violence in the health care sector: A review of staff training and integration of training evaluation models (2005). Beech, B., and Leather, P. Aggression and Violent Behavior 11(1): 27-43.

Resources Related to this Section – Other

The following training resources and tools are free of charge

Section 7. Tools and Resources 4C: Assessing Staff Education and Training. Pressure Ulcer Toolkit (2011). Agency for Healthcare Research and Quality, Rockville, MD.
<http://www.ahrq.gov/professionals/systems/hospital/pressureulcertoolkit/putool7b.html>

2015 ASHRM Annual Conference & Exhibition.

Preventing workplace violence in health care organizations.
<http://www.businessinsurance.com/article/20151020/VIDEO/151029966>

Alabama Department of Public Health

Safety in the Workplace

Broadcast Date: July 17, 2013 Garrett, T.

Workplace Violence Toolkit – Section 6

This webinar is geared toward healthcare professionals. The speaker discusses how to identify potential risk factors in the work setting and develop a response plan in the event of a violent situation. <http://www.adph.org/ALPHTN/index.asp?id=6289>

California Hospital Association

Workplace Violence Prevention Resources - Workplace Violence Prevention Toolkit

<http://www.calhospital.org/resource/workplace-violence-prevention-resources>

- [Documentation of Workplace Violence Prevention Training](#)

Centers for Disease Control - NIOSH

Workplace Violence Prevention for Nurses CDC/NIOSH. CDC Course No. WB1865 - NIOSH Pub. No. 2013-155. http://www.cdc.gov/niosh/topics/violence/training_nurses.html

Emergency Nurses Association

Workplace Violence Prevention online course. For Emergency Room staff - Online CE course <https://www.ena.org/education/onlinelearning/wvp/Pages/default.aspx>

Health Employers Association of British Columbia (HEABC)

Violence Prevention Training Modules

<http://www.heabc.bc.ca/Page4272.aspx#.VhqnkXI4emQ>

International Labour Organization, International Council of Nurses, World Health Organization, & Public Services International

Framework Guidelines for Addressing Workplace Violence in the Health Sector: The Training Manual

http://www.ilo.org/wcmsp5/groups/public/---ed_protect/---protrav/---safework/documents/instructionalmaterial/wcms_108542.pdf

Journal of the American Medical Association

Ensuring Staff Safety When Treating Potentially Violent Patients-*Article and podcast*

<http://jamanetwork.com/journals/jama/fullarticle/2594721>
<http://jamanetwork.com/learning/audio-player/13911304>

Workplace Violence Toolkit – Section 6

Minnesota Department of Health

- **Online Module: Workplace Violence Training Level 1**
- **HealthEast Violence Prevention Staff Education (PDF)**
- **MN Hospital Association - Resiliency Training PowerPoint (PDF)**

<http://www.health.state.mn.us/patientsafety/preventionofviolence/>

Minnesota Department of Labor and Industry

Violence against health care workers online training module video

This training video was created by the Minnesota Department of Health and Minnesota OSHA Workplace Safety Consultation to help workers learn how to identify, prevent and de-escalate violence as required under Minnesota's Violence Against Health Care Workers law (Minnesota Statutes § 144.566). (created January 2016).

<http://www.doli.state.mn.us/wsc/Wvp.asp>

Minnesota Hospital Association

- **Systems Change in Action/No Two Snowflakes are Alike**
- **Motivational Interviewing/Negotiating Skills**
- **Managing Aggressive & Violent Patients: Legal Considerations**

<http://www.mnhospitals.org/quality-patient-safety/quality-patient-safety-initiatives/workplace-violence-prevention#/videos/list>

Occupational Safety and Health Administration (OSHA)

- **Recommended Practices for Safety and Health Programs: Education and Training**
<https://www.osha.gov/shpguidelines/education-training.html>
- **Best Practices for the Development, Delivery, and Evaluation of Susan Harwood Training Grants.** OSHA 3686-09 2010. Provides a review of how to develop content for safety and health training programs. <https://www.osha.gov/dte/sharwood/best-practices-booklet.pdf>

Workplace Violence Toolkit – Section 6

- **OSHA Workplace Violence Prevention - Health Care and Social Service Workers – Power Point**
<https://www.osha.gov/dte/library/wp-violence/healthcare/>

U.S. Department of Health & Human Services International Committee of the Red Cross.

Health Care in Danger: It's a Matter of Life and Death.

This e-learning training is broken into ten chapters (with links to videos and other resources) and designed to help healthcare personnel understand: the effects of violence on health care, their own rights and responsibilities, and ethical dilemmas they may face in emergencies (2014).

<https://asprtracie.hhs.gov/technical-resources/resource/1920/health-care-in-danger-its-a-matter-of-life-and-death>

Washington Department of Labor & Industries

- Workplace Violence Prevention: Module 1
- Workplace Violence Prevention: Module 2
- Critical Incident Stress Debriefing (CISD) Overview - (online training covering traumatic workplace events, including workplace violence incidents).

<http://www.lni.wa.gov/Safety/Topics/AtoZ/WPV/training.asp>

Worksafe Victoria

- **Public Education Campaign: Up to 95% of our healthcare workers have experienced verbal or physical assault: It's never OK.** <https://www.worksafe.vic.gov.au/campaigns/itsneverok>
- [Guide for Violence and Aggression Training in Victorian Health Services](#)
- [Violence Prevention and Management: Standards for Development of Training and Organisational Responses in Victorian Health Services](#)
- [Minimum Training Standards: Preventing and Managing Clinical Aggression including the use of Physical Restraint](#)

Workplace Violence Toolkit – Section 6

Private training companies most commonly hired in Oregon with WPV training programs for health care (list not all inclusive).

Note: Private companies often have strict requirements for class length and frequency for attendees and for trainers re if they can teach beyond a specific organization. Classes may not be customized to incorporate an organization's WPV policy and procedure and the Oregon WPV law.

- **Crisis Prevention Institute (CPI)** <https://www.crisisprevention.com/>
- **Non-Abusive Psychological Physical Intervention (NAPPI)** <http://www.nappi-training.com/>
- **ALICE (Alert, Lockdown, Inform, Counter, Evacuate)**. Active Shooter training for organizations <https://www.alicetraining.com/>

Training for Security Personnel

- **Lock-Up** <http://www.policecombat.com/#>
- **The International Association for Healthcare Security and Safety (IAHSS)** – Online courses <http://www.iahss.org/>
- **ASIS International** <https://www.asisonline.org/Pages/default.aspx>
- **Security trainers approved by the Oregon DPSST**
<http://www.oregon.gov/dpsst/ps/Pages/index.aspx>

Active Shooter

- **Federal Bureau of Investigation**

Video: Run. Hide. Fight. Surviving an Active Shooter Event

<https://www.fbi.gov/about/partnerships/office-of-partner-engagement/active-shooter-resources>

- **Minnesota Department of Health**

HealthEast Care System Active Shooter Staff Education

<http://www.health.state.mn.us/patientsafety/preventionofviolence/healtheastactiveshooter.pdf>

Workplace Violence Toolkit – Section 6

- **Minnesota Hospital Association**

Hospital Active Shooter: Response & Recovery

<http://www.mnhospitals.org/quality-patient-safety/quality-patient-safety-initiatives/workplace-violence-prevention#/videos/list>

- **MESH Coalition**

Responding to an Active Shooter in a Healthcare Setting

This video provides information on preparing for and responding to an active shooter event in a healthcare setting. Training video based on guidelines established by the Department of Homeland Security (2014). <https://vimeo.com/112455575>

For Home Care Workers

- **Worksafe BC**

Leave When It's Unsafe - Video for home care workers

<https://www.worksafebc.com/en/resources/health-safety/videos/leave-when-its-unsafe?lang=en>

- **Centers for Disease Control - NIOSH**

Workplace Violence Prevention for Nurses CDC/NIOSH. CDC Course No. WB1865 - NIOSH Pub. No. 2013-155.

http://www.cdc.gov/niosh/topics/violence/training_nurses.html

Training Curriculum for Homecare Workers - Caring for Yourself While Caring for Others

<https://www.cdc.gov/niosh/docs/2015-102/default.htm>

- **HEABC - Health Employers Association of BC Modules**

Violence prevention training modules

<http://www.heabc.bc.ca/Page4272.aspx#.VhqnkXI4emQ>

Module 3: Interventions in Community Care

http://www.heabc.bc.ca/ViolencePrevention/Modules/Module_3_Community_Scorn_1.2_Final_V2/Launch.html

Workplace Violence Toolkit – Section 7

Contents

Step13 Implementing the WPV Program.....	7.1
Summary of activities completed to date	7.1
Tips for managing implementation of the WPV program plan and related activities	7.2
Ongoing activities conducted during WPV program implementation	7.4
References and Resources Related to this Section	7.7

Step13

Implementing the WPV Program

Summary of activities completed to date (Sections 1-6)

You should have completed the following activities by this stage of developing or enhancing your WPV program:

- Defined the need for a program or program enhancement.
- Built the foundation for the successful program implementation and maintenance including ensuring support from senior leadership and key stakeholders.
- Identified program goals, and assessed, and prioritized specific hazards and program needs.
- Identified an approach to addressing hazards and program needs based on regulatory requirements and published evidence including best practices, etc.
- Developed a ‘zero-tolerance’ WPV policy including mechanisms to address accountability.
- Have begun the process of changing culture as related to WPV prevention and control.

You have also developed a WPV program plan that describes in detailed strategies for each program activity that is to be implemented that include:

Workplace Violence Toolkit – Section 7

- Roles and responsibilities of staff i.e., committee and others implementing the plan.
- Prioritization of implementation activities based on severity and importance of the hazards and risks to be addressed.
- Resources (budget, personnel and time, etc.) needed and available for implementation, and ongoing support of solutions and new processes.
- Implementation timelines for each program activity.
- Strategies to evaluate, monitor, adapt as needed, and document solutions and processes implemented.
- Communications strategies for engaging stakeholder groups and sharing progress of program implementation and outcomes.
- Plans for sustaining the WPV program. **(Section 9)**
- Education and training plans to help employees learn new practices.
- Strategies to address barriers and facilitators that consider the organization's culture and readiness to change and thus enable program implementation.

Tips for managing implementation of the WPV program plan and related activities

Successful implementation of any safety program takes time and can be facilitated by applying principles of project management. Find out if your organization e.g., from Quality or Safety departments, uses any specific project management tools or templates.

Use project management software if available or adapt project planning tools provided in this toolkit.

The **Reference** documents provided at the end of this *Section* provide more information and tools about project management and program implementation.

Identify any solutions and/or processes that are easy to implement (i.e. low hanging fruit), and that could produce 'quick wins' that facilitate employee and management engagement and support.

Plan implementation strategies to suit the level of resources available e.g., a large hospital may have resources to implement several activities in the same time period whereas, a smaller hospital may have to implement activities sequentially as resources are available.

Workplace Violence Toolkit – Section 7

Determine if you need to pilot or trial some solutions and/or processes e.g., to ensure a solution or new process does not create new issues or unintended consequences.

A plan to implement any pilot/trial activities - Refer to **Table 7.1**.

A continuous performance improvement approach to implementing programs requires that implementation strategies should be flexible so as you review progress, you can modify or change your approach and address emerging issues based on feedback and results.

Monitor progress (including use of budgetary expenses) and respond quickly to information or data that indicates that implementation activities not going as planned.

Do not forget to communicate proposed and actual changes in program implementation etc., to stakeholders and solicit their input as appropriate.

The program coordinator and WPV committee should periodically *step back* from reviewing the details of implementing specific activities to view the big picture perspective when monitoring program progress. It is easy to get sidetracked or stuck spending a majority of committee time on a one activity.

Its important to remember that even though you have chosen solutions to address WPV that are based on the best available information, as discussed in **Section 1** of this Toolkit, there is insufficient evidence to indicate which WPV prevention program elements, or *combination* of program elements are more effective in preventing and managing violence in health care. Hence flexibility and careful planning and monitoring of program implementation strategies and outcomes is key.

In addition, when choosing how to implement solutions that will change behaviors or practice in health care, a combination of various different approaches is more effective (RNAO, 2012).

Additional project management resources

- **Usability.gov Project Management Basics**
<https://www.usability.gov/what-and-why/project-management.html>
- **University of California, Davis Organizational Excellence**
http://oe.ucdavis.edu/local_resources/docs/projectmanagementtraining.pdf
<http://oe.ucdavis.edu/resources/index.html>
- **AHRQ Project Planning and Management**
<https://healthit.ahrq.gov/health-it-tools-and-resources/evaluation-resources/workflow-assessment-health-it-toolkit/all-workflow-tools/project>

Workplace Violence Toolkit – Section 7

Ongoing activities conducted during WPV program implementation

In addition to implementation, and or pilot testing of solutions and new processes to prevent and control WPV as detailed in your program plan, the following activities will be conducted on an ongoing basis:

1. WPV committee and subcommittee or workgroup meetings.
 - During implementation of some WPV activities such as, a patient assessment tool, you may need to meet frequently e.g., weekly, as a committee or workgroup to be able to meet implementation timelines and stay focused on relevant activities.
2. Ensuring (with management assistance) that the WPV policy, expectations, and roles related to the WPV program is clearly communicated (and posted), to all stakeholders including employees & labor representatives, patients, and visitors.
3. Implementation of your communication and education and training activities as detailed in your WPV Communications and Education plans.
 - Typically, you will start with communication and education of directors (senior managers) and unit/department managers as discussed in **Section 4**.
4. Evaluation of implementation activities.
5. Reporting program implementation progress.
 - Provide periodic updates as determined previously with the leadership group.
 - Provide periodic updates to all other stakeholders as identified in your WPV Program Communications Plan.
 - Document progress of program implementation and process improvements or changes you have made to the implementation plan. Note, which implementation strategies that were effective, and not effective, and overall lessons learned, to aid with future program management.
 - Communicate program goals, implementation activities and progress using visual aids such as dashboards, that are posted for easy access by stakeholders.

Tips for piloting a WPV solution/process

Conducting pilot test allows you to:

- Evaluate the feasibility (including how the solution interfaces with existing care delivery procedures and processes, the physical environment, and work culture, etc.) of a WPV program solution or process prior to full scale implementation.
- Identify if there are any unintended consequences of the intervention e.g., the solution had a negative impact on patient care or created other safety issues.
- Evaluate how well the proposed intervention will meet desired objectives e.g., to what degree is risk of WPV reduced and/or controlled.
- Prevent waste of resources such as money and time.
- Solicit employee feedback about the intervention and provides a foundation for culture change and successor of the intervention.
- Minimize disruption of work processes.

Planning and conducting a pilot test

Are you testing the intervention with the correct group of stakeholders and in the most appropriate work areas? Are there areas where staff are more likely to embrace the opportunity for improvement and adopt new processes more easily?

- Avoid conducting a pilot test in a work area where other new projects are being implemented that may strain resources and staff time to participate in your pilot.
- Identify steps needed to prepare for the pilot test.
- Determine how you will evaluate the intervention(s) i.e., what data will you need to really know your interventions are making a difference. **(Refer to Section 8)**
- Communicate your pilot testing plans to all stakeholders involved.
- Provide training/instruction as needed to stakeholders involved in the pilot testing.
- Use employee surveys and interviews and observation (if appropriate) to solicit feedback.
- Ensure solution(s) did not cause new problems.
- Evaluate the pilot outcomes and process.
- Making necessary changes to the intervention based.

Tips for piloting a WPV solution/process

- Implement on full scale after careful planning & obtaining leadership and stakeholder commitment.
- Have staff from the pilot area to share their experience and lessons learned with other units.

Table 7.1

Change Management Resources

The process of implementing a WPV program involves asking stakeholders and the overall organizing to change. The following resources may be helpful in understanding how change occurs, and the most appropriate strategies to choose when implementing your WPV program.

- **TeamSTEPPS Implementation Guide 2.0, AHRQ**
<https://www.ahrq.gov/teamstepps/instructor/essentials/implguide1.html>
- **Change Management in Healthcare: A Literature Review (2014)**
Michael Antwi, M& Kale, M. Smith School of Business at Queen's University, Toronto, Ontario, Canada
https://smith.queensu.ca/centres/monieson/knowledge_articles/monieson-cihr-change-management-in-healthcare-report.php
- **Change for Improvement Institute for Healthcare Improvement**
<http://www.ihl.org/resources/Pages/Changes/default.aspx>
- **Implementation of Best Practice Guidelines (2nd ed.). (2012).** Toronto, ON: Registered Nurses' Association of Ontario (RNAO).
<http://rnao.ca/bpg/resources/toolkit-implementation-best-practice-guidelines-second-edition>

Workplace Violence Toolkit – Section 7

References and Resources Related to this Section

Implementation of Best Practice Guidelines (2nd ed.). (2012). Toolkit. Registered Nurses' Association of Ontario (RNAO). Toronto, ON. <http://rnao.ca/bpg/resources/toolkit-implementation-best-practice-guidelines-second-edition>

Preventing Pressure Ulcers in Hospitals. Content last reviewed October 2014. Agency for Healthcare Research and Quality, Rockville, MD.
<http://www.ahrq.gov/professionals/systems/hospital/pressureulcertoolkit/index.html>

The OSSIE Toolkit for the implementation of The Australian Guidelines for the Prevention of Infection in Health Care (2010). Australian Commission on Safety and Quality in Healthcare.
<https://www.safetyandquality.gov.au/publications/the-ossie-toolkit-for-the-implementation-of-the-australian-guidelines-for-the-prevention-of-infection-in-health-care-2010/>

Workplace Violence Toolkit (2010). Emergency Nurses Association (ENA).
https://www.ena.org/docs/default-source/resource-library/practice-resources/toolkits/workplaceviolencetoolkit.pdf?sfvrsn=6785bc04_16

TeamSTEPPS Implementation Guide (2014). Agency for Health Care Research and Quality. Rockville, MD.
<https://www.ahrq.gov/sites/default/files/wysiwyg/professionals/education/curriculum-tools/teamstepps/instructor/essentials/implguide.pdf>

Workplace Violence Toolkit – Section 8

Contents

Step14 Evaluating the WPV Program	8.1
Why evaluate the WPV program?	8.1
What should be evaluated?	8.2
When should the WPV program be evaluated?.....	8.3
Who should evaluate WPV program?	8.4
Communicating Program Results.....	8.4
Documenting and Recordkeeping.....	8.5
Oregon OSHA requirements for Recordkeeping	8.6
Guidelines References and Resrouces Relevant to this Section.....	8.8

Step14

Evaluating the WPV Program

Why evaluate the WPV program?

WPV programs cannot be managed and sustained without clearly defined measurement systems. Program evaluation is an ongoing process to determine the relevance, progress, efficiency, effectiveness, and impact of WPV prevention and control activities.

Effective ongoing evaluation of your WPV program will assist the WPV committee to adapt the program and be responsive to meet changing circumstances and needs.

Evaluation measures should indicate both progress with the program and should indicate success when it is reached.

Overall, evaluation of WPV solutions and the program implementation process plays an important role in changing employee behaviors and achieving program goals.

Tools that support content in this Section

[8a. Program Measurement Plan](#)

Workplace Violence Toolkit – Section 8

Ongoing evaluation of program outcomes and processes allows you to determine:

- The effectiveness of solutions and processes i.e., how well did they mitigate hazards and/or risk for WPV? Did they eliminate or reduce the risk of WPV to an acceptable level?
- Analysis of trends and rates in the number of incidents, illnesses, injuries or fatalities caused by violence relative to initial or “baseline” rates on a periodic basis.
- Measurement of improvement based on lowering the frequency and severity of workplace violence.
- If there are any overlooked hazards.
- Any unintended positive or negative consequences of solutions and processes implemented.
- If there is ongoing compliance with procedures.
- If solutions and processes work well in context of the organization’s culture in the present and future state.
- The relevance of solutions and processes over time with consideration to changes in delivery of patient care or to the physical environment, etc.

As a result of the evaluation process the WPV Committee can use lessons learned to identify ways to improve ineffective program solutions or processes and thus, guide implementation of future WPV program activities as part of a performance improvement approach.

What should be evaluated?

When determining how to evaluate your WPV program consider:

- How data will be collected, analyzed and reported? Consider methods and tools needed, target population e.g., when surveying employees, patients and/or specific units/departments etc.
- How will you share the evaluation data with all stakeholders?
- How will you follow-up in response to the data collected and processes evaluated?

Consider budget, staff, sample documents & templates, external assistance needed.

Workplace Violence Toolkit – Section 8

The same methods and tools that were used for collecting baseline data at the start of WPV program planning, can be used to collect post implementation data. This will allow comparison of pre-and post-implementation results.

When assessing newly implemented program processes and procedures such as a patient assessment for violence, or post incident response procedures, evaluate each step of the process to make sure it is necessary, functional, and is effective.

Tool 8a provides examples of outcome and process data that can be used to evaluate your WPV program.

Sections 2 and 3 provide descriptions of tools and methods that you can use to evaluate your WPV program.

The program evaluation methods may change depending effectiveness of data collection methods and as the program matures. If you introduce new assessment tools be sure to use the first data collection as a baseline in which to compare other data collected during re-evaluation.

When should the WPV program be evaluated?

Program efforts should be evaluated:

- At baseline i.e., the start of the program planning.
- During WPV program implementation to evaluate progress of new processes and adapt as needed.
- After initial WPV program implementation to assess solutions and program implementation processes.
- On an ongoing basis to identify and correct issues.
- Formally and in depth at least once a year.
- When changes occur in the workplace e.g. change in delivery of care, patient population, or structural modifications are made to the building or a department, etc.
- As a result of recommendations from investigation of violence related incidents.

Workplace Violence Toolkit – Section 8

Scheduling and frequency of evaluation activities will vary depending on:

- The type of evaluation e.g., safety and security assessments of the physical environment should be conducted more frequently than other activities such as, conducting employee surveys, because the activity facilitates identification and prevention of hazards *before* an incident occurs.
- How long you consider it will take to enable change to occur when implementing new procedures, etc.
- Resources that are available.

Who should evaluate WPV program?

The WPV Committee and other key stakeholders including direct care staff should be involved in program evaluation. Stakeholder such as unit managers can help provide context for information being reviewed in relation to a specific unit or department.

Communicating Program Results

Regular meaningful communication with employees helps maintain their engagement with program efforts and facilitates opportunities for continuous improvement.

Ways to share outcomes, successes and program progress with all stakeholders should be included in your WPV Communications plan - Refer to **Section 4**.

Using multiple media to disseminated information is more effective than a single delivery method e.g., showing positive program trends on visibly displayed large wall charts together with conducting brief updates at staff meetings.

Include information about how employees find out more about the program and ask questions, e.g., provide contact information for the WPV program coordinator and WPV committee members.

Having a dedicated webpage or repository on the facility intranet for all WPV program related information can be an effective vehicle for ongoing communication to employees.

It is also important to communicate to employees if, and why, a solution or process did not have the desired results, and why it may not be feasible to implement solutions that employees

Workplace Violence Toolkit – Section 8

may have suggested. Providing this feedback to employees can assist to maintain employee involvement in the program.

Consider sharing your program efforts with your local community e.g., writing articles in local publications and working with local media to spotlight your program efforts.

Documenting and Recordkeeping

Document all program and evaluation activities and outcomes etc., is essential to effective management of the WPV program and for some activities is required by law.

OSHA recommends the following are documented:

- OSHA Log of Work-Related Injuries and Illnesses (OSHA Form 300 and 301) – mandatory for some employers per OAR 437-001-0700 Recording Workplace Injuries and Illnesses;
- Health Care Assault log - mandatory for Hospitals and ambulatory surgical centers in Oregon per OAR 437-001-0706, 'Recordkeeping for Health Care Assaults';
- Medical reports of work injury, workers' compensation reports and supervisors' reports for each recorded assault - e.g. DCBS Form 801 for some employers in Oregon (mandatory);
- Records of incidents of abuse, reports conducted by security personnel and threat response teams, verbal attacks or aggressive behavior that may be threatening;
- Information on patients with a history of past violence, drug abuse or criminal activity recorded on the patient's chart;
- Documentation of minutes of safety meetings*, records of risk assessment/hazard analyses and corrective actions recommended and taken;
- Keeping up-to-date records of administrative and work practice changes to prevent workplace violence to evaluate how well they work;
- Tracking recommendations through to completion;
- Survey of workers before and after making job or worksite changes or installing security. Measures or new systems to determine their effectiveness;
- Records of all training programs, attendees, and qualifications of trainers.

Patient and employee confidentiality should be ensured and guaranteed.

Workplace Violence Toolkit – Section 8

*In Oregon, unless you are the sole owner and the only employee of a corporation, employers must have a worker safety committee (separate from a patient safety committee) or hold safety meetings, and retain and post the minutes of these meetings for employees to view. For more information go to <http://osha.oregon.gov/Pages/topics/safety-committees-and-meetings.aspx>

Oregon OSHA requirements for Recordkeeping related to WPV

[ORS 654.412 to 654.423, ‘Safety of Health Care Employees’](#) and [OAR 437-001-0706, ‘Recordkeeping for Health Care Assaults’](#) require that employers keep records of assaults against employees as described in **Table 8.1**.

ORS 654.416 ‘Safety of Health Care Employees’ Required records of assaults against employees; contents; rules
<p>(1) A health care employer shall maintain a record of assaults committed against employees that occur on the premises of the health care employer or in the home of a patient receiving home health care services. The record shall include, but need not be limited to, the following:</p> <ul style="list-style-type: none">(a) The name and address of the premises on which each assault occurred;(b) The date, time and specific location where the assault occurred;(c) The name, job title and department or ward assignment of the employee who was assaulted;(d) A description of the person who committed the assault as a patient, visitor, employee or other category;(e) A description of the assaultive behavior as:<ul style="list-style-type: none">(A) An assault with mild soreness, surface abrasions, scratches or small bruises;(B) An assault with major soreness, cuts or large bruises;(C) An assault with severe lacerations, a bone fracture or a head injury; or(D) An assault with loss of limb or death;(f) An identification of the physical injury;(g) A description of any weapon used;

Workplace Violence Toolkit – Section 8

ORS 654.416 ‘Safety of Health Care Employees’ Required records of assaults against employees; contents; rules
<p>(h) The number of employees in the immediate area of the assault when it occurred; and</p> <p>(i) A description of actions taken by the employees and the health care employer in response to the assault.</p> <p>(2) A health care employer shall maintain the record of assaults described in subsection (1) of this section for no fewer than five years following a reported assault.</p> <p>A Record of assaults shall be kept on ‘A Health Care Assault Log’ which can be found together with instructions for use at http://osha.oregon.gov/Pages/re/healthcare-assault-log.aspx</p>

Table 8.1.

For more information on compliance with Oregon OSHA requirements for recording and reporting injuries, illnesses, and fatalities and violence prevention regulations go to:

<http://osha.oregon.gov/Pages/topics/recordkeeping-and-reporting.aspx> and
<http://osha.oregon.gov/rules/Pages/division-1.aspx#recordkeeping>

Workplace Violence Toolkit – Section 8

References and Resources Related to this Section

Caring for Our Caregivers. Preventing Workplace Violence: A Road Map for Healthcare Facilities (December 2015). Occupational Safety and Health Administration (OSHA).
<https://www.osha.gov/Publications/OSHA3827.pdf>

Guidelines for Preventing Workplace Violence for Healthcare and Social Service Workers (2015.) Occupational Safety and Health Administration (OSHA).
<https://www.osha.gov/Publications/osha3148.pdf>

Implementation of Best Practice Guidelines (2nd ed.). (2012). Toolkit. Registered Nurses' Association of Ontario (RNAO). Toronto, ON. <http://rnao.ca/bpg/resources/toolkit-implementation-best-practice-guidelines-second-edition>

The OSSIE Toolkit for the implementation of The Australian Guidelines for the Prevention of Infection in Health Care (2010). Australian Commission on Safety and Quality in Healthcare.
<https://www.safetyandquality.gov.au/publications/the-ossie-toolkit-for-the-implementation-of-the-australian-guidelines-for-the-prevention-of-infection-in-health-care-2010/>

Preventing and Managing Violence in the Workplace (2009). Registered Nurses' Association of Ontario (RNAO). Toronto, Ontario, Canada. http://rnao.ca/sites/rnao-ca/files/Preventing_and_Managing_Violence_in_the_Workplace.pdf

Preventing Violence in Health Care: Five Steps to an Effective Program (2005). Worksafe BC
www.worksafebc.com

Workplace Violence Toolkit (2010). Emergency Nurses Association (ENA).
https://www.ena.org/docs/default-source/resource-library/practice-resources/toolkits/workplaceviolencetoolkit.pdf?sfvrsn=6785bc04_16

Contents

Step16 Sustaining the WPV Program	1
Proactive Injury Prevention	2
Activities that can assist to sustain a WPV Program	4
References and Resources Related to this Section	6
Facilities Design	6

Program Improvement & Sustainability

Step16

Sustaining the WPV Program

It is critical that there is a clear plan of activities that will be conducted to facilitate the organization's ability to sustain WPV program efforts.

One of the greatest challenges to sustaining any safety program is the impact of frequent employee turnover that occurs in health care. Changes in senior leadership can impact overall organizational safety culture and shift the service focus within an organization, and changes in mid-level management can impact safety culture within units and departments. Ongoing turnover of other employees can present a challenge when maintaining standardized hazard prevention procedures, and safety culture within a team or work groups. Employee turnover also impacts program resources (budget, personnel etc.), as related to ongoing employee education and training etc.

The information about WPV program development provided in this toolkit is modeled on evidence based best practices for the design of sustainable employee and patient safety programs. If you use the program elements and related activities recommended in this toolkit to develop and implement a WPV program that is customized to your organization or facility, then you will have built a strong foundation that will allows you to successfully sustain your program.

Workplace Violence Toolkit – Section 9

Remember, a safety program cannot be sustained effectively by one person e.g., the WPV program coordinator, or a safety or security manager. Successful safety programs are those that use an interdisciplinary and multifaceted approach that is integrated into the organization's culture. In other words, WPV prevention and control becomes just a normal *part of everyday work*.

Chapter 6 'Sustain Knowledge' of The Implementation of Best Practice Guidelines (2nd ed.). (2012). *Toolkit by the Registered Nurses' Association of Ontario (RNAO)*, provides further discussion about best practice to sustain best practices in health care.

<http://rnao.ca/bpg/resources/toolkit-implementation-best-practice-guidelines-second-edition>

Proactive injury prevention

Tracking injury rates and reviewing incident reports when performing ongoing evaluation of your WPV program allows you to determine if the frequency and severity of WPV related injuries are declining, and to plan strategies to prevent hazards or situations from occurring again after an incident. However, these are measurements of *past performance* (i.e., lagging indicators). They are not reliable indicators of what will happen related to the future performance of the organization or facility, nor do they allow you to mitigate hazards and risk before an incident occurs.

One of the key activities in sustaining a successful WPV program is the implementation of activities that allow you to *prevent* WPV related incidents instead of *reacting* to them.

You have already started to incorporate proactive strategies into your WPV plan when conducting staff surveys, and safety and security assessments of the physical environment, to identify and address hazards before WPV related incidents occur.

Proactive strategies as identified in **Tool 8a**, that should be used to sustain your WPV program include periodic:

- Safety and security assessments of the physical environment
- Staff and patient surveys and interviews
- Review of your program and all related processes

Workplace Violence Toolkit – Section 9

- Implementing a process to facilitate development and integration of design principles facility wide that enhance security and employee safety when work areas/departments are remodeled and when new construction occurs.

Note: This process should involve design and construction departments or facilities planning and engineering, and other key departments as necessary, the WPV committee, and the managers and employees, affected by the change.

The process should mandate that the WPV committee be notified at the concept phase of a construction project so that they can review safety and security needs immediately. Incorporating safety and security design principles at the concept stage of a project is far less costly than having to retrofit or incorporate a solution after construction is completed etc.

In addition, design a process that ensures the WPV Committee is notified and involved if someone e.g., a department manager, is considering purchasing any safety or security related equipment or tools; developing or changing existing WPV related procedures; or when new patient care processes are to be implemented etc.

Do not forget when implementing changes to work areas or introducing new safety/security equipment etc., to conduct user testing/evaluation before the change or purchase occurs to facilitate successful implementation. Considerations for conducting *Pilot Testing* are discussed in **Section 7**.

Other activities that can assist to proactively address WPV hazards and risk include:

- Identifying security/violence prevention related issues as part of regular safety and Environment of Care rounds.
- Ensuring that a process is in place to address hazards that are identified e.g., high hazard issues are addressed immediately with report back to the WPV Committee. Non-immediate issues are elevated to the WPV Committee to be addressed.
- Establishing an ongoing relationship with local law enforcement and educating them about the nature and challenges of working with potentially violent patients.
- Periodic review by local law enforcement representatives, workers compensation insurer, private consultants and/or other expert third-party experts to evaluate program processes and procedures. *Note:* Oregon OSHA consultation services can also provide a consultant *free of charge* to review of your WPV program.

Activities that can assist to sustain a WPV Program

Patient and employee safety literature provides many other examples of activities that can assist to facilitate culture change and sustain safety related programs, that the WPV Committee can review, and incorporate into the program based appropriateness for your organization.

These include:

- Executive rounding and other existing rounding practices that engage employees and include a focus on worker and patient safety.
- Department based, and organization wide safety huddles.
- Hand-off practices at shift change that incorporate clear communication about patients (and visitors/families) at risk for violence etc.
- Unit based safety coaching conducted by members of the WPV Committee and/or unit based safety champions or coaches. Coaches can review how employees are addressing care needs and management of patients at risk of violence etc., and provide 'just-in' time training as needed.
- Ongoing staff training including training for new hires, periodic refresher training, and training when there is a change in practice or procedure etc. (as detailed in the WPV Education plan). Adapt periodic training to keep it 'fresh' and new as feasible to facilitate continued employee support and enthusiasm about the program.
- Ongoing marketing and communications efforts (as detailed in the WPV Communications plan).
- Processes to develop and implement recommendations/actions from safety huddles/employee ideas and suggestions.
- Continue to celebrate successes and sharing of program activities, milestones met, outcomes and lessons learned with all stakeholders. This includes including program goals on the senior leadership dashboard or other primary communication tool for monthly or quarterly review.
- A process in place to recognize and reward employee ideas and safety behaviors, and to disseminate learnings i.e., how they made an impact on a patient, family member or another employee as appropriate.
- For example, having employees or teams that demonstrate safety behaviors or have ideas that prevent WPV etc., share them with leadership or have a place recognize these

Workplace Violence Toolkit – Section 9

employees that is visible to their coworkers, management and patients e.g., safety boards on units.

- Take care not to reward employees or departments for the achieving the lowest injury rate as this can motivate employees *not to report* safety related incidents including those related to WPV. Given that WPV is hugely underreported in health care it is important that recognition programs reward desired safety behaviors etc. This approach can help to facilities further change and compliance with WPV program process and policy.

As your WPV program matures (after initial successes and high-risk hazards are addressed) revisit the structure and membership of your WPV committee. Do some members want to be replaced with other coworkers from the same department? Are there other stakeholders that should be on the committee? Could the work of the WPV be conducted by the facility employee safety committee? This may be necessary in smaller facilities where personnel resources are limited etc.

As the program matures consider how to employee or department based safety teams to audit work areas and solve problems.

Keep update to date about new strategies and evidence available to prevent and respond to violence in the health care as they develop.

All of the above activities, and many of those already described throughout this toolkit help to achieve ongoing management and employee engagement and support for the WPV program.

As discussed in **Section 1** of this toolkit, WPV prevention is relatively new in health care so consider sharing information about your WPV program and lessons learned with other health care professionals and organizations through:

- Publication of articles in peer review safety and health, nursing and health care leadership journals, and other service trade publications.
- Presentations made at local, state, and national health care related conferences, for example the Oregon Governor's Safety and Health conference which is held every two years in Portland (*the next one is in 2018 – contact Oregon OSHA for more information*).

Workplace Violence Toolkit – Section 9

References and Resources Related to this Section

Executive Rounds for Safety (2013). Washington State Hospital Association, Seattle, WA.
www.WSHA.org

Implementation of Best Practice Guidelines (2nd ed.). (2012). Toolkit. Registered Nurses' Association of Ontario (RNAO). Toronto, ON. <http://rnao.ca/bpg/resources/toolkit-implementation-best-practice-guidelines-second-edition>

The OSSIE Toolkit for the implementation of The Australian Guidelines for the Prevention of Infection in Health Care (2010). Australian Commission on Safety and Quality in Healthcare.
<https://www.safetyandquality.gov.au/publications/the-ossie-toolkit-for-the-implementation-of-the-australian-guidelines-for-the-prevention-of-infection-in-health-care-2010/>

Patient Safety Transforming Culture (2013). Washington State Hospital Association, Seattle, WA. www.WSHA.org

Preventing and Managing Violence in the Workplace (2009). Registered Nurses' Association of Ontario (RNAO). Toronto, Ontario, Canada. http://rnao.ca/sites/rnao-ca/files/Preventing_and_Managing_Violence_in_the_Workplace.pdf

Preventing HealthCare Workplace Violence Toolkit (2017). Washington State Hospital Association, Seattle, WA. www.WSHA.org

Facilities Design

Common Mistakes in Designing Psychiatric Hospitals: An Update (2015). The Facilities Guidelines Institute.
<http://www.fgiguideelines.org/resource/common-mistakes-in-designing-psychiatric-hospitals-an-update/>

Design Research and Behavioral Health Facilities (2013). The Center for Health Care Design
<https://www.healthdesign.org/chd/knowledge-repository/design-research-and-behavioral-health-facilities>

Emergency Care: Reducing violence and aggression in A&E through better experience (2014). Ridge, M., Gaw, K., & Hopper, R. World Health Design. www.worldhealthdesign.com

Workplace Violence Toolkit – Section 9

Guidelines for Design and Construction of Hospitals and Outpatient Facilities 2014. Facilities Guidelines Institute. http://www.fgiguideguidelines.org/guidelines2014_HOP.php *Note these guidelines will be updated in 2018.*

Mental Health Facilities Design Guide December (2010). Department of Veterans Affairs. <https://www.cfm.va.gov/til/dGuide/dgMH.pdf>

Mental and behavioral health environments: critical considerations for facility design (2016). Shepley, M. M., Watson, A., Pitts, F., Garrity, A., Spelman, E., Kelkar, J., & Fronsman, A. *General Hospital Psychiatry*, Volume 42, 15 – 21.

New strategies in ED design (2015). Mazzi, A. *Health Facilities magazine*. <https://www.hfmmagazine.com/articles/1451-new-strategies-in-ed-design>

Prototyping collaborative relationships between design and healthcare experts: mapping the patient journey (2017). Reay, S. D., Collier, G., Douglas, R., Hayes, N., Nakarada-Kordic, I., Nair, A., & Kennedy-Good, J. *Design for Health*, 1(1), 65-79.

Provincial Quality, Health & Safety Standards and Guidelines for Secure Rooms in Designated Mental Health Facilities under the B.C. Mental Health Act. Published June 2014 (Victoria, B.C.) British Columbia Provincial Mental Health and Substance Use Planning Council www.health.gov.bc.ca/healthy-minds/publications.html

Reducing violence and aggression in A&E through better experience (2011). Design Council UK. <https://www.designcouncil.org.uk/sites/default/files/asset/document/ReducingViolenceAndAggressionInAandE.pdf>

Security Design Guidelines for Healthcare Facilities 2016. International Association for Healthcare Security and Safety (IAHSS). <http://www.iahss.org>

Secure Rooms and Seclusion Standards and Guidelines: A Literature and Evidence Review (2012). BC Ministry of Health, British Columbia, Canada. <http://www.health.gov.bc.ca/library/publications/year/2012/secure-rooms-seclusion-guidelines-lit-review.pdf>

7 new factors shaping hospital emergency departments (2015). Plotnick, M. *Building Design and Construction*. <https://www.bdcnetwork.com/7-new-factors-shaping-hospital-emergency-departments>

Workplace Violence Toolkit – Section 10

Contents

Additional Resources – Miscellaneous	1
Long Term Care.....	3
Home Health/Community Workers.....	3
Lateral Violence/Bullying	5
Domestic Violence	7

Additional Resources – Miscellaneous

A multi-component patient-handling intervention improves attitudes and behaviors for safe patient handling and reduces aggression experienced by nursing staff: A controlled before-after study (2017). Risør, B. W., Casper, S. D., Andersen, L. L., & Sørensen, J. Applied ergonomics, 60, 74-82.

Exposure to Stress: Occupational Hazards in Hospitals. NIOSH (2008).

<http://www.cdc.gov/niosh/docs/2008-136/pdfs/2008-136.pdf>

Framework Guidelines for Addressing Workplace Violence in the Health Sector: The Training Manual (2005). International Labor Organization, International Council of Nurses, World Health Organization, and Public Services International. http://www.ilo.org/wcmsp5/groups/public/---ed_protect/---protrav/---safework/documents/instructionalmaterial/wcms_108542.pdf

Health and safety survey (2011). American Nurses Association (ANA).

<http://www.nursingworld.org/2011HealthSurveyResults.aspx>

Linking Services and Safety: Together Creating Safer Places of Service Findings and recommendations from a working group on violence and aggression in the healthcare sector (2008). Health Services Executive Ireland.

http://www.hse.ie/eng/staff/Resources/hrstrategiesreports/Linking_Service_Safety_Summary.pdf

New York State Department of Labor Workplace Violence Prevention Program Guidelines

<http://tinyurl.com/q6x5t3s>

Workplace Violence Toolkit – Section 10

The influence of personal dispositional factors and organizational resources on workplace violence, burnout, and health outcomes in new graduate nurses: A cross-sectional study (2012). Laschinger, H. K. S., & Grau, A. L. International journal of nursing studies, 49(3), 282-291.

The Relationship Between Shiftwork and Violence Against Nurses: A Case Control Study (2017). Sun, S., Gerberich, S.G., Ryan, A.D. Workplace Health Safety. Dec;65(12):603-611. Epub 2017 May 23.

The Washington State Psychiatric Hospital Work, Stress, and Health Project: Final Report to Washington DSHS and Eastern State Hospital (2012). Unpublished Technical Report. Yragui, N. L., Johnson, W., & Demsky, C. A.
<http://www.lni.wa.gov/safety/research/files/wapsychhospitalworkstressandhealthproject87-3-2012.pdf>

Violence in the Health Sector. Proceedings of the Fourth International Conference on Violence in the Health Sector Towards safety, security and wellbeing for all (2014). 22 – 24 October 2014, Miami (FL), USA.
<http://www.oudconsultancy.nl/Resources/Proceedings%204th%20Workplace%20Violence.pdf>

Violence in the Workplace: Policy and Procedures Manual for Human Resource Professionals (2010). Connecticut State Dept. of Developmental Services.
www.ct.gov/dmhas/lib/dmhas/publications/WPVManual.pdf

University of Washington Department of Environmental and Occupational Health Sciences School of Public health

- **Workplace Violence Resource Page resources for professionals across a *variety of industries*.**
https://osha.washington.edu/pages/workplace-violence-resource-page?inf_contact_key=5fd29e0609d6eb6a265f1f86e44b8f5956edad622626cf626fc4dcc a1d762657

Canadian Centre for Occupational Health and Safety

- **Violence in the Workplace - Warning Signs for Violence**
https://www.ccohs.ca/oshanswers/psychosocial/violence_warning_signs.html

Prevention of Violence in the Workplace British Columbia Interactive toolkit
<http://innovation.ghrp.ubc.ca/povdemo/>

Workplace Violence Toolkit – Section 10

WorkSafe BC Violence Prevention Resources for Health Care

<https://www.worksafebc.com/en/health-safety/hazards-exposures/violence>

Books

Handbook of Modern Hospital Safety, Second Edition (2009). Charney, W. CRC Press, Jul 28, 2009.

Long Term Care

Musculoskeletal pain and reported workplace assault: a prospective study of clinical staff in nursing homes (2014). Miranda, H., Punnett, L., Gore, R.J. Hum Factors. 2014 Feb;56(1):215-27.

Perceptions and implications of violence from care home residents with dementia: a review and commentary (2011). Scott, A., et. al. Int. J Older People Nurs. 2011 Jun;6(2):110-22.

Worksafe BC 2009–Violence in LTC

<https://www.youtube.com/watch?v=OZmmti-rL90>

Home Health/Community Workers

Refer to Section 6 for more information about training for Home Care Workers

A communication skills intervention for community healthcare workers reduces perceived patient aggression: A pretest / post-test study (2014). Swain, N., Gale, C., International Journal of Nursing Studies, 51, 9, 1241.

A risk assessment screening tool for community health care workers (2010). Lundrigan, E., Hutchings, D., Mathews, M., Lynch, A., & Goosney, J. *Home Health Care Management & Practice*, 22(6), 403-407.

Assessing risk for violence on home health visits. McPhaul K et. al. Home Healthc Nurse. 2010 May;28(5):278-89.

Fast Facts: Home Health Care Workers. How to Prevent Violence on the Job, DHHS (NIOSH) Publication (2012). <http://www.cdc.gov/niosh/docs/2012-118/pdfs/2012-118.pdf>

Prevalence of Violence Toward Community Nurses: A Questionnaire Survey (2017). Gabrovec B. Workplace Health Safety. Nov;65(11):527-532. Epub 2017 Apr 17.

Workplace Violence Toolkit – Section 10

Risk Assessment Tool and Safety Program Keep Home Care Workers Safe (2011) ECRI
<http://westernhealth.nl.ca/uploads/research/Risk-Assessment-home-care-workers.pdf>

Violence, job satisfaction, and employment intentions among home healthcare registered nurses (2009). Canton A.N. et. al. Home Health Nurse. 2009 Jun;27(6):364-73.

Workplace health and safety issues among community nurses: a study regarding the impact on providing care to rural consumers. (2015). Terry, D., Lê, Q., Nguyen, U., et al. BMJ Open. (5). <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4538262/pdf/bmjopen-2015-008306.pdf>

Workplace violence prevention policies in home health and hospice care agencies (2013). Gross, N., Peek-Asa, C., Nocera, M., et al. The Online Journal of Issues in Nursing. 18(1): Manuscript 1. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4538262/>

American Hospital Association

Podcast: Hospitals Against Violence: The Impact of Violence on Home Health Care Providers February 2017
<http://www.aha.org/advocacy-issues/violence/17homehealthpodcast.shtml>

NIOSH

Training Curriculum for Homecare Workers

Caring for Yourself While Caring for Others is a free curriculum developed by NIOSH to assist trainers in meeting the health and safety training needs for homecare workers with respect to hazards commonly encountered in homecare workplaces and practical solutions to manage risks and improve safety. <https://www.cdc.gov/niosh/docs/2015-102/default.html>

WorkSafe BC

Leave When It's Unsafe - Video for community health care workers
<https://www.worksafebc.com/en/health-safety/hazards-exposures/violence>

Workplace Violence Toolkit – Section 10

Lateral Violence/Bullying

A task force to address bullying(2016). Keller, R., Budin, W. C., & Allie, T. AJN The American Journal of Nursing, 116(2), 52-58.

<http://www.nursingworld.org/MainMenuCategories/WorkplaceSafety/Healthy-Nurse/bullyingworkplaceviolence/ANA-Panel-Aims-to-Prevent-Violence-Bullying-in-Health-Care-Facilities.html>

Break the bullying cycle (2012). Townsend, T., American Nurse Today. January 2012 7(1)12-15.
<https://www.americanursetoday.com/assets/0/434/436/440/8612/8614/8618/8648/c1d7657a-4b54-4a43-98d6-05ceee4471cb.pdf>

Bullying and Workplace Violence. American Nurses Association

<http://www.nursingworld.org/MainMenuCategories/WorkplaceSafety/Healthy-Nurse/bullyingworkplaceviolence>

Combating Disruptive Behaviors: Strategies to Promote a Healthy Work Environment (2010). Joy Longo, DNS, RNC-NIC Online J Issues Nurse. 2010 15(1).

Creating a Nurse-Led Culture to Minimize Horizontal Violence in the Acute Care Setting: A Multi-Interventional Approach (2016). Parker, K. M., Harrington, A., Smith, C. M., Sellers, K. F., & Millenbach, L. Journal for nurses in professional development, 32(2), 56-63.
<http://www.nursingworld.org/MainMenuCategories/ANAMarketplace/ANAPeriodicals/OJIN/TaleofContents/Vol152010/No1Jan2010/Combating-Disruptive-Behaviors.html>

Decreasing workplace incivility (2016). Warrner, J., Sommers, K., Zappa, M., & Thornlow, D. K. Nursing management, 47(1), 22-30.

Do nurses eat their young? Truth and consequences (2012). Sauer, P. Journal of Emergency Nursing, 38(1), 43-46.

From the Playground to the Workplace: Managing Bullying in Health Care (2014). PowerPoint Presentation. Oeffner, J., PT, DPT, MBA. Combined Sections Meeting 2014 Section on Health Policy & Administration of the American Physical Therapy Association **February 3-6, 2014** Las Vegas, Nevada www.aptahpa.org
http://c.ymcdn.com/sites/www.aptahpa.org/resource/resmgr/csm2014_handouts/hp_1c_6176.pdf

Growing Concerns with Workplace Incivility (2017). Collins, N.R., & Rogers, B. Workplace Health & Safety. November 2017 564
Hospital staff registered nurses' perception of horizontal violence, peer relationships, and the quality and safety of patient care (2015). Purpora, C., Blegen, M. A., & Stotts, N. A. Work, 51(1), 29-37.

Workplace Violence Toolkit – Section 10

How One Organization Used Evidence to Address Lateral Violence Among Nurses (2017).

Salter, D. S. In *Creating Healthy Work Environments 2017* (17-20 March). STTI.

Incivility in nursing: from roots to repair (2016). Mikaelian, B., & Stanley, D. *Journal of nursing management*, 24(7), 962-969.

'I'm not calling him!': disruptive physician behavior in the acute care setting (2015). Kimes, A., Davis, L., Medlock, A., & Bishop, M. *MedSurg Nursing*, 24(4), 223-228.

Lateral violence in nursing and the theory of the nurse as wounded healer (2014). Christie, W., Jones, S., & PMHNPBC, R. *Online Journal of Issues in Nursing*, 18(4).

Non-physical violence: A risk factor for physical violence in health care settings (2006). Lanza, M. L., Zeiss, R. A., & Rierdan, J. *AAOHN Journal*, 54(9), 397-402.

Nurses and Bullying in the Workplace: A Resource Guide. Oregon Nurses Association (2010)

<http://www.oregonrn.org/displaycommon.cfm?an=1&subarticlenbr=451>

"Nurses Eat Their Young": A Novel Bullying Educational Program for Student Nurses (2017).

Gillespie, G.L., et. al. *J Nurs Educ Pract*. 7(7):11-21. Epub 2017 Feb 12.

Nursing students' experience of bullying: Prevalence, impact, and interventions (2015).

Bowllan, N. M. *Nurse educator*, 40(4), 194-198.

The disruptive force of lateral violence in the health care setting (2015).

Rainford, W. C., Wood, S., McMullen, P. C., & Philipsen, N. D. *The Journal for Nurse Practitioners*, 11(2), 157-164

The Joint Commission (2008). Behaviors that undermine a culture of safety. *Sentinel Event Alert*, Issue 40.

http://www.jointcommission.org/SentinelEvents/SentinelEventAlert/sea_40.htm

Workplace Bullying in Nursing: A Problem That Can't Be Ignored (2009).

Murray, J.S., *MEDSURG Nursing*—September/October 2009—Vol. 18/No. 5 p273-276.

http://www.amsn.org/sites/default/files/documents/practice-resources/healthy-work-environment/resources/MSNJ_Murray_18_05.pdf

Workplace bullying in health care: Peer-to-peer bullying of nurses (2012). Kaminski; M., and Kettering-Sincox, A. Michigan State University and MNA.

<http://ilera2012.wharton.upenn.edu/refereedpapers/kaminskimichelle.pdf>

Workplace Incivility and Productivity Losses Among Direct Care Staff (2008). Scott Hutton, S & Gates, D, *FAAN AAOHN J.* 2008 Apr;56(4):168-75.

Workplace Violence Toolkit – Section 10

Canadian Center for Occupational Health and Safety (CCOHS)

Information on workplace bullying,

<http://www.ccohs.ca/oshanswers/psychosocial/bullying.html>

WorkSafe Victoria, Australia.

Workplace bullying – prevention and response (2012).

https://www.worksafe.vic.gov.au/_data/assets/pdf_file/0010/211006/ISBN-Workplace-bullying-prevention-response-2012-10.pdf

Books

Ending nurse-to-nurse hostility: Why nurses eat their young and each other (2006).

Bartholomew, K. HC Pro, Inc. Marblehead, MA.

Domestic Violence

A Call to Action: The Nursing Role in Routine Assessment for Intimate Partner Violence (2012). Family Violence Prevention Fund

<https://www.futureswithoutviolence.org/userfiles/file/HealthCare/nursing.pdf>

Minnesota Department of Health

<http://www.health.state.mn.us/patientsafety/preventionofviolence/toolkit.html>

Risk Identification

- [Metro Compact - Domestic Violence Assessment Form \(PDF\)](#)

OSHA

- Assaulted and/or Battered Employee Policy*
<https://www.osha.gov/SLTC/etools/hospital/hazards/workplaceviolence/employeepolicy.html>

Worksafe BC

Addressing Domestic Violence in the Workplace: A Handbook for Employers 2015

www.worksafebc.com